

Aug 23 04 10:16a

IBM USER

732 6018

p. 5

8/17

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 8/19/2004
Sample Receipt Date: 8/18/2004
RJ Lee Group Job No.: ATH306366-1016
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/cc)
5228807.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08973	0 0	< 11.1 11.1 N/A N/A
5228808.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1784.00	0.04487	0 0	< 22.3 22.3 < 0.005 0.005
5228809.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1792.00	0.04487	0 0	< 22.3 22.3 < 0.005 0.005
5228810.HT	Area	8/17/2004 8/17/2004	99	N/A	(East) - Greenwich	385	1796.00	0.04487	0 0	< 22.3 22.3 < 0.005 0.005
5228811.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1796.00	0.04487	0 0	< 22.3 22.3 < 0.005 0.005

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 1 of 2

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/20/2004
Sample Receipt Date: 8/19/2004
RJ Lee Group Job No.: ATH306366-1019
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity	
										(S/mm ²)	(S/cc)
5228383.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(North West) - Washington and Cedar	385	0.000	0.08982	0 0	< 11.1 11.1	N/A N/A
5228384.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(South West) - Washington and Albany	385	1948.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004
5228385.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(South East) - Greenwich and Albany	385	1940.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004
5228386.HT	Area	8/17/2004 8/17/2004	99	N/A	(East) - Greenwich	385	1940.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004
5228387.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(North West) - Washington and Cedar	385	1932.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004
5229740.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(North West) - Washington and Cedar	385	0.000	0.08982	0 0	< 11.1 11.1	N/A N/A
5229741.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(South West) - Washington and Albany	385	2020.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004
5229742.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(South East) - Greenwich and Albany	385	2146.25	0.03593	0 0	< 27.8 27.8	< 0.005 0.005
5229743.HT	Area	8/17/2004 8/18/2004	99	N/A	(East) - Greenwich	385	2016.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004
5229744.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(North West) - Washington and Cedar	385	2024.00	0.04491	0 0	< 22.3 22.3	< 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 1 of 3

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/20/2004
Sample Receipt Date: 8/19/2004
RJ Lee Group Job No.: ATH306366-1019
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/cc)
5228383.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08982	0 0	< 11.1 11.1 N/A N/A
5228384.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1948.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004
5228385.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1940.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004
5228386.HT	Area	8/17/2004 8/17/2004	99	N/A	(East) - Greenwich	385	1940.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004
5228387.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1932.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004
5229740.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08982	0 0	< 11.1 11.1 N/A N/A
5229741.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2020.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004
5229742.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2146.25	0.03593	0 0	< 27.8 27.8 < 0.005 0.005
5229743.HT	Area	8/17/2004 8/18/2004	99	N/A	(East) - Greenwich	385	2016.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004
5229744.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2024.00	0.04491	0 0	< 22.3 22.3 < 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 1 of 3

RJ Lee Group, Inc.

Final Laboratory Report TEM Air Analysis

350 Hochberg Road, Monroeville, PA
Phone: (724) 325-1776 Fax: (724) 732-

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/20/2004
Sample Receipt Date: 8/19/2004
RJ Lee Group Job No.: ATH306366-1019
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJL#	RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/c)
522	5228383.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(North West) - Washington and Cedar	385	0.000	0.08982	0 0	< 11.1 11.1
52	5228384.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(South West) - Washington and Albany	385	1948.00	0.04491	0 0	< 22.3 22.3
5	5228385.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(South East) - Greenwich and Albany	385	1940.00	0.04491	0 0	< 22.3 22.3
	5228386.HT	Area	8/17/2004 8/17/2004	99	N/A	(East) - Greenwich	385	1940.00	0.04491	0 0	< 22.3 22.3
	5228387.HT	Area	8/17/2004 8/17/2004	99	Not Acquired	(North West) - Washington and Cedar	385	1932.00	0.04491	0 0	< 22.3 22.3
	5229740.HT	Field Blank	8/17/2004 8/17/2004	99	Not Acquired	(North West) - Washington and Cedar	385	0.000	0.08982	0 0	< 11.1 11.1
	5229741.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(South West) - Washington and Albany	385	2020.00	0.04491	0 0	< 22.3 22.3
	5229742.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(South East) - Greenwich and Albany	385	2146.25	0.03593	0 0	< 27.8 27.8
	5229743.HT	Area	8/17/2004 8/18/2004	99	N/A	(East) - Greenwich	385	2016.00	0.04491	0 0	< 22.3 22.3
	5229744.HT	Area	8/17/2004 8/18/2004	99	Not Acquired	(North West) - Washington and Cedar	385	2024.00	0.04491	0 0	< 22.3 22.3

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.