

Rug 16 04 10:41a IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 8/3/2004 Time: 9:35:44 AM

Page 2 of 3 p. 3

7/31

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis


RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/3/2004
Sample Receipt Date: 8/2/2004
RJ Lee Group Job No.: ATH306366-946
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5227174.HT	Field Blank	7/31/2004 7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08792	0 0	< 11.4 11.4	N/A N/A
5227176.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.003
5227175.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1764.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.003
5227177.HT	Area	7/31/2004 7/31/2004	99	N/A	(East) - Greenwich	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.003
5227178.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1776.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.003

Authorized Signature: _____

 /s/ Kimberly A. Allison, Manager - TEM Analysis

Notes

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Aug 16 04 11:38a IBM USER

From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 8/3/2004 Time: 9:35:44 AM

Page 2 of 3 P. 3

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 8/3/2004
Sample Receipt Date: 8/2/2004
RJ Lee Group Job No.: ATH306366-946
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
		Start	Stop								Analytical Sensitivity (S/mm ²)	(S/cc)
5227174.HT	Field Blank	7/31/2004	7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08792	0 0	< 11.4 11.4	N/A N/A
5227176.HT	Area	7/31/2004	7/31/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
5227175.HT	Area	7/31/2004	7/31/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1764.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
5227177.HT	Area	7/31/2004	7/31/2004	99	N/A	(East) - Greenwich	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
5227178.HT	Area	7/31/2004	7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1776.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005

Authorized Signature: _____

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "----" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

RJ Lee Group, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/3/2004
Sample Receipt Date: 8/2/2004
RJ Lee Group Job No.: ATH306366-946
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample #	Sample #	Date Collected Start/End	#	#	Site Location	Filter Area (mm ²)	Volume (liters)	Area Analyzed (mm ²)	Asbestos Structures Count/Length	Concentration	
										Analytical Sensitivity (f/mmm ²)	Analytical Sensitivity (f/cm)
5227174.HT	Field Blank	7/31/2004 7/31/2004	99	Not Acquired	(North West) - Washington and Cedar	385	1772.00	0.04396	0 0	< 11.4 11.4	N/A N/A
5227176.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(South East) - Greenwich and Albany	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
5227175.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(South West) - Washington and Albany	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
5227177.HT	Area	7/31/2004 7/31/2004	99	N/A	(East) - Greenwich	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
5227178.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(North West) - Washington and Cedar	385	1772.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005


KIMBERLY A. ALLISON Manager - TEM ANALYSIS

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "--" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Aug 16 04 10:12a

IBM USER

732 6018

p. 4

Date: 8/4/2004 Time: 10:12:10 AM

Page 2 of 4

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/4/2004
Sample Receipt Date: 8/3/2004
RJ Lee Group Job No. ATH306366-952
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
		Start	Stop								Analytical Sensitivity (S/mm ²)	(S/cc)
3227189.HT	Field Blank	7/31/2004	7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	0.000	0.08792	0 0	< 11.4 11.4	N/A N/A
3227190.HT	Area	7/31/2004	7/31/2004	99	Not Acquired	(SouthWest) - Washington and Albany	335	1888.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
3227192.HT	Area	7/31/2004	7/31/2004	99	N/A	(East) - Greenwich	335	1876.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
3227191.HT	Area	7/31/2004	7/31/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	335	1876.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
3227200.HT	Field Blank	7/31/2004	7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	0.000	0.08792	0 0	< 11.4 11.4	N/A N/A
3227193.HT	Area	7/31/2004	7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	1876.00	0.04396	0 0	< 22.7 22.7	< 0.005 0.005
3227201.HT	Area	7/31/2004	8/1/2004	99	Not Acquired	(SouthWest) - Washington and Albany	335	2072.00	0.04396	0 0	< 22.7 22.7	< 0.004 0.004
3227202.HT	Area	7/31/2004	8/1/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	335	2076.00	0.04396	0 0	< 22.7 22.7	< 0.004 0.004
3227203.HT	Area	7/31/2004	8/1/2004	99	N/A	(East) - Greenwich	335	2076.00	0.04396	0 0	< 22.7 22.7	< 0.004 0.004
3227204.HT	Area	7/31/2004	8/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	2080.00	0.04396	0 0	< 22.7 22.7	< 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

Aug 16 04 10:12a

IBM USER

732 6018

p.5


RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-952
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 8/4/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (nm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____



/s/b

Kimberly A. Allson, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

Aug 16 04 10:42a

IBM USER

732 6018

p. 4

Date: 8/4/2004 Time: 10:12:10 AM

Page 2 of 4

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 8/4/2004
Sample Receipt Date: 8/3/2004
RJ Lee Group Job No.: ATH306366-952
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/cc)
5227189.HT	Field Blank	7/31/2004 7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	0.000	0.08792	0 0	< 11.4 11.4 N/A N/A
5227190.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(SouthWest) - Washington and Albany	335	1888.00	0.04396	0 0	< 22.7 22.7 < 0.005 0.005
5227192.HT	Area	7/31/2004 7/31/2004	99	N/A	(East) - Greenwich	335	1876.00	0.04396	0 0	< 22.7 22.7 < 0.005 0.005
5227191.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	335	1876.00	0.04396	0 0	< 22.7 22.7 < 0.005 0.005
5227200.HT	Field Blank	7/31/2004 7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	0.000	0.08792	0 0	< 11.4 11.4 N/A N/A
5227193.HT	Area	7/31/2004 7/31/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	1876.00	0.04396	0 0	< 22.7 22.7 < 0.005 0.005
5227201.HT	Area	7/31/2004 8/1/2004	99	Not Acquired	(SouthWest) - Washington and Albany	335	2072.00	0.04396	0 0	< 22.7 22.7 < 0.004 0.004
5227202.HT	Area	7/31/2004 8/1/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	335	2076.00	0.04396	0 0	< 22.7 22.7 < 0.004 0.004
5227203.HT	Area	7/31/2004 8/1/2004	99	N/A	(East) - Greenwich	335	2076.00	0.04396	0 0	< 22.7 22.7 < 0.004 0.004
5227204.HT	Area	7/31/2004 8/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	335	2080.00	0.04396	0 0	< 22.7 22.7 < 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.

2. * indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.

3. Sample(s) for this project were analyzed at our: Monroeville, PA (NYLAP #101268-0, NY ELAP #10844) facility.

4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.

5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.

6. Samples will be held for 90 days and then disposed of per Federal regulations.

7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

Aug 16 04 10:42a

IBM USER

732 6018

p. 5

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-952
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 8/4/2004

JLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (nm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

Volumes provided by Ambient were used to calculate analytical results and sensitivities

"<" indicates results less than analytical sensitivity. "----" indicates that sample was not analyzed.

sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility

1. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.

2. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.

3. Samples will be held for 90 days and then disposed of per Federal regulations.

4. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.