

Jul 02 04 05:21p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Urrego

732 6018
Date: 06/29/2004 Time: 1:07:00 PM

Page 2 of 4 P. 2

6/26

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 6/29/2004
Sample Receipt Date: 6/28/2004
RJ Lee Group Job No.: ATH306366-812
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/cc)
S220727.HT	Area	6/26/2004 6/26/2004	0	FF	(South) - Shanty Area	385	1980.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004
S220728.HT	Area	6/26/2004 6/26/2004	0	Y	(South) - Decon Entrance	385	1980.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004
S220730.HT	Field Blank	6/26/2004 6/26/2004	0	X	(South) - Ramp	385	0.000	0.08672	0 0	< 11.5 11.5 N/A N/A
S220729.HT	Area	6/26/2004 6/26/2004	0	X	(South) - Ramp	385	1980.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004
S220731.HT	Field Blank	6/26/2004 6/26/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08672	0 0	< 11.5 11.5 N/A N/A
S220732.HT	Area	6/26/2004 6/26/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1976.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004
S220734.HT	Area	6/26/2004 6/26/2004	99	N/A	(East) - Greenwich	385	1984.00	0.04336	1 0	23.1 23.1 0.004 0.004
S220733.HT	Area	6/26/2004 6/26/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1980.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004
S220735.HT	Area	6/26/2004 6/26/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1988.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004
S220736.HT	Area	6/26/2004 6/26/2004	1	K	(NorthWest) - Cedar Decon	385	1996.00	0.04336	0 0	< 23.1 23.1 < 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 02 04 05:21p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Urigo

732 8018
LBNB: 01/20/2004 11:01:00 PM

Page 3 of 4 p. 3

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-812
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/29/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration Analytical Sensitivity	
		Start	Stop							Chry	Amph	(G/mm ²)	(S/cc)
5220726.HT	Area	6/26/2004	6/26/2004	0	Z	(South) - Decon Exit	385	1980.00	0.04336	0	0	< 23.1 23.1	< 0.004 0.004

Authorized Signature: _____



/sib

Kimberly A. Allison, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 02 04 05:22p

IBM USER

732 6018

p. 4

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No. ATH306366-815
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/30/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liters)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/cc)
5223268.HT	Area	6/26/2004 6/27/2004	99	N/A	(East) - Greenwich	385	1996.00	0.04325	0 0	< 23.1 23.1 < 0.004 0.004
5221984.HT	Area	6/26/2004 6/27/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1988.00	0.04325	0 0	< 23.1 23.1 < 0.004 0.004
5221985.HT	Area	6/26/2004 6/27/2004	1	K	(NorthWest) - Cedar Decon	385	1988.00	0.04325	0 0	< 23.1 23.1 < 0.004 0.004
5223239.HT	Area	6/26/2004 6/26/2004	0	Z	(South) - Decon Exit	385	1860.00	0.04325	0 0	< 23.1 23.1 < 0.005 0.005
5223240.HT	Area	6/26/2004 6/26/2004	0	FF	(South) - Shanty Area	385	1856.00	0.04325	0 0	< 23.1 23.1 < 0.005 0.005
5223241.HT	Area	6/26/2004 6/26/2004	0	Y	(South) - Decon Entrance	385	1852.00	0.04325	0 0	< 23.1 23.1 < 0.005 0.005
5223242.HT	Area	6/26/2004 6/26/2004	0	X	(South) - Ramp	385	1732.50	0.05190	0 0	< 19.3 19.3 < 0.004 0.004
5223243.HT	Field Blank	6/26/2004 6/26/2004	0	X	(South) - Ramp	385	0.000	0.08650	0 0	< 11.6 11.6 N/A N/A
5223244.HT	Field Blank	6/26/2004 6/26/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08650	0 0	< 11.6 11.6 N/A N/A
5223245.HT	Area	6/26/2004 6/26/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1852.00	0.04325	0 0	< 23.1 23.1 < 0.005 0.005
5223246.HT	Area	6/26/2004 6/26/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1848.00	0.04325	0 0	< 23.1 23.1 < 0.005 0.005
5223247.HT	Area	6/26/2004 6/26/2004	99	N/A	(East) - Greenwich	385	1728.75	0.03190	0 0	< 19.3 19.3 < 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jul 02 04 05:22p

IBM USER

732 6018

P.5

From: RJ Lee Group, Inc To: Mr. Noel Drago

DATE: 06/30/2004 TIME: 9:13:20 AM

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 6/30/2004
Sample Receipt Date: 6/29/2004
RJ Lee Group Job No: ATH306366-815
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity	
										(S/m ³)	(S/cc)
5223248.HT	Area	6/26/2004 6/26/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1840.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5223249.HT	Area	6/26/2004 6/26/2004	1	K	(NorthWest) - Cedar Decon	385	1832.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5223260.HT	Area	6/26/2004 6/27/2004	0	Z	(South) - Decon Exit	385	2004.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5223261.HT	Area	6/26/2004 6/27/2004	0	FF	(South) - Shanty Area	385	2129.25	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5223263.HT	Area	6/26/2004 6/27/2004	0	X	(South) - Ramp	385	2008.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5223262.HT	Area	6/26/2004 6/27/2004	0	Y	(South) - Decon Entrance	385	2004.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5223264.HT	Field Blank	6/26/2004 6/26/2004	0	X	(South) - Ramp	385	0.000	0.08650	0 0	< 11.6 11.6	N/A N/A
5223265.HT	Field Blank	6/26/2004 6/26/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08650	0 0	< 11.6 11.6	N/A N/A
5223266.HT	Area	6/26/2004 6/27/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2004.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5223267.HT	Area	6/26/2004 6/27/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2125.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004

Notes

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jul 02 04 05:23p

IBM USER

732 6018

p. 6

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-815
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 6/30/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "C" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #01208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5