

Jul 02 04 05:31p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 7/17/2004 Time: 1:07:10 PM

Page 2 of 4 P. 17
6/29

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/1/2004
Sample Receipt Date: 6/30/2004
RJ Lee Group Job No.: ATH306366-821
Samples Received: 11
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5222924.HT	Area	6/29/2004 6/29/2004	0	Z	(South) - Decon Exit	385	1948.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5222925.HT	Area	6/29/2004 6/29/2004	0	FF	(South) - Shanty Area	385	1944.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5222926.HT	Area	6/29/2004 6/29/2004	0	Y	(South) - Decon Entrance	385	1940.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5222927.HT	Area	6/29/2004 6/29/2004	0	X	(South) - Ramp	385	1940.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5222928.HT	Field Blank	6/29/2004 6/29/2004	0	X	(South) - Ramp	385	0.000	0.08650	0 0	< 11.6 11.6	N/A N/A
5222929.HT	Field Blank	6/29/2004 6/29/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08650	0 0	< 11.6 11.6	N/A N/A
5222931.HT	Area	6/29/2004 6/29/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1980.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5222930.HT	Area	6/29/2004 6/29/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1976.00	0.04325	0 0	< 23.1 23.1	< 0.005 0.005
5222932.HT	Area	6/29/2004 6/29/2004	99	N/A	(East) - Greenwich	385	1988.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004
5222933.HT	Area	6/29/2004 6/29/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1992.00	0.04325	0 0	< 23.1 23.1	< 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 02 04 05:32p

IBM USER

732 6018

Page 3 of 4 P. 18

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/1/2004 Time: 1:07:10 PM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-821
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/1/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration Analytical Sensitivity (S/m ²) (S/cc)	
		Start	Stop							Chry	Anph	(S/m ²)	(S/cc)
5222934.HT	Area	6/29/2004	6/29/2004	1	K	(NorthWest) - Cedar Decon	385	1988.00	0.04325	1	0	23.1 23.7	0.004 0.004

Authorized Signature: _____



/sib

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Anph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 02 04 05:32p
From: RJ Lee Group, Inc. 10 Mr. Noel Drago

IBM USER

732 6018

P. 18

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/2/2004
Sample Receipt Date: 7/1/2004
RJ Lee Group Job No.: ATH306366-829
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity	
										(S/m ³)	(S/cc)
5222944.HT	Area	6/29/2004 6/29/2004	0	Z	(South) - Decon Exit	385	1872.00	0.04358	1 0	22.9 22.9	0.005 0.005
5222945.HT	Area	6/29/2004 6/29/2004	0	FF	(South) - Shanty Area	385	1755.00	0.05230	0 0	< 19.1 19.1	< 0.004 0.004
5222946.HT	Area	6/29/2004 6/29/2004	0	Y	(South) - Decon Entrance	385	1876.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222947.HT	Area	6/29/2004 6/29/2004	0	X	(South) - Ramp	385	1758.75	0.05230	0 0	< 19.1 19.1	< 0.004 0.004
5222670.HT	Field Blank	6/29/2004 6/29/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5222669.HT	Field Blank	6/29/2004 6/29/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5222671.HT	Area	6/29/2004 6/30/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1956.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222672.HT	Area	6/29/2004 6/30/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1956.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222673.HT	Area	6/29/2004 6/30/2004	99	N/A	(East) - Greenwich	385	1960.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222675.HT	Area	6/29/2004 6/30/2004	1	K	(NorthWest) - Cedar Decon	385	1956.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005

Notes:

- Volumes provided by Arribas were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jul 02 04 05:33p

IBM USER

732 6018

P. 20

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-825
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 7/2/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos		Concentration	
									Structures Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)
5222674.HT	Area	6/29/2004 6/30/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1956.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222948.HT	Field Blank	6/29/2004 6/29/2004	0	X	(South) - Ramp	385	0.000	0.08717	0	0	< 11.5 11.5	N/A N/A
5222949.HT	Field Blank	6/29/2004 6/29/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0	0	< 11.5 11.5	N/A N/A
5222950.HT	Area	6/29/2004 6/29/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1840.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222951.HT	Area	6/29/2004 6/29/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1832.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222952.HT	Area	6/29/2004 6/29/2004	99	N/A	(East) - Greenwich	385	1824.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222953.HT	Area	6/29/2004 6/29/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1828.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222965.HT	Area	6/29/2004 6/30/2004	0	Z	(South) - Decon Exit	385	1948.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222954.HT	Area	6/29/2004 6/29/2004	1	K	(NorthWest) - Cedar Decon	385	1713.75	0.05230	0	0	< 19.1 19.1	< 0.004 0.004
5222966.HT	Area	6/29/2004 6/30/2004	0	FF	(South) - Shanty Area	385	1952.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222967.HT	Area	6/29/2004 6/30/2004	0	Y	(South) - Decon Entrance	385	1956.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222968.HT	Area	6/29/2004 6/30/2004	0	X	(South) - Ramp	385	1956.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jul 02 04 05:34p

IBM USER

732 6018

P.21

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No. ATH306366-829
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 7/2/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5