NYC 9/11 Public Portal Document

6/28

RJ Lee*Group*, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 6/30/2004
Sample Receipt Date: 6/29/2004
RJ Lee Group Job No.: ATH306366-816
Samples Received: 11
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start / Stop	Floor	Grid	Sub Location	Filter Area (mm^2)	Volume (liter)	Area Analyzed (mm^2)	Asbestos Structures Chry	Asbestos Structures Amph	Concentration Analytical Sensitivity (S/mm^2)	Concentration Analytical Sensitivity (S/cc)
5220277.HT	Area	6/28/2004 / 6/28/2004	0	Z	(South) - Decon Exit	385	1888.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220278.HT	Area	6/28/2004 / 6/28/2004	0	FF	(South) - Shanty Area	385	1888.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220279.HT	Area	6/28/2004 / 6/28/2004	0	Y	(South) - Decon Entrance	385	1884.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220280.HT	Area	6/28/2004 / 6/28/2004	0	X	(South) - Ramp	385	1888.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220281.HT	Field Blank	6/28/2004 / 6/28/2004	0	X	(South) - Ramp	385	0.000	0.08650	0	0	< 11.6 / 11.6	N/A / N/A
5220282.HT	Field Blank	6/28/2004 / 6/28/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08650	0	0	< 11.6 / 11.6	N/A / N/A
5220283.HT	Area	6/28/2004 / 6/28/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1888.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220284.HT	Area	6/28/2004 / 6/28/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1892.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220286.HT	Area	6/28/2004 / 6/28/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1912.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5220285.HT	Area	6/28/2004 / 6/28/2004	99	N/A	(East) - Greenwich	385	1908.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005

Notes:
1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "--" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

NYC-WTC_000133291

NYC 9/11 Public Portal Document

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-816
Building: 130 Liberty

RJ Lee Group, Inc
Report Date: 6/30/2004

RJLG Sample Number	Sample Type	Date Collected Start / Stop	Floor	Grid	Sub Location	Filter Area (mm^2)	Volume (liter)	Area Analyzed (mm^2)	Asbestos Structures Chry	Asbestos Structures Amph	Concentration Analytical Sensitivity (S/mm^2)	Concentration Analytical Sensitivity (S/cc)
5220287.HT	Area	6/28/2004 / 6/28/2004	1	K	(NorthWest) - Cedar Decon	385	1912.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005

Authorized Signature: /slb
Kimberly A. Allison, Manager - TEM Analysis

Notes:
1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "---" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

NYC-WTC_000133292

NYC 9/11 Public Portal Document

RJ Lee*Group*, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date:	7/1/2004
Sample Receipt Date:	6/30/2004
RJ Lee Group Job No.:	ATH306366-820
Samples Received:	22
Building:	130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start / Stop	Floor	Grid	Sub Location	Filter Area (mm^2)	Volume (liter)	Area Analyzed (mm^2)	Asbestos Structures Chry	Asbestos Structures Amph	Concentration / Analytical Sensitivity (S/mm^2)	Concentration / Analytical Sensitivity (S/cc)
5222892.HT	Area	6/28/2004 6/28/2004	0	Z	(South) - Decon Exit	385	2060.00	0.04325	0	0	< 23.1 23.1	< 0.004 0.004
5222893.HT	Area	6/28/2004 6/28/2004	0	FF	(South) - Shanty Area	385	2060.00	0.04325	0	0	< 23.1 23.1	< 0.004 0.004
5222896.HT	Field Blank	6/28/2004 6/28/2004	0	X	(South) - Ramp	385	0.000	0.08650	0	0	< 11.6 11.6	N/A N/A
5222894.HT	Area	6/28/2004 6/28/2004	0	Y	(South) - Decon Entrance	385	2064.00	0.04325	0	0	< 23.1 23.1	< 0.004 0.004
5222895.HT	Area	6/28/2004 6/28/2004	0	X	(South) - Ramp	385	2060.00	0.04325	1	0	23.1 23.1	0.004 0.004
5222897.HT	Field Blank	6/28/2004 6/28/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08650	0	0	< 11.6 11.6	N/A N/A
5222899.HT	Area	6/28/2004 6/28/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2044.00	0.04325	0	0	< 23.1 23.1	< 0.004 0.004
5222900.HT	Area	6/28/2004 6/28/2004	99	N/A	(East) - Greenwich	385	2032.00	0.04325	0	0	< 23.1 23.1	< 0.004 0.004
5222901.HT	Area	6/28/2004 6/28/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1905.00	0.04325	0	0	< 23.1 23.1	< 0.005 0.005
5222898.HT	Area	6/28/2004 6/28/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1923.75	0.04325	0	0	< 23.1 23.1	< 0.005 0.005

Notes:
1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "---" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

NYC-WTC_000133293

NYC 9/11 Public Portal Document

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No. ATH306366-820
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 7/1/2004

RJLG Sample Number	Sample Type	Date Collected Start / Stop	Floor	Grid	Sub Location	Filter Area (mm^2)	Volume (liter)	Area Analyzed (mm^2)	Asbestos Structures Chry	Asbestos Structures Amph	Concentration Analytical Sensitivity (S/mm^2)	Concentration Analytical Sensitivity (S/cc)
5222902.HT	Area	6/28/2004 / 6/28/2004	1	K	(NorthWest) - Cedar Decon	385	2032.00	0.04325	0	0	< 23.1 / 23.1	< 0.004 / 0.004
5222913.HT	Area	6/28/2004 / 6/29/2004	0	Z	(South) - Decon Exit	385	1832.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222914.HT	Area	6/28/2004 / 6/29/2004	0	FF	(South) - Shanty Area	385	1836.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222915.HT	Area	6/28/2004 / 6/29/2004	0	Y	(South) - Decon Entrance	385	1836.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222917.HT	Field Blank	6/28/2004 / 6/28/2004	0	X	(South) - Ramp	385	0.000	0.08650	0	0	< 11.6 / 11.6	N/A / N/A
5222919.HT	Area	6/28/2004 / 6/29/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1840.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222918.HT	Field Blank	6/28/2004 / 6/28/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08650	0	0	< 11.6 / 11.6	N/A / N/A
5222920.HT	Area	6/28/2004 / 6/29/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1848.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222922.HT	Area	6/28/2004 / 6/29/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1844.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222921.HT	Area	6/28/2004 / 6/29/2004	99	N/A	(East) - Greenwich	385	1848.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222923.HT	Area	6/28/2004 / 6/29/2004	1	K	(NorthWest) - Cedar Decon	385	1844.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005
5222916.HT	Area	6/28/2004 / 6/29/2004	0	X	(South) - Ramp	385	1840.00	0.04325	0	0	< 23.1 / 23.1	< 0.005 / 0.005

Notes:
1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "--" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

NYC-WTC_000133294

NYC 9/11 Public Portal Document

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-820
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date:

RJLG Sample Number	Sample Type	Date Collected Start	Stop	Floor	Grid	Sub Location	Filter Area (mm^2)	Volume (liter)	Area Analyzed (mm^2)	Asbestos Structures Chry	Amph	Concentration Analytical Sensitivity (S/mm^2)	(S/cc)

Authorized Signature: /slb
Kimberly A. Allison, Manager - TEM Analysis

Notes:
1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "---" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

NYC-WTC_000133295