

Jul 09 04 08:19a

IBM USER

732 6018

P. 2

6/30

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/3/2004
Sample Receipt Date: 7/2/2004
RJ Lee Group Job No.: ATH306366-839
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mmf)	Analytical Sensitivity (S/cc)
5226069.HT	Area	6/30/2004 7/1/2004	0	Z	(South) - Decon Exit	385	1896.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226070.HT	Area	6/30/2004 7/1/2004	0	FF	(South) - Shanty Area	385	1896.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226072.HT	Area	6/30/2004 7/1/2004	0	X	(South) - Ramp	385	1892.00	0.08717	0 0	< 11.5 11.5	< 0.002 0.002
5226071.HT	Area	6/30/2004 7/1/2004	0	Y	(South) - Decon Entrance	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226079.HT	Area	6/30/2004 7/1/2004	1	K	(North West) - Cedar Decon	385	1888.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226073.HT	Field Blank	6/30/2004 6/30/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
522687.HT	Area	6/30/2004 6/30/2004	0	Z	(South) - Decon Exit	385	1936.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
522688.HT	Area	6/30/2004 6/30/2004	0	FF	(South) - Shanty Area	385	1936.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
522689.HT	Area	6/30/2004 6/30/2004	0	Y	(South) - Decon Entrance	385	1940.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
522691.HT	Field Blank	6/30/2004 6/30/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:19a

IBM USER

732 6018

p. 3

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/3/2004 Time: 10:00:00 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-839
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/3/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)
5222690.HT	Area	6/30/2004	6/30/2004	0	X	(South) - Ramp	385	1944.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5222697.HT	Area	6/30/2004	6/30/2004	1	K	(NorthWest) - Cedar Decon	385	1868.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005

Authorized Signature: _____ /s/b

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 09 04 08:19a IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 7/2/2004 Time: 9:20:21 AM

P. 4

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/2/2004
Sample Receipt Date: 7/1/2004
RJ Lee Group Job No.: ATH306366-828
Samples Received: 11
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5222676.HT	Area	6/30/2004 6/30/2004	0	Z	(South) - Decon Exit	385	1900.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222677.HT	Area	6/30/2004 6/30/2004	0	FF	(South) - Shanty Area	385	1896.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222678.HT	Area	6/30/2004 6/30/2004	0	Y	(South) - Decon Entrance	385	1888.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222679.HT	Area	6/30/2004 6/30/2004	0	X	(South) - Ramp	385	1888.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222681.HT	Field Blank	6/30/2004 6/30/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5222682.HT	Area	6/30/2004 6/30/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222680.HT	Field Blank	6/30/2004 6/30/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5222683.HT	Area	6/30/2004 6/30/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1904.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222684.HT	Area	6/30/2004 6/30/2004	99	N/A	(East) - Greenwich	385	1908.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5222685.HT	Area	6/30/2004 6/30/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1960.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:20a

IBM USER

732 6018

P. 5

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-828

RJ Lee Group, Inc.

Building: 130 Liberty

Report Date: 7/2/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)
5222686.HT	Area	6/30/2004	6/30/2004	1	K	(NorthWest) - Cedar Decon	385	1964.00	0.04358	0	0	< 22.9 22.9	< 0.004 0.004

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/3/2004
Sample Receipt Date: 7/2/2004
RJ Lee Group Job No.: ATH306366-830
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
		Start	Stop								Analytical Sensitivity (S/mm ²)	(S/cc)
5226074.HT	Field Blank	6/30/2004	6/30/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5226075.HT	Area	6/30/2004	7/1/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226076.HT	Area	6/30/2004	7/1/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226077.HT	Area	6/30/2004	7/1/2004	99	N/A	(East) - Greenwich	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226092.HT	Field Blank	6/30/2004	6/30/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5226078.HT	Area	6/30/2004	7/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226094.HT	Area	6/30/2004	6/30/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1928.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226095.HT	Area	6/30/2004	6/30/2004	99	N/A	(East) - Greenwich	385	1920.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226096.HT	Area	6/30/2004	6/30/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1872.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226093.HT	Area	6/30/2004	6/30/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1940.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:21a

IBM USER

732 6018

P. 7

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/3/2004 Time: 10:02:42 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-830
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 7/3/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liters)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____ /slb

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4