

Jul 09 04 08:22a IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 7/3/2004 Time: 10:05:00 AM

Page 2 of 3 P. 8
7/1

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/3/2004
Sample Receipt Date: 7/2/2004
RJ Lee Group Job No.: ATH306366-834
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5226080.HT	Area	7/1/2004 7/1/2004	0	Z	(South) - Decon Exit	385	1868.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226081.HT	Area	7/1/2004 7/1/2004	0	FF	(South) - Shanty Area	385	1868.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226082.HT	Area	7/1/2004 7/1/2004	0	Y	(South) - Decon Entrance	385	1868.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226083.HT	Area	7/1/2004 7/1/2004	0	X	(South) - Ramp	385	1864.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226084.HT	Field Blank	7/1/2004 7/1/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5226090.HT	Area	7/1/2004 7/1/2004	1	K	(NorthWest) - Cedar Decon	385	1904.00	0.04358	1 0	22.9 22.9	0.005 0.005

Authorized Signature: _____ /sib

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Jul 09 04 08:23a

IBM USER

732 6018

p.9

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/3/2004
Sample Receipt Date: 7/2/2004
RJ Lee Group Job No.: ATH306366-837
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity	
										(S/m ³)	(S/cc)
5226085.HT	Field Blank	7/1/2004 7/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5226086.HT	Area	7/1/2004 7/1/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1872.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226087.HT	Area	7/1/2004 7/1/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1880.00	0.04358	2 0	45.9 22.9	0.009 0.005
5226088.HT	Area	7/1/2004 7/1/2004	99	N/A	(East) - Greenwich	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226089.HT	Area	7/1/2004 7/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1892.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005

Authorized Signature: _____ /s/ib

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "----" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Jul 09 04 08:23a

IBM USER

732 6018

P. 10

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/3/2004 Time: 9:07:18 PM

Page 4 of 7

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/3/2004
Sample Receipt Date: 7/3/2004
RJ Lee Group Job No.: ATH306366-841
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration		
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)	
5225575.HT	Field Blank	7/1/2004 7/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0	0	< 11.5 11.5	N/A N/A
5225576.HT	Area	7/1/2004 7/1/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1980.00	0.04358	0	0	< 22.9 22.9	< 0.004 0.004
5225577.HT	Area	7/1/2004 7/1/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1976.00	0.04358	0	0	< 22.9 22.9	< 0.004 0.004
5225578.HT	Area	7/1/2004 7/1/2004	99	N/A	(East) - Greenwich	385	1964.00	0.04358	0	0	< 22.9 22.9	< 0.004 0.004
5225579.HT	Area	7/1/2004 7/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1964.00	0.04358	0	0	< 22.9 22.9	< 0.004 0.004
5226097.HT	Area	7/1/2004 7/2/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1940.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5226096.HT	Field Blank	7/1/2004 7/1/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08717	0	0	< 11.5 11.5	N/A N/A
5226099.HT	Area	7/1/2004 7/2/2004	99	N/A	(East) - Greenwich	385	1932.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5226098.HT	Area	7/1/2004 7/2/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1932.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005
5226100.HT	Area	7/1/2004 7/2/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1932.00	0.04358	0	0	< 22.9 22.9	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:24a

IBM USER

732 6018

p. 11

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/3/2004 Time: 8:07:10 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No. ATH306366-841
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/3/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____ /slb

Notes:

1. Volumes provided by Ambion were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-J, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 09 04 08:25a

IBM USER

732 6018

p.12

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
 Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
 350 Hochberg Road
 Monroeville, PA 15146
 USA

Report Date: 7/3/2004
 Sample Receipt Date: 7/3/2004
 RJ Lee Group Job No.: ATH306366-840
 Samples Received: 0
 Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5225570.HT	Area	7/1/2004 7/1/2004	0	Z	(South) - Decon Exit	385	1972.00	0.04358	0 0	< 22.9 22.9	< 0.004 0.004
5225572.HT	Area	7/1/2004 7/1/2004	0	Y	(South) - Decon Entrance	385	1984.00	0.04358	0 0	< 22.9 22.9	< 0.004 0.004
5225573.HT	Area	7/1/2004 7/1/2004	0	X	(South) - Ramp	385	1984.00	0.04358	0 0	< 22.9 22.9	< 0.004 0.004
5225574.HT	Field Blank	7/1/2004 7/1/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5225580.HT	Area	7/1/2004 7/1/2004	1	K	(NorthWest) - Cedar Decon	385	1960.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226091.HT	Area	7/1/2004 7/2/2004	0	Z	(South) - Decon Exit	385	1932.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226093.HT	Area	7/1/2004 7/2/2004	0	Y	(South) - Decon Entrance	385	1928.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226092.HT	Area	7/1/2004 7/2/2004	0	FF	(South) - Shanty Area	385	1928.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005
5226095.HT	Field Blank	7/1/2004 7/1/2004	0	X	(South) - Ramp	385	0.000	0.08717	0 0	< 11.5 11.5	N/A N/A
5226101.HT	Area	7/1/2004 7/2/2004	1	K	(NorthWest) - Cedar Decon	385	1928.00	0.04358	0 0	< 22.9 22.9	< 0.005 0.005

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:26a

IBM USER

732 6018

p. 13

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No ATH306366-840
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/3/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____ /slb

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4