

Jul 09 04 08:38a IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 7/8/2004 Time: 4:10:10 PM

Page 2 of 4 P. 30
1/5

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/8/2004
Sample Receipt Date: 7/7/2004
RJ Lee Group Job No.: ATH306366-854
Samples Received: 14
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5222724.HT	Field Blank	7/5/2004 7/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A
5222725.HT	Area	7/5/2004 7/5/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1792.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222726.HT	Area	7/5/2004 7/5/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1800.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222728.HT	Area	7/5/2004 7/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1816.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222755.HT	Field Blank	7/5/2004 7/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A
5222756.HT	Area	7/5/2004 7/6/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1920.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222757.HT	Area	7/5/2004 7/6/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1920.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222759.HT	Area	7/5/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1916.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222758.HT	Area	7/5/2004 7/6/2004	99	N/A	(East) - Greenwich	385	1916.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5223647.HT	Field Blank	7/5/2004 7/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:39a IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 7/8/2004 Time: 4:10:10 PM

Page 3 of 4 P. 31

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-854
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 7/8/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures				Concentration	
									Chry	Amph	S	S	Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5223648.HT	Area	7/5/2004 7/5/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1972.00	0.04365	0	0	<22.9 22.9	<0.004 0.004		
5223649.HT	Area	7/5/2004 7/5/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1964.00	0.04365	0	0	<22.9 22.9	<0.004 0.004		
5223650.HT	Area	7/5/2004 7/5/2004	99	N/A	(East) - Greenwich	385	1952.00	0.04365	0	0	<22.9 22.9	<0.005 0.005		
5223651.HT	Area	7/5/2004 7/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1952.00	0.04365	0	0	<22.9 22.9	<0.005 0.005		

Authorized Signature: _____



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 09 04 08:40a IBM USER
From: RJ Lee Group, Inc To: Mr. Noel Drago

732 6018
DATE: 7/8/2004 TIME: 9:30:30 AM

Page 2 of 7 P. 32

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/8/2004
Sample Receipt Date: 7/7/2004
RJ Lee Group Job No: ATH306366-848
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5222760.HT	Area	7/5/2004 7/6/2004	1	K	(NorthWest) - Cedar Decon	385	1916.00	0.05238	0 0	< 19.1 19.1	< 0.004 0.004
5223644.HT	Area	7/5/2004 7/5/2004	0	Y	(South) - Decon Entrance	385	1972.00	0.04365	0 0	< 22.9 22.9	< 0.004 0.004
5223643.HT	Area	7/5/2004 7/5/2004	0	FF	(South) - Shanty Area	385	1972.00	0.04365	0 0	< 22.9 22.9	< 0.004 0.004
5223642.HT	Area	7/5/2004 7/5/2004	0	Z	(South) - Decon Exit	385	1968.00	0.04365	0 0	< 22.9 22.9	< 0.004 0.004
5223645.HT	Area	7/5/2004 7/5/2004	0	X	(South) - Ramp	385	1968.00	0.04365	0 0	< 22.9 22.9	< 0.004 0.004
5223646.HT	Field Blank	7/5/2004 7/5/2004	0	X	(South) - Ramp	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A
5223652.HT	Area	7/5/2004 7/5/2004	1	K	(NorthWest) - Cedar Decon	385	1952.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222719.HT	Area	7/5/2004 7/5/2004	0	Z	(South) - Decon Exit	385	1800.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222720.HT	Area	7/5/2004 7/5/2004	0	FF	(South) - Shanty Area	385	1796.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222721.HT	Area	7/5/2004 7/5/2004	0	Y	(South) - Decon Entrance	385	1792.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10644) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 09 04 08:41a

IBM USER

732 6018

Page 3 of 4 P. 33

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/8/2004 Time: 9:53:30 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-848
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/8/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5222722.HT	Area	7/5/2004 7/5/2004	0	X	(South) - Ramp	385	1792.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222723.HT	Field Blank	7/5/2004 7/5/2004	0	X	(South) - Ramp	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A
5222750.HT	Area	7/5/2004 7/6/2004	0	Z	(South) - Decon Exit	385	1920.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222729.HT	Area	7/5/2004 7/5/2004	1	K	(NorthWest) - Cedar Decon	385	1820.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222751.HT	Area	7/5/2004 7/6/2004	0	FF	(South) - Shanty Area	385	1920.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222753.HT	Area	7/5/2004 7/6/2004	0	X	(South) - Ramp	385	1924.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222752.HT	Area	7/5/2004 7/6/2004	0	Y	(South) - Decon Entrance	385	1920.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222754.HT	Field Blank	7/5/2004 7/5/2004	0	X	(South) - Ramp	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A

Authorized Signature:



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4