

Jul 13 04 12:08p

IBM USER

732 6018

P. 2

From: RJ Lee Group, Inc. To: Mr. Noel Drago

DATE: 7/13/2004 TIME: 12:08 PM

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/7/2004
Sample Receipt Date: 7/7/2004
RJ Lee Group Job No: ATH306365-849
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5222745.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1752.00	0.05238	0 0	< 19.1 19.1	< 0.004 0.004
5222746.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1760.00	0.05238	0 0	< 19.1 19.1	< 0.004 0.004
5222744.HT	Field Blank	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A
5222747.HT	Area	7/6/2004 7/6/2004	99	N/A	(East) - Greenwich	385	1776.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222748.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1776.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005

Authorized Signature: _____



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/9/2004
Sample Receipt Date: 7/8/2004
RJ Lee Group Job No.: ATH306366-858
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity	
										(S/mm ²)	(S/cc)
5222767.HT	Area	7/6/2004 7/7/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2036.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004
5222768.HT	Area	7/6/2004 7/7/2004	99	N/A	(East) - Greenwich	385	2036.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004
5222766.HT	Field Blank	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08773	0 0	< 11.4 11.4	N/A N/A
5225596.HT	Field Blank	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08773	0 0	< 11.4 11.4	N/A N/A
5225597.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1916.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5225598.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1908.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5225599.HT	Area	7/6/2004 7/6/2004	99	N/A	(East) - Greenwich	385	1896.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5225600.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1888.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5226166.HT	Area	7/6/2004 7/7/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2044.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004
5226168.HT	Area	7/6/2004 7/7/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2036.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities
- "<" indicates results less than analytical sensitivity. "----" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY FLAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 13 04 12:09p

IBM USER

732 6018

Page 3 of 4

From: RJ Lee Group, Inc. To: Mr. Noel Urigo

Date: 7/9/2004 Time: 0:00:10 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-858


RJ Lee Group, Inc.

Building: 130 Liberty

Report Date: 7/9/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature:



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 13 04 12:09p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/9/2004 Time: 12:09:20 PM 732 6018

P.5

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/9/2004
Sample Receipt Date: 7/8/2004
RJ Lee Group Job No.: ATH306366-856
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

Date Collected	Filter	Area	Asbestos	Concentration Analytical Sensitivity
-------------------	--------	------	----------	--

Jul 13 04 02:15p

IBM USER

732 6018

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/8/2004 Time: 9:46:58 AM

Page 2 of 3 P. 2

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/7/2004
Sample Receipt Date: 7/7/2004
RJ Lee Group Job No.: ATH306366-849
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5222745.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1752.00	0.05238	0 0	< 19.1 19.1	< 0.004 0.004
5222746.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1760.00	0.05238	0 0	< 19.1 19.1	< 0.004 0.004
5222744.HT	Field Blank	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08730	0 0	< 11.5 11.5	N/A N/A
5222747.HT	Area	7/6/2004 7/6/2004	99	N/A	(East) - Greenwich	385	1776.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005
5222748.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1776.00	0.04365	0 0	< 22.9 22.9	< 0.005 0.005

Authorized Signature.



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101209-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/9/2004
Sample Receipt Date: 7/8/2004
RJ Lee Group Job No.: ATH306366-858
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5222767.HT	Area	7/6/2004 7/7/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2036.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004
5222768.HT	Area	7/6/2004 7/7/2004	99	N/A	(East) - Greenwich	385	2036.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004
5222766.HT	Field Blank	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08773	0 0	< 11.4 11.4	N/A N/A
5225596.HT	Field Blank	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08773	0 0	< 11.4 11.4	N/A N/A
5225597.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1916.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5225598.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1908.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5225599.HT	Area	7/6/2004 7/6/2004	99	N/A	(East) - Greenwich	385	1896.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5225600.HT	Area	7/6/2004 7/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1888.00	0.04386	0 0	< 22.8 22.8	< 0.005 0.005
5226166.HT	Area	7/6/2004 7/7/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2044.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004
5226168.HT	Area	7/6/2004 7/7/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2036.00	0.04386	0 0	< 22.8 22.8	< 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 13 04 02:16p

IBM USER

732 6018

Page 3 of 4 P. 4


From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/9/2004 Time: 8:38:18 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-858
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/9/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature:



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4