

Jul 22 04 12:12p

IBM USER

732 6018

p. 2

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
 Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
 350 Hochberg Road
 Monroeville, PA 15146
 USA

Report Date: 7/15/2004
 Sample Receipt Date: 7/14/2004
 RJ Lee Group Job No.: ATH306366-878
 Samples Received: 0
 Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start/Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5225875.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1756.00	0.05273	0 0	< 19.0 19.0	< 0.004 0.004
5225874.HT	Field Blank	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08783	0 0	< 11.4 11.4	N/A N/A
5225877.HT	Area	7/13/2004 7/13/2004	99	N/A	(East) - Greenwich	385	1772.00	0.05273	0 0	< 19.0 19.0	< 0.004 0.004
5225876.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1768.00	0.04394	0 0	< 22.8 22.8	< 0.005 0.005
5225878.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1772.00	0.04394	0 0	< 22.8 22.8	< 0.005 0.005

Authorized Signature: _____

Kimberly A. Allison, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Jul 22 04 12:12p

IBM USER

732 6018

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/16/2004 Time: 10:31:02 AM

Page 2 of 3

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/16/2004
Sample Receipt Date: 7/15/2004
RJ Lee Group Job No: ATH306366-886
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5225428.HT	Field Blank	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225429.HT	Area	7/13/2004 7/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2068.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004
5225430.HT	Area	7/13/2004 7/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2076.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004
5225431.HT	Area	7/13/2004 7/14/2004	99	N/A	(East) - Greenwich	385	2072.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004
5225657.HT	Field Blank	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225432.HT	Area	7/13/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2080.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004
5225658.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1920.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225659.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1908.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225660.HT	Area	7/13/2004 7/13/2004	99	N/A	(East) - Greenwich	385	1896.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225661.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2006.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NYLAP #101298-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 22 04 12:12p

IBM USER

732 6018

Page 3 of 4 P. 4

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-886
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 7/16/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____



/sib

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jul 22 04 12:20p

IBM USER

732 6018

P. 2

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 7/13/2004 Time: 0:02:04 AM

Page 2 of 3

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/15/2004
Sample Receipt Date: 7/14/2004
RJ Lee Group Job No: ATH306366-878
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5225875.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1756.00	0.05273	0 0	< 19.0 19.0	< 0.004 0.004
5225874.HT	Field Blank	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08788	0 0	< 11.4 11.4	N/A N/A
5225877.HT	Area	7/13/2004 7/13/2004	99	N/A	(East) - Greenwich	385	1772.00	0.05273	0 0	< 19.0 19.0	< 0.004 0.004
5225876.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1768.00	0.04394	0 0	< 22.8 22.8	< 0.005 0.005
5225878.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1772.00	0.04394	0 0	< 22.8 22.8	< 0.005 0.005

Authorized Signature: _____



/s/ib

Kimberly A. Allison, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Jul 22 04 12:20p

IBM USER

732 6018

Page 2 of 4 P. 3

From: RJ Lee Group, Inc. To: Mr. Noel Urigo

Date: 7/19/2004 Time: 10:31:02 AM

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 7/16/2004
Sample Receipt Date: 7/15/2004
RJ Lee Group Job No: ATH306366-886
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
									Chry	Amph	Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5225428.HT	Field Blank	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0	0	< 11.5 11.5	N/A N/A
5225429.HT	Area	7/13/2004 7/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2068.00	0.04348	0	0	< 23.0 23.0	< 0.004 0.004
5225430.HT	Area	7/13/2004 7/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2076.00	0.04348	0	0	< 23.0 23.0	< 0.004 0.004
5225431.HT	Area	7/13/2004 7/14/2004	99	N/A	(East) - Greenwich	385	2072.00	0.04348	0	0	< 23.0 23.0	< 0.004 0.004
5225657.HT	Field Blank	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0	0	< 11.5 11.5	N/A N/A
5225432.HT	Area	7/13/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2080.00	0.04348	0	0	< 23.0 23.0	< 0.004 0.004
5225658.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1920.00	0.04348	0	0	< 23.0 23.0	< 0.005 0.005
5225659.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1908.00	0.04348	0	0	< 23.0 23.0	< 0.005 0.005
5225660.HT	Area	7/13/2004 7/13/2004	99	N/A	(East) - Greenwich	385	1896.00	0.04348	0	0	< 23.0 23.0	< 0.005 0.005
5225661.HT	Area	7/13/2004 7/13/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2006.00	0.04348	0	0	< 23.0 23.0	< 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 22 04 12:20p

IBM USER

732 6018

DATE: 7/16/2004 TIME: 10:31:02 AM

Page 3 of 4 p. 4

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-886
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 7/16/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration Analytical Sensitivity	
		Start	Stop							Chry	Amph	(S/mmf)	(S/cc)

Authorized Signature:



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4