

RJ LeeGroup, Inc.

7/14

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/16/2004
Sample Receipt Date: 7/15/2004
RJ Lee Group Job No.: ATH306366-884
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity	
										(S/mm ²)	(S/cc)
5225439.HT	Field Blank	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225440.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1896.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225441.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1900.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225442.HT	Area	7/14/2004 7/14/2004	99	N/A	(East) - Greenwich	385	1916.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225443.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1916.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005

Authorized Signature: _____



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

Jul 22 04 12:14p

IBM USER

732 6018

p. 6

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/17/2004
Sample Receipt Date: 7/16/2004
RJ Lee Group Job No.: ATH306366-889
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5225460.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1924.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225459.HT	Field Blank	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225461.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1912.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005

Jul 22 04 12:21p

IBM USER

732 6018

Date: 7/19/2004 Time: 1:40:00 PM

Page 2 of 3 P. 5

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report**TEM Air Analysis**

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 7/16/2004
Sample Receipt Date: 7/15/2004
R. Lee Group Job No.: ATH306366-884
Samples Received: 5
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5225439.HT	Field Blank	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225440.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1896.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225441.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1900.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225442.HT	Area	7/14/2004 7/14/2004	99	N/A	(East) - Greenwich	385	1916.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225443.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1916.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 3

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
 Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report

TEM Air Analysis

RJ Lee Group, Inc.
 350 Hochberg Road
 Monroeville, PA 15146
 USA

Report Date: 7/17/2004
 Sample Receipt Date: 7/16/2004
 RJ Lee Group Job No.: ATH306366-889
 Samples Received: 0
 Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/m ²)	Analytical Sensitivity (S/cc)
5225460.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1924.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225459.HT	Field Blank	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225461.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1912.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225463.HT	Area	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1904.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225829.HT	Field Blank	7/14/2004 7/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08696	0 0	< 11.5 11.5	N/A N/A
5225462.HT	Area	7/14/2004 7/14/2004	99	N/A	(East) - Greenwich	385	1904.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225831.HT	Area	7/14/2004 7/15/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1972.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004
5225832.HT	Area	7/14/2004 7/15/2004	99	N/A	(East) - Greenwich	385	1968.00	0.04348	0 0	< 23.0 23.0	< 0.004 0.004
5225830.HT	Area	7/14/2004 7/15/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1956.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005
5225833.HT	Area	7/14/2004 7/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1960.00	0.04348	0 0	< 23.0 23.0	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jul 22 04 12:22p IBM USER

732 6018

p.7

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-889
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 7/17/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature _____ /s/b

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4