

**RJ LeeGroup, Inc.**350 Hochberg Road, Monroeville, PA 15146  
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**  
TEM Air AnalysisRJ Lee Group, Inc.  
350 Hochberg Road  
Monroeville, PA 15146  
USAReport Date: 6/4/2004  
Sample Receipt Date: 6/3/2004  
RJ Lee Group Job No.: ATH306366-761  
Samples Received: 22  
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

| RJLG Sample Number | Sample Type | Date Collected<br>Start<br>Stop | Floor | Grid         | Sub Location                        | Filter Area (mm <sup>2</sup> ) | Volume (liter) | Area Analyzed (mm <sup>2</sup> ) | Asbestos Structures Chry Amph | Concentration                               |                  |
|--------------------|-------------|---------------------------------|-------|--------------|-------------------------------------|--------------------------------|----------------|----------------------------------|-------------------------------|---------------------------------------------|------------------|
|                    |             |                                 |       |              |                                     |                                |                |                                  |                               | Analytical Sensitivity (S/mm <sup>2</sup> ) | (S/cc)           |
| 5219888.HT         | Area        | 6/1/2004<br>6/1/2004            | 0     | Z            | (South) - Decon Exit                | 385                            | 1824.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5219889.HT         | Area        | 6/1/2004<br>6/1/2004            | 0     | FF           | (South) - Shanty Area               | 385                            | 1828.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5219890.HT         | Area        | 6/1/2004<br>6/1/2004            | 0     | Y            | (South) - Decon Entrance            | 385                            | 1828.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5219891.HT         | Area        | 6/1/2004<br>6/1/2004            | 0     | X            | (South) - Ramp                      | 385                            | 1938.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5219892.HT         | Field Blank | 6/1/2004<br>6/1/2004            | 0     | X            | (South) - Ramp                      | 385                            | 0.000          | 0.08522                          | 0 0                           | < 11.7<br>11.7                              | N/A<br>N/A       |
| 5219893.HT         | Field Blank | 6/1/2004<br>6/1/2004            | 99    | Not Acquired | (NorthWest) - Washington and Cedar  | 385                            | 0.000          | 0.08522                          | 0 0                           | < 11.7<br>11.7                              | N/A<br>N/A       |
| 5219894.HT         | Area        | 6/1/2004<br>6/1/2004            | 99    | Not Acquired | (SouthWest) - Washington and Albany | 385                            | 1808.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5219895.HT         | Area        | 6/1/2004<br>6/1/2004            | 99    | Not Acquired | (SouthEast) - Greenwich and Albany  | 385                            | 1788.00        | 0.05113                          | 0 0                           | < 19.6<br>19.6                              | < 0.004<br>0.004 |
| 5219896.HT         | Area        | 6/1/2004<br>6/1/2004            | 99    | N/A          | (East) - Greenwich                  | 385                            | 1764.00        | 0.05113                          | 0 0                           | < 19.6<br>19.6                              | < 0.004<br>0.004 |
| 5219897.HT         | Area        | 6/1/2004<br>6/1/2004            | 99    | Not Acquired | (NorthWest) - Washington and Cedar  | 385                            | 1748.00        | 0.05113                          | 0 0                           | < 19.6<br>19.6                              | < 0.004<br>0.004 |

## Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NYLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jun 08 04 10:32a IBM USER

From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018

Date: 6/4/2004 Time: 9:33:18 AM

Page 3 of 5 P. 20

6/1

**RJ Lee Group, Inc.****Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-761  
Building: 130 LibertyRJ Lee Group, Inc.  
Report Date: 6/4/2004

| RJLG Sample Number | Sample Type | Date Collected<br>Start Stop | Floor | Grid         | Sub Location                        | Filter Area (mm <sup>2</sup> ) | Volume (liter) | Area Analyzed (mm <sup>2</sup> ) | Asbestos Structures Chry Amph | Concentration Analytical Sensitivity (S/mm <sup>2</sup> ) (S/cc) |
|--------------------|-------------|------------------------------|-------|--------------|-------------------------------------|--------------------------------|----------------|----------------------------------|-------------------------------|------------------------------------------------------------------|
| 5219898.HT         | Area        | 6/1/2004<br>6/1/2004         | 1     | K            | (NorthWest) - Cedar Decon           | 385                            | 1740.00        | 0.05113                          | 0 0                           | < 19.6<br>19.6 < 0.004<br>0.004                                  |
| 5220369.HT         | Area        | 6/1/2004<br>6/2/2004         | 0     | Z            | (South) - Decon Exit                | 385                            | 1940.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220370.HT         | Area        | 6/1/2004<br>6/2/2004         | 0     | FF           | (South) - Shanty Area               | 385                            | 1940.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220371.HT         | Area        | 6/1/2004<br>6/2/2004         | 0     | Y            | (South) - Decon Entrance            | 385                            | 1940.00        | 0.04261                          | 1 0                           | 23.5<br>23.5 < 0.005<br>0.005                                    |
| 5220372.HT         | Area        | 6/1/2004<br>6/2/2004         | 0     | X            | (South) - Ramp                      | 385                            | 1940.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220373.HT         | Field Blank | 6/1/2004<br>6/1/2004         | 0     | X            | (South) - Ramp                      | 385                            | 0.000          | 0.08522                          | 0 0                           | < 11.7<br>11.7 N/A<br>N/A                                        |
| 5220374.HT         | Field Blank | 6/1/2004<br>6/1/2004         | 99    | Not Acquired | (NorthWest) - Washington and Cedar  | 385                            | 0.000          | 0.08522                          | 0 0                           | < 11.7<br>11.7 N/A<br>N/A                                        |
| 5220375.HT         | Area        | 6/1/2004<br>6/2/2004         | 99    | Not Acquired | (SouthWest) - Washington and Albany | 385                            | 1936.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220376.HT         | Area        | 6/1/2004<br>6/2/2004         | 99    | Not Acquired | (SouthEast) - Greenwich and Albany  | 385                            | 1936.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220377.HT         | Area        | 6/1/2004<br>6/2/2004         | 99    | N/A          | (East) - Greenwich                  | 385                            | 1936.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220378.HT         | Area        | 6/1/2004<br>6/2/2004         | 99    | Not Acquired | (NorthWest) - Washington and Cedar  | 385                            | 1940.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |
| 5220379.HT         | Area        | 6/1/2004<br>6/2/2004         | 1     | K            | (NorthWest) - Cedar Decon           | 385                            | 1940.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5 < 0.005<br>0.005                                  |

**Notes:**

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jun 08 04 10:33a IBM USER  
From: RJ Lee Group, Inc. To: Mr. Noel Drago732 6018  
Date: 6/4/2004 Time: 9:33:16 AM

Page 4 of 5 P. 21

**RJ Lee Group, Inc.****Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-761  
Building: 130 LibertyRJ Lee Group, Inc.  
Report Date: 6/4/2004

| RJLG Sample<br>Number | Sample<br>Type | Date<br>Collected |  | Floor | Grid | -----Sub Location----- | Filter<br>Area<br>(mm <sup>2</sup> ) | Volume<br>(liter) | Area<br>Analyzed<br>(mm <sup>2</sup> ) | Asbestos<br>Structures |      | Concentration                                     |        |
|-----------------------|----------------|-------------------|--|-------|------|------------------------|--------------------------------------|-------------------|----------------------------------------|------------------------|------|---------------------------------------------------|--------|
|                       |                | Start<br>Stop     |  |       |      |                        |                                      |                   |                                        | Chry                   | Amph | Analytical<br>Sensitivity<br>(S/mm <sup>2</sup> ) | (S/cc) |

Authorized Signature: \_\_\_\_\_



/slb

Kimberly A. Allison, Manager - TEM Analysis

**Notes:**

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5

**RJ LeeGroup, Inc.**350 Hochberg Road, Monroeville, PA 15146  
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**  
TEM Air AnalysisRJ Lee Group, Inc.  
350 Hochberg Road  
Monroeville, PA 15146  
USAReport Date: 6/4/2004  
Sample Receipt Date: 6/3/2004  
RJ Lee Group Job No.: ATH306366-762  
Samples Received: 11  
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

| RJLG Sample Number | Sample Type | Date Collected<br>Start<br>Stop | Floor | Grid         | Sub Location                        | Filter Area (mm <sup>2</sup> ) | Volume (liter) | Area Analyzed (mm <sup>2</sup> ) | Asbestos Structures Chry Amph | Concentration                               |                               |
|--------------------|-------------|---------------------------------|-------|--------------|-------------------------------------|--------------------------------|----------------|----------------------------------|-------------------------------|---------------------------------------------|-------------------------------|
|                    |             |                                 |       |              |                                     |                                |                |                                  |                               | Analytical Sensitivity (S/mm <sup>2</sup> ) | Analytical Sensitivity (S/cc) |
| 5220358.HT         | Area        | 6/2/2004<br>6/2/2004            | 0     | Z            | (South) - Decon Exit                | 385                            | 1880.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220360.HT         | Area        | 6/2/2004<br>6/2/2004            | 0     | Y            | (South) - Decon Entrance            | 385                            | 1912.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220359.HT         | Area        | 6/2/2004<br>6/2/2004            | 0     | FF           | (South) - Shanty Area               | 385                            | 1892.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220361.HT         | Area        | 6/2/2004<br>6/2/2004            | 0     | X            | (South) - Ramp                      | 385                            | 1920.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220362.HT         | Field Blank | 6/2/2004<br>6/2/2004            | 0     | X            | (South) - Ramp                      | 385                            | 0.000          | 0.08522                          | 0 0                           | < 11.7<br>11.7                              | N/A<br>N/A                    |
| 5220363.HT         | Field Blank | 6/2/2004<br>6/2/2004            | 99    | Not Acquired | (NorthWest) - Washington and Cedar  | 385                            | 0.000          | 0.08522                          | 0 0                           | < 11.7<br>11.7                              | N/A<br>N/A                    |
| 5220364.HT         | Area        | 6/2/2004<br>6/2/2004            | 99    | Not Acquired | (SouthWest) - Washington and Albany | 385                            | 1932.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220367.HT         | Area        | 6/2/2004<br>6/2/2004            | 99    | Not Acquired | (NorthWest) - Washington and Cedar  | 385                            | 1976.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220366.HT         | Area        | 6/2/2004<br>6/2/2004            | 99    | N/A          | (East) - Greenwich                  | 385                            | 1964.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |
| 5220365.HT         | Area        | 6/2/2004<br>6/2/2004            | 99    | Not Acquired | (SouthEast) - Greenwich and Albany  | 385                            | 1948.00        | 0.04261                          | 0 0                           | < 23.5<br>23.5                              | < 0.005<br>0.005              |

## Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jun 08 04 10:34a IBM USER  
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018  
Date: 6/4/2004 Time: 10:01:14 AM

Page 3 of 4 P. 23

## RJ Lee Group, Inc.

## Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-762  
Building: 130 Liberty

RJ Lee Group, Inc.  
Report Date: 6/4/2004

| RJLG Sample Number | Sample Type | Date Collected |          | Floor | Grid | Sub Location              | Filter Area (mm <sup>2</sup> ) | Volume (liters) | Area Analyzed (mm <sup>2</sup> ) | Asbestos Structures |      | Concentration Analytical Sensitivity |                  |
|--------------------|-------------|----------------|----------|-------|------|---------------------------|--------------------------------|-----------------|----------------------------------|---------------------|------|--------------------------------------|------------------|
|                    |             | Start          | Stop     |       |      |                           |                                |                 |                                  | Chry                | Amph | (S/mm <sup>2</sup> )                 | (S/cc)           |
| 5220368.HT         | Area        | 6/2/2004       | 6/2/2004 | 1     | K    | (NorthWest) - Cedar Decon | 385                            | 1976.00         | 0.04261                          | 0                   | 0    | < 23.5<br>23.5                       | < 0.005<br>0.005 |

Authorized Signature: \_\_\_\_\_



/s/ib

Kimberly A. Allison, Manager - TEM Analysis

### Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "----" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jun 08 04 10:35a IBM USER  
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018  
Date: 6/9/2004 Time: 12:40:14 PM

Page 2 of 4 P. 24

# RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146  
Phone: (724) 325-1776 Fax: (724) 733-1799

## Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.  
350 Hochberg Road  
Monroeville, PA 15146  
USA

Report Date: 6/5/2004  
Sample Receipt Date: 6/4/2004  
RJ Lee Group Job No.: ATH306366-764  
Samples Received: 0  
Building: <File Missing>

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

| RJLG Sample Number | Sample Type | Date Collected<br>Start<br>Stop | Floor | Grid         | Sub Location | Filter Area (mm <sup>2</sup> ) | Volume (liter) | Area Analyzed (mm <sup>2</sup> ) | Asbestos Structures<br>Chry Amph | Concentration                               |                  |
|--------------------|-------------|---------------------------------|-------|--------------|--------------|--------------------------------|----------------|----------------------------------|----------------------------------|---------------------------------------------|------------------|
|                    |             |                                 |       |              |              |                                |                |                                  |                                  | Analytical Sensitivity (S/mm <sup>2</sup> ) | (S/cc)           |
| 5220390.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1908.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220389.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1896.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220391.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1900.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220392.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1900.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220393.HT         | le Missin   | 6/2/2004<br>6/2/2004            | Missi | ile Missing: | () -         | 385                            | 0.000          | 0.08522                          | 0 0                              | < 11.7<br>11.7                              | N/A<br>N/A       |
| 5220394.HT         | le Missin   | 6/2/2004<br>6/2/2004            | Missi | ile Missing: | () -         | 385                            | 0.000          | 0.08522                          | 0 0                              | < 11.7<br>11.7                              | N/A<br>N/A       |
| 5220395.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1900.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220396.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1896.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220397.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1892.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |
| 5220398.HT         | le Missin   | 6/2/2004<br>6/3/2004            | Missi | ile Missing: | () -         | 385                            | 1892.00        | 0.04261                          | 0 0                              | < 23.5<br>23.5                              | < 0.005<br>0.005 |

### Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4