

Jun 10 04 02:49p

IBM USER

732 6018

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 6/8/2004 Time: 9:38:32 AM

Page 2 of 4 P. 2

6/5

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 6/8/2004
Sample Receipt Date: 6/7/2004
RJ Lee Group Job No.: ATH306366-769
Samples Received: 11
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)
5220066.HT	Area	6/5/2004	6/5/2004	0	Z	(South) - Decon Exit	385	1968.00	0.04268	0	0	< 23.4 23.4	< 0.005 0.005
5220068.HT	Area	6/5/2004	6/5/2004	0	Y	(South) - Decon Entrance	385	2012.00	0.04268	0	0	< 23.4 23.4	< 0.004 0.004
5220067.HT	Area	6/5/2004	6/5/2004	0	FF	(South) - Shanty Area	385	1972.00	0.04268	0	0	< 23.4 23.4	< 0.005 0.005
5220070.HT	Field Blank	6/5/2004	6/5/2004	0	X	(South) - Ramp	385	0.000	0.08537	0	0	< 11.7 11.7	N/A N/A
5220069.HT	Area	6/5/2004	6/5/2004	0	X	(South) - Ramp	385	2024.00	0.04268	1	0	23.4 23.4	0.004 0.004
5220071.HT	Field Blank	6/5/2004	6/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08537	0	0	< 11.7 11.7	N/A N/A
5220072.HT	Area	6/5/2004	6/5/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2024.00	0.04268	0	0	< 23.4 23.4	< 0.004 0.004
5220073.HT	Area	6/5/2004	6/5/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2036.00	0.04268	0	0	< 23.4 23.4	< 0.004 0.004
5220074.HT	Area	6/5/2004	6/5/2004	99	N/A	(East) - Greenwich	385	2044.00	0.04268	0	0	< 23.4 23.4	< 0.004 0.004
5220075.HT	Area	6/5/2004	6/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2056.00	0.04268	0	0	< 23.4 23.4	< 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NYLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jun 10 04 02:50p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 6/8/2004 Time: 9:36:32 AM

Page 3 of 4 P. 3

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-769
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/8/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)
5220076.HT	Area	6/5/2004	6/5/2004	1	K	(NorthWest) - Cedar Decon	385	2072.00	0.04268	0	0	< 23.4	< 0.004
												23.4	0.004

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "----" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jun 10 04 02:50p

IBM USER

732 6018

Page 3 of 4

From: RJ Lee Group, Inc. To: Mr. Noel Drago

DATE: 6/9/2004 TIME: 3:19:00 PM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-770
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 6/9/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5220087.HT	Area	6/5/2004 6/6/2004	1	K	(NorthWest) - Cedar Decon	385	1900.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220224.HT	Area	6/5/2004 6/5/2004	0	Z	(South) - Decon Exit	385	1912.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220225.HT	Area	6/5/2004 6/5/2004	0	Y	(South) - Decon Entrance	385	1876.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220226.HT	Field Blank	6/5/2004 6/5/2004	0	X	(South) - Ramp	385	0.000	0.08537	0 0	< 11.7 11.7	N/A N/A
5220227.HT	Area	6/5/2004 6/5/2004	0	FF	(South) - Shanty Area	385	1912.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220228.HT	Area	6/5/2004 6/5/2004	0	X	(South) - Ramp	385	1868.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220229.HT	Field Blank	6/5/2004 6/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08537	0 0	< 11.7 11.7	N/A N/A
5220230.HT	Area	6/5/2004 6/5/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1864.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220231.HT	Area	6/5/2004 6/5/2004	99	N/A	(East) - Greenwich	385	1840.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220232.HT	Area	6/5/2004 6/5/2004	1	K	(NorthWest) - Cedar Decon	385	1840.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220233.HT	Area	6/5/2004 6/5/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1852.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220234.HT	Area	6/5/2004 6/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1860.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAF #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jun 10 04 02:50p

IBM USER

732 6018

Page 5

From: RJ Lee Group, Inc. To: Mr. Nicol Drago

Date: 6/9/2004 Time: 3:14:00 PM

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report**TEM Air Analysis**

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 6/9/2004
Sample Receipt Date: 6/8/2004
RJ Lee Group Job No.: ATH306366-770
Samples Received: 22
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5220077.HT	Area	6/5/2004 6/6/2004	0	Z	(South) - Decon Exit	385	1920.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220078.HT	Area	6/5/2004 6/6/2004	0	FF	(South) - Shanty Area	385	1920.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220079.HT	Area	6/5/2004 6/6/2004	0	Y	(South) - Decon Entrance	385	1920.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220080.HT	Area	6/5/2004 6/6/2004	0	X	(South) - Ramp	385	1920.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220081.HT	Field Blank	6/5/2004 6/5/2004	0	X	(South) - Ramp	385	0.000	0.08537	0 0	< 11.7 11.7	N/A N/A
5220082.HT	Field Blank	6/5/2004 6/5/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08537	0 0	< 11.7 11.7	N/A N/A
5220083.HT	Area	6/5/2004 6/6/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1924.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220084.HT	Area	6/5/2004 6/6/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1807.50	0.00000	0 0	N/A N/A	N/A N/A
5220085.HT	Area	6/5/2004 6/6/2004	99	N/A	(East) - Greenwich	385	1932.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005
5220086.HT	Area	6/5/2004 6/6/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1896.00	0.04268	0 0	< 23.4 23.4	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jun 10 04 02:51p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
DATE: 06/02/04 TIME: 3:19:00 PM

P. 6

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-770
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/9/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	S/mm ²	Analytical Sensitivity (S/cc)

Authorized Signature: _____



/slb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5