

Jun 25 04 12:54p

IBM USER

732 6018

P. 7

RJ LeeGroup, Inc.
 350 Hochberg Road, Monroeville, PA 15146
 Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report
 TEM Air Analysis

 RJ Lee Group, Inc.
 350 Hochberg Road
 Monroeville, PA 15146
 USA

 Report Date: 6/11/2004
 Sample Receipt Date: 6/10/2004
 RJ Lee Group Job No.: ATH306366-777
 Samples Received: 11
 Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/m ³)	(S/cc)
5216904.HT	Area	6/9/2004 6/9/2004	0	Z	(South) - Decon Exit	385	1872.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216905.HT	Area	6/9/2004 6/9/2004	0	FF	(South) - Shanty Area	385	1880.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216906.HT	Area	6/9/2004 6/9/2004	0	Y	(South) - Decon Entrance	385	1888.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216907.HT	Area	6/9/2004 6/9/2004	0	X	(South) - Ramp	385	1892.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216908.HT	Field Blank	6/9/2004 6/9/2004	0	X	(South) - Ramp	385	0.000	0.08615	0 0	< 11.6 11.6	N/A N/A
5216909.HT	Field Blank	6/9/2004 6/9/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08615	0 0	< 11.6 11.6	N/A N/A
5216910.HT	Area	6/9/2004 6/9/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1896.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216911.HT	Area	6/9/2004 6/9/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1892.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216914.HT	Area	6/9/2004 6/9/2004	1	K	(NorthWest) - Cedar Decon	385	1904.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005
5216913.HT	Area	6/9/2004 6/9/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1904.00	0.04308	0 0	< 23.2 23.2	< 0.005 0.005

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jun 25 04 12:55p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 6/11/2004 Time: 9:20:30 AM

Page 3 of 4 P. 8

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-777
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/11/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration Analytical Sensitivity	
		Start	Stop							Chry	Amph	(S/m ²)	(S/cc)
S216912.HT	Area	6/9/2004		99	N/A	(East) - Greenwich	385	1912.00	0.04308	1	0	23.2	0.005
		6/9/2004										23.2	0.005

Authorized Signature: _____



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jun 25 04 12:56p

IBM USER

732 6018

Page 4 of 5 p. 9

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 6/12/2004
Sample Receipt Date: 6/11/2004
RJ Lee Group Job No.: ATH306366-778
Samples Received: 0
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	Sensitivity (S/cc)
5220807.HT	Area	6/9/2004	6/9/2004	0	Z	(South) - Decon Exit	385	1976.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220808.HT	Area	6/9/2004	6/9/2004	0	FF	(South) - Shanty Area	385	1968.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220809.HT	Area	6/9/2004	6/9/2004	0	Y	(South) - Decon Entrance	385	1960.00	0.04308	1	0	23.2 23.2	0.005 0.005
5220811.HT	Field Blank	6/9/2004	6/9/2004	0	X	(South) - Ramp	385	0.000	0.08615	0	0	< 11.6 11.6	N/A N/A
5220812.HT	Field Blank	6/9/2004	6/9/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08615	0	0	< 11.6 11.6	N/A N/A
5220810.HT	Area	6/9/2004	6/9/2004	0	X	(South) - Ramp	385	1960.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220814.HT	Area	6/9/2004	6/9/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1956.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220815.HT	Area	6/9/2004	6/9/2004	99	N/A	(East) - Greenwich	385	1936.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220813.HT	Area	6/9/2004	6/9/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1960.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220816.HT	Area	6/9/2004	6/9/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1936.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-3, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jun 25 04 12:57p

IBM USER

732 6018

Page 3 of 5 P. 10

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-778
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/12/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration Analytical Sensitivity	
		Start	Stop							Chry	Amph	(S/m ²)	(S/cc)
5220817.HT	Area	6/9/2004	6/9/2004	1	K	(NorthWest) - Cedar Decon	385	1932.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220828.HT	Area	6/9/2004	6/10/2004	0	Z	(South) - Decon Exit	385	1860.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220830.HT	Area	6/9/2004	6/10/2004	0	Y	(South) - Decon Entrance	385	1860.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220829.HT	Area	6/9/2004	6/10/2004	0	FF	(South) - Shanty Area	385	1860.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220831.HT	Area	6/9/2004	6/10/2004	0	X	(South) - Ramp	385	1856.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220832.HT	Field Blank	6/9/2004	6/9/2004	0	X	(South) - Ramp	385	0.000	0.08615	0	0	< 11.6 11.6	N/A N/A
5220833.HT	Field Blank	6/9/2004	6/9/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08615	0	0	< 11.6 11.6	N/A N/A
5220835.HT	Area	6/9/2004	6/10/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1864.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220836.HT	Area	6/9/2004	6/10/2004	99	N/A	(East) - Greenwich	385	1868.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220837.HT	Area	6/9/2004	6/10/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1868.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220834.HT	Area	6/9/2004	6/10/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1864.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005
5220838.HT	Area	6/9/2004	6/10/2004	1	K	(NorthWest) - Cedar Decon	385	1872.00	0.04308	0	0	< 23.2 23.2	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jun 25 04 12:57p

IBM USER

732 6018

Page 7 of 11

From: RJ Lee Group, Inc. To: Mr. Noel Urzgo

Date: 06/12/2004 Time: 0:04:00 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-778

RJ Lee Group, Inc.

Building: 130 Liberty

Report Date: 6/12/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____

/s/b

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5