

Jun 18 04 01:52p

IBM USER

732 6018

p. 21

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 6/17/2004 Time: 8:50:34 AM

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 6/17/2004
Sample Receipt Date: 6/16/2004
RJ Lee Group Job No.: ATH306366-790
Samples Received: 10
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration Analytical Sensitivity	
									Chry	Amph	(S/mm ²)	(S/cc)
5220035.HT	Area	6/15/2004 6/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2016.00	0.04334	0	0	< 23.1 23.1	< 0.004 0.004
5223142.HT	Area	6/15/2004 6/15/2004	0	FF	(South) - Shanty Area	385	1916.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223141.HT	Area	6/15/2004 6/15/2004	0	Z	(South) - Decon Exit	385	1920.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223143.HT	Area	6/15/2004 6/15/2004	0	Y	(South) - Decon Entrance	385	1916.00	0.04334	1	0	23.1 23.1	0.005 0.005
5223144.HT	Area	6/15/2004 6/15/2004	0	X	(South) - Ramp	385	1916.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223145.HT	Field Blank	6/15/2004 6/15/2004	0	X	(South) - Ramp	385	0.000	0.08668	0	0	< 11.5 11.5	N/A N/A
5223146.HT	Field Blank	6/15/2004 6/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08668	0	0	< 11.5 11.5	N/A N/A
5223147.HT	Area	6/15/2004 6/15/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1964.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223148.HT	Area	6/15/2004 6/15/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1980.00	0.04334	0	0	< 23.1 23.1	< 0.004 0.004
5223149.HT	Area	6/15/2004 6/15/2004	99	N/A	(East) - Greenwich	385	2000.00	0.04334	0	0	< 23.1 23.1	< 0.004 0.004

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "N/A" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jun 18 04 01:53p

IBM USER

732 6018

p.22


RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-790
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 6/17/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jun 18 04 01:54p IBM USER

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 6/18/2004 Time: 8:02:12 AM 732 6018

Page 4 of 5 P. 23

RJ LeeGroup, Inc.350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799**Final Laboratory Report**
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 6/18/2004
Sample Receipt Date: 6/17/2004
RJ Lee Group Job No.: ATH306366-792
Samples Received: 22
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	Analytical Sensitivity (S/cc)
5220645.HT	Area	6/15/2004 6/15/2004	0	Z	(South) - Decon Exit	385	1920.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220646.HT	Area	6/15/2004 6/15/2004	0	FF	(South) - Shanty Area	385	1803.75	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220647.HT	Area	6/15/2004 6/15/2004	0	Y	(South) - Decon Entrance	385	1924.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220648.HT	Area	6/15/2004 6/15/2004	0	X	(South) - Ramp	385	1920.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220649.HT	Field Blank	6/15/2004 6/15/2004	0	X	(South) - Ramp	385	0.000	0.08595	0 0	< 11.6 11.6	N/A N/A
5220650.HT	Field Blank	6/15/2004 6/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08595	0 0	< 11.6 11.6	N/A N/A
5220651.HT	Area	6/15/2004 6/15/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1868.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220652.HT	Area	6/15/2004 6/15/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1852.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220653.HT	Area	6/15/2004 6/15/2004	99	N/A	(East) - Greenwich	385	1836.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005
5220654.HT	Area	6/15/2004 6/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1820.00	0.04297	0 0	< 23.3 23.3	< 0.005 0.005

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jun 18 04 01:55p

IBM USER

732 6018

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 6/18/2004 Time: 8:52:12 AM

Page 3 of 5 P. 24

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No. ATH306366-792
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 6/18/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/cc)
5222980.HT	Area	6/15/2004 6/16/2004	0	Z	(South) - Decon Exit	385	1920.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222981.HT	Area	6/15/2004 6/16/2004	0	FF	(South) - Shanty Area	385	1920.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222982.HT	Area	6/15/2004 6/16/2004	0	Y	(South) - Decon Entrance	385	1924.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222983.HT	Area	6/15/2004 6/16/2004	0	X	(South) - Ramp	385	1924.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222984.HT	Field Blank	6/15/2004 6/15/2004	0	X	(South) - Ramp	385	0.000	0.08595	0 0	< 11.6 11.6 N/A N/A
5222985.HT	Field Blank	6/15/2004 6/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08595	0 0	< 11.6 11.6 N/A N/A
5222986.HT	Area	6/15/2004 6/16/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1920.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222987.HT	Area	6/15/2004 6/16/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1924.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222988.HT	Area	6/15/2004 6/16/2004	99	N/A	(East) - Greenwich	385	1920.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222989.HT	Area	6/15/2004 6/16/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1920.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5222990.HT	Area	6/15/2004 6/16/2004	1	K	(NorthWest) - Cedar Decon	385	1916.00	0.04297	0 0	< 23.3 23.3 < 0.005 0.005
5223161.HT	Area	6/15/2004 6/15/2004	1	K	(NorthWest) - Cedar Decon	385	1764.00	0.05157	0 0	< 19.4 19.4 < 0.004 0.004

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NYLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jun 18 04 01:55p

IBM USER

732 6018

p.25

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 6/18/2004 Time: 8:06:14 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-792
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 6/18/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start Stop								Chry	Amph	Sensitivity (S/mm ²)	Sensitivity (S/cc)

Authorized Signature: _____



/s/b

Kimberly A. Allison, Manager - TEM Analysis

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5