

Jun 18 04 01:48p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 6/16/2004 Time: 12:00:26 PM

Page 2 of 4 P. 16
6/14

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146
Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report TEM Air Analysis

RJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USA

Report Date: 6/16/2004
Sample Receipt Date: 6/15/2004
RJ Lee Group Job No.: ATH306366-787
Samples Received: 11
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mm ²)	(B/cc)
5223130.HT	Area	6/14/2004	6/14/2004	0	Z	(South) - Decon Exit	385	1876.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223131.HT	Area	6/14/2004	6/14/2004	0	FF	(South) - Shanty Area	385	1880.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223133.HT	Area	6/14/2004	6/14/2004	0	X	(South) - Ramp	385	1872.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223134.HT	Field Blank	6/14/2004	6/14/2004	0	X	(South) - Ramp	385	0.000	0.08668	0	0	< 11.5 11.5	N/A N/A
5223132.HT	Area	6/14/2004	6/14/2004	0	Y	(South) - Decon Entrance	385	1880.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223135.HT	Field Blank	6/14/2004	6/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08668	0	0	< 11.5 11.5	N/A N/A
5223137.HT	Area	6/14/2004	6/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1892.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223138.HT	Area	6/14/2004	6/14/2004	99	N/A	(East) - Greenwich	385	1904.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005
5223139.HT	Area	6/14/2004	6/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1900.00	0.04334	4	0	92.3 23.1	0.019 0.005
5223140.HT	Area	6/14/2004	6/14/2004	1	K	(NorthWest) - Cedar Decon	385	1900.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005

Notes:

1. Volumes provided by Ambienta were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 4

Jun 18 04 01:49p IBM USER
From: RJ Lee Group, Inc. To: Mr. Noel Drago

732 6018
Date: 6/16/2004 Time: 12:00:28 PM

Page 3 of 4 P. 17

RJ Lee Group, Inc.

Laboratory Report (cont.)

RJ Lee Group Job No: ATH306366-787
Building: 130 Liberty

RJ Lee Group, Inc.
Report Date: 6/16/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liters)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Analytical Sensitivity (S/mmf)	(S/cc)
5223136.HT	Area	6/14/2004	6/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1872.00	0.04334	0	0	< 23.1 23.1	< 0.005 0.005

Authorized Signature: _____



/s/lb

Kimberly A. Allison, Manager - TEM Analysis

Notes:

- Volumes provided by Ambient were used to calculate analytical results and sensitivities.
- "<" indicates results less than analytical sensitivity. "—" indicates that sample was not analyzed.
- Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
- If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
- Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
- Samples will be held for 90 days and then disposed of per Federal regulations.
- These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 4

Jun 18 04 01:50p

IBM USER

732 6018

p.18

From: RJ Lee Group, Inc. To: Mr. Noel Drago

Date: 06/17/2004 Time: 09:13:31 AM

RJ LeeGroup, Inc.

350 Hochberg Road, Monroeville, PA 15146

Phone: (724) 325-1776 Fax: (724) 733-1799

Final Laboratory Report
TEM Air AnalysisRJ Lee Group, Inc.
350 Hochberg Road
Monroeville, PA 15146
USAReport Date: 6/17/2004
Sample Receipt Date: 6/16/2004
RJ Lee Group Job No.: ATH306366-788
Samples Received: 22
Building: 130 Liberty

Method: Federal Register, 40 CFR, Part 763, October 30, 1987

R.J.G Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration	
										Analytical Sensitivity (S/mm ²)	(S/cc)
5220624.HT	Area	6/14/2004 6/14/2004	0	Z	(South) - Decon Exit	385	2264.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
5220625.HT	Area	6/14/2004 6/14/2004	0	FF	(South) - Shanty Area	385	2260.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
5220626.HT	Area	6/14/2004 6/14/2004	0	Y	(South) - Decon Entrance	385	2252.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
5220627.HT	Area	6/14/2004 6/14/2004	0	X	(South) - Ramp	385	2252.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
220628.HT	Field Blank	6/14/2004 6/14/2004	0	X	(South) - Ramp	385	0.000	0.08668	0 0	< 11.5 11.5	N/A N/A
5220629.HT	Field Blank	6/14/2004 6/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08668	0 0	< 11.5 11.5	N/A N/A
5220630.HT	Area	6/14/2004 6/14/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	2256.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
5220631.HT	Area	6/14/2004 6/14/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	2240.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
5220632.HT	Area	6/14/2004 6/14/2004	99	N/A	(East) - Greenwich	385	2224.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005
5220633.HT	Area	6/14/2004 6/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	2228.00	0.03467	0 0	< 28.8 28.8	< 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 2 of 5

Jun 18 04 01:51p

IBM USER

732 6018

p.19

RJ Lee Group, Inc.**Laboratory Report (cont.)**

RJ Lee Group Job No: ATH306366-788
 Building: 130 Liberty

RJ Lee Group, Inc.
 Report Date: 6/17/2004

RJLG Sample Number	Sample Type	Date Collected Start Stop	Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures Chry Amph	Concentration Analytical Sensitivity (S/mm ²) (S/sec)
5220634.HT	Area	6/14/2004 6/14/2004	1	K	(NorthWest) - Cedar Decon	385	2220.00	0.04334	0 0	< 23.1 23.1 < 0.004 0.004
5223150.HT	Area	6/14/2004 6/15/2004	0	Z	(South) - Decon Exit	385	1620.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223151.HT	Area	6/14/2004 6/15/2004	0	FF	(South) - Shanty Area	385	1624.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223152.HT	Area	6/14/2004 6/15/2004	0	Y	(South) - Decon Entrance	385	1624.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223153.HT	Area	6/14/2004 6/15/2004	0	X	(South) - Ramp	385	1628.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223154.HT	Field Blank	6/14/2004 6/14/2004	0	X	(South) - Ramp	385	0.000	0.08668	0 0	< 11.5 11.5 N/A N/A
5223155.HT	Field Blank	6/14/2004 6/14/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	0.000	0.08668	0 0	< 11.5 11.5 N/A N/A
5223156.HT	Area	6/14/2004 6/15/2004	99	Not Acquired	(SouthWest) - Washington and Albany	385	1632.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223157.HT	Area	6/14/2004 6/15/2004	99	Not Acquired	(SouthEast) - Greenwich and Albany	385	1628.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223158.HT	Area	6/14/2004 6/15/2004	99	N/A	(East) - Greenwich	385	1624.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223159.HT	Area	6/14/2004 6/15/2004	99	Not Acquired	(NorthWest) - Washington and Cedar	385	1624.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005
5223160.HT	Area	6/14/2004 6/15/2004	1	K	(NorthWest) - Cedar Decon	385	1628.00	0.05201	0 0	< 19.2 19.2 < 0.005 0.005

Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "-" indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 3 of 5

Jun 18 04 01:52p

IBM USER

732 6018

p.20

From: RJ Lee Group, Inc. To: Mr. Noel Drago

L000: 0/1/2004 TIME: 0:14:57 AM

RJ Lee Group, Inc.**Laboratory Report (cont.)**RJ Lee Group Job No: ATH306366-788
Building: 130 LibertyRJ Lee Group, Inc.
Report Date: 6/17/2004

RJLG Sample Number	Sample Type	Date Collected		Floor	Grid	Sub Location	Filter Area (mm ²)	Volume (liter)	Area Analyzed (mm ²)	Asbestos Structures		Concentration	
		Start	Stop							Chry	Amph	Sensitivity (S/mm ²)	(S/cc)

Authorized Signature: _____


 /slb
 Kimberly A. Allison, Manager - TEM Analysis
Notes:

1. Volumes provided by Ambient were used to calculate analytical results and sensitivities.
2. "<" indicates results less than analytical sensitivity. "..." indicates that sample was not analyzed.
3. Sample(s) for this project were analyzed at our: Monroeville, PA (NVLAP #101208-0, NY ELAP #10844) facility.
4. If RJ Lee Group, Inc. did not collect the samples analyzed, the verifiability of the laboratory's results are limited to the reported values.
5. Abbreviations: N/A-Not Applicable, Chry-Chrysotile Asbestos, Amph-Amphibole Asbestos, S-Structures.
6. Samples will be held for 90 days and then disposed of per Federal regulations.
7. These results are submitted pursuant to RJ Lee Group's current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which these results are used or interpreted.

See Appendix A for fiber data.

Page 4 of 5