



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

**Brunel Industries
attn. Jean A. Brunel
55 Warren Street
New York, NY 10007**

**RE: 55 WARREN STREET, Manhattan
AKA 55 Murray St**

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

A handwritten signature in black ink, appearing to read "R. Radhakrishnan".

**R. Radhakrishnan
Director, Asbestos Control Program
November 7, 2002**



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

Christopher O. Ward
Commissioner

Robert C. Avaltroni
Deputy Commissioner

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422



(718) DEP-HELP

November 7, 2002

Weinstein & Holtzman, Inc.
29 Park Row
New York, NY 10038-2304

RE: 29 PARK ROW, Manhattan
AKA 7 Theater Alley

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

A handwritten signature in black ink, appearing to read "R. Radhakrishnan".

R. Radhakrishnan
Director, Asbestos Control Program



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

20 Place Associates LLC c/o The Witcoff Group
220 East 42 Street
New York, NY 10017-5806

RE: 65 BEAVER STREET, Manhattan
AKA 20 Exchange Pl, 16-26 William St,
14-28 Exchange Pl, 6 Hanover

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

**R. Radhakrishnan
Director, Asbestos Control Program**

Follow up



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

Lorraine Lee
300 Albany Street
New York, NY 10280-1404

RE: 300 ALBANY STREET, Manhattan
AKA: Hudson View West

Dear Building Owner:

Christopher O. Ward
Commissioner

Robert C. Avaltroni
Deputy Commissioner

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

R. Radhakrishnan
Director, Asbestos Control Program



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

David Baldwin c/o Baldwin Realty

113 Cedar Street

New York, NY 10006-1061

RE: 189 BROADWAY, Manhattan
AKA 1-3 Dey Street

**Christopher O. Ward
Commissioner**

Dear Building Owner:

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

A handwritten signature in black ink, appearing to read "R. Radhakrishnan".

**R. Radhakrishnan
Director, Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

43 Broad Inc., Attn. Mr. Sellitti
1333 Broadway
New York, NY 10018

RE: 45 BROAD STREET, Manhattan
AKA 43-47 Broad Street

Dear Building Owner:

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

**R. Radhakrishnan
Director, Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

NYC Fire Department
9 Metrotech Center
Brooklyn, NY 11201-5431

**RE: 124 Liberty Street, Manhattan
AKA 141 Greenwich Street, 127 Cedar Street**

**Christopher O. Ward
Commissioner**

Dear Building Owner:

**Robert C. Avaltroni
Deputy Commissioner**

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

**R. Radhakrishnan
Director, Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

November 7, 2002

**59 Maiden Lane Associates
c/o Newmark & Co. Real Estate
594 Broadway, Room 311
New York, NY 10012**

**RE: 66 JOHN STREET, Manhattan
AKA 59 Maiden Lane, 41-65 Maiden Lane,
85-105 William Street**

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

**R. Radhakrishnan
Director, Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

November 7, 2002

233 Broadway Owners LLC

220 East 42 Street

New York, NY 10017-5806

RE: 22 PARK PLACE, Manhattan
AKA WOOLWORTH BLDG.

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

R. Radhakrishnan
Director, Asbestos Control Program



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

**Building Owner/Management
1 Park Row
New York, NY 10038**

**RE: 1 PARK ROW, Manhattan
AKA 1-11 Ann St**

Dear Building Owner:

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

**Tel (718) 595-4418
Fax (718) 595-4422**

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

**R. Radhakrishnan
Director, Asbestos Control Program**



(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

Block Hall Development Co. LLC
26 Broadway
New York, NY 10004-1756

RE: 21 SOUTH WILLIAM STREET, Manhattan
AKA 23 South William St., 45-47 Stone Street

Dear Building Owner:

Christopher O. Ward
Commissioner

Robert C. Avaltroni
Deputy Commissioner

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

R. Radhakrishnan
Director, Asbestos Control Program



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

**Ultimate Realty LLC
39 West 14th Street #502
New York, NY 10011**

RE: 136 WILLIAM STREET, Manhattan

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

**R. Radhakrishnan
Director, Asbestos Control Program**



(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

J&D Apartments LLC attn. Joseph Neumann
80 Broad Street
New York, NY

RE: 15 PARK ROW, Manhattan

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

A handwritten signature in dark ink, appearing to read "R. Radhakrishnan".

**R. Radhakrishnan
Director, Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

November 7, 2002

J&D Apartments LLC attn. Joseph Neumann
80 Broad Street
New York, NY

RE: 15 PARK ROW, Manhattan

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

Dear Building Owner:

The purpose of this letter is to request your cooperation in permitting DEP to perform an inspection of the exterior surfaces of the above-referenced building.

A previous inspection showed that the building exterior had been impacted by residue from the collapse of the World Trade Center buildings on September 11, 2001. You were subsequently advised of the Building Cleaning Program being conducted by DEP in lower Manhattan, but did not respond. It is therefore necessary to inspect the building exterior again to determine if this residue is still present, and to collect samples for laboratory analysis.

Your attention is directed to '24-106, 24-108, 24-111, and 24-608 of the Administrative Code, which authorize DEP to conduct necessary testing and sampling of potential sources of air pollution, prohibit interference with DEP personnel in the performance of their duties, and require cooperation with response measures taken by DEP to protect public health and welfare or the environment. If you do not permit the building exterior to be inspected, DEP may issue Commissioner's Orders or Notices of Violation which may carry penalties of up to \$10,000 per day.

Your anticipated cooperation is greatly appreciated.

Very truly yours,

A handwritten signature in dark ink, appearing to read 'R. Radhakrishnan'.

**R. Radhakrishnan
Director, Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP