



U.S. Environmental Protection Agency

WTC Dust Cleanup

Contact Us | Print Version Search: **GO**
 EPA Home > EPA Response to 9-11 > WTC Dust Cleanup

Dust Cleanup
 Request Form
 Request
 Counts
 Follow Up
 Map

Fact Sheets

Frequently
 Asked
 Questions

Ads & Flyers

EPA Press
 Releases

Pictures

Monitoring
 Summaries
 New York City
 Area
 Pentagon

Monitoring Data
 Asbestos in
 Air

Asbestos in
 Bulk Dust
 Benzene in Air
 Chromium in
 Air

Dioxin in Air
 Drinking Water
 Lead in Air
 Metals in Air
 Particulate

Matter 2.5
 Particulate

Matter 10
 PCBs in Air
 Polycyclic
 Aromatic

Hydrocarbons
 VOCs: Volatile
 Organic
 Compounds

Interactive Maps

Other

Monitoring Data
[\[Disclaimer\]](#)

New York
 State DEC

Cleanup Request Count Information

EPA has divided lower Manhattan into four quadrants to facilitate management of the Residential. These quadrants follow postal ZIP code boundaries (view map) and are roughly equal in population. The number of residences to date that have registered for assistance. Residents may request reimbursement for a HEPA vac and/or an information packet. Requests for assistance are also sent to the appropriate quadrant. The table updates automatically as new residences are registered.

Note: The "Whole Building Count" is the number of buildings where building owners or managers association representatives have requested that cleaning within the building be coordinated. A request for coordination does not mean that every residence in that building will necessarily be cleaned. This individual residence must submit an individual request and be registered for cleaning and/or testing via this Web site: <https://nyrpub.epa.gov/NYRDUST2/dustcleanup/form.html> or by calling EPA's 1-800-796-5471.

ZIP Code Counts		Quadrant Counts	
10002:	254	Quadrant A:	1152
10002-7433:	1	Quadrant B:	1074
10004:	112	Quadrant C:	1333
10005:	66	Quadrant D:	1162
10006:	216		
10007:	326	Quadrant A:	10013, 10213
10007 :	1		
10007-3605:	1	Quadrant B:	10002, 10004, 10005, 10006, 10041, 10081, 10242, 10274, 10271, 10270, 10269, 10268, 10265, 10260, 10256, 10249, 10286, 10279, 10278, 10277, 10275, 10080, 10045, 10043, 10007, 10008, 10282
10013:	1152	Quadrant C:	10038, 10273, 10292, 10272
10013-2729:	1		
10038:	1333	Quadrant D:	10047, 10048, 10280, 10281, 10285
10038 :	1		
10048:	1		
10080:	1		
10280:	1161		
10280-1010:	1		
10280-1172:	1		
10282:	99		

Entry Counts	Communication Preference	Request
Total "Valid" Requests: 4728	Total: 4728	Clean and Test:
Hotline Entries: 3391	Email: 1722	Test Only:
On-line Entries: 1337	US Mail: 2817	HEPA Vacuum:
	No Preference: 189	Information Pac

The Project Monitor shall review all deliverables prior to submission to EPA. The review shall assure that each deliverable is accurate and complete, technically sound, and free of clerical errors.

The Project monitor shall submit the completed Cleaning Checklist via F2L or an agreed upon alternative electronic format or website approved by EPA within 24 hours of activity.

13. The Project Monitor shall perform a final visual inspections upon completion of the cleaning. If all areas are not dust free then the Project Monitor will direct the Cleaning Contractor to reclean as necessary. If all areas are dust free then the Project Monitor will authorize final air sampling. Final inspections shall be documented using the Cleaning Checklist.

Deliverables

The Project Monitor shall review all deliverables prior to submission to EPA. The review shall assure that each deliverable is accurate and complete, technically sound, and free of clerical errors.

The Project Monitor shall submit upon request to EPA copies of the log book pages via email, fax, or alternative format agreed upon.

14. The Project Monitor will conduct a post-cleaning inspection of the apartment with the resident at the completion of the sampling. The resident should inspect the apartment and identify any damage at this time and sign-off on the Project Completion Form. Any damage or loss to an apartment or its contents shall be documented on this form.

Deliverables

The Project Monitor shall review all deliverables prior to submission to EPA. The review shall assure that each deliverable is accurate and complete, technically sound, and free of clerical errors.

The Project Monitor shall submit upon request to the EPA copies of the log book as requested via fax or alternative format agreed upon and within two days of request. Final air sampling shall be performed with 24 hours of final visual inspection.

15. The Project Monitor will complete a daily report which documents cleaning starts, continuations completions, air sampling and any delays or difficulties encountered.

Deliverables

The Project Monitor shall review all deliverables prior to submission to EPA. The review