

Gilsenan, Michael (ex)

From: LaPosta.Dore@epamail.epa.gov
Sent: Friday, July 05, 2002 5:50 PM
To: michaelgi@dep.nyc.gov
Cc: callahan.kathy@epamail.epa.gov
Subject: revised matrix



WTCFEMAMATX.wpd

In accordance with my previous message to Paul Barry attached is a revised matrix for your resubmission to FEMA. Please let us know if you have any questions. As I was studying these numbers again today I noticed on your cost sheet there is not a sampling estimate for the 3000 common spaces, I only could find an estimate for the 500 common spaces requiring scope B, I don't know where the estimate is for the other 2500 common spaces. Please let us know where that value is. Thanks

V.S.
 3000
 5
 15,000

(See attached file: WTCFEMAMATX.wpd)

*Email
 to
 Doe*
 Jane/Pls send to

Dore LaPosta
 212 637-3145 phone
 212 637-3115 fax
 laposta.dore@epa.gov

Doe, there is NO sampling estimate for 3000 common spaces. Our thinking is that there are open spaces and no testing would be required due to the nature of the space. If you require a more detailed/tech. explanation I'll have Rich give you a call.

Thanks
 Mike M

V.S.
 Pls forward this to Barry Tues in AM. One pt too make is EPA has included validation of asbestos samples for common spaces and DEP has not required in the scope that samples be taken. I hope that EPA agrees with us on the score will change yet again.
 Thanks
 MB
 7/6/02
 CC: BR
 KR.