

**NYC Department of Environmental Protection
Bureau of Environmental Compliance**

Air Monitoring Scheme

No	Locations	Type	Remarks
1	PS 314K 330 59 th Street, Brooklyn	Background	Manual sampling by NYS DEC
2	PS 199 30-20 48 th Street, Queens	Background	Continuous sampling by NYS DEC
3	600 East 6 th Street Manhattan		Continuous sampling by NYS DEC
4	Susan Wagner High School 1200 Manor Road Staten Island	Background	Continuous sampling by NYS DEC
5	Hot Zone #1		Will be conducted by DEP
6	Hot Zone #2		Will be conducted by DEP

1. Sampling at the above locations will commence on September 14, 2001
2. A minimum of three samples will be collected at each location with a sample volume of 1800 liters and maximum flow rate of 15 liters/min.
3. The samples will be analyzed for both PCM and TEM.
4. The results of the samples will be faxed to DEP by 9:00 A.M. the following day.
5. Please note that the sampling locations are subject to change.

October 5, 2001:

Stuyvesant High School

We attended a meeting with members of the Board of Education, various city agencies, UFT and the consultant for the PTA. DEP, DOH, EPA and Board of Education representatives conducted a visual inspection of the exterior as well as the entrance points established for the students and teachers. It has been established that one entry point (the overpass) at Chambers Street will be used for all conditions. A review of the points of entry found it to be clean at this time. We will continue to evaluate all areas over the weekend through Monday 10/8. We will be taking air samples on a continued basis to support existing monitoring being conducted by EPA North side of the building and Pier 25. We were advised that the decon of vehicles found for pier 25 have not been properly handled. EPA, DOH and our staff will reinforce the proper deconing procedures to avoid issues related to dust discharge.

We visited the Battery Park Gateway property and will meet with OEM first Deputy and Chief of staff at 3pm on 10/5. We will review the prospect of opening some part of southend Ave north of Albany.

We are still awaiting EPA's response to our request of work down procedures for the exterior of buildings. We have also discussed this issue with DOH (Jessica Layton) who essentially concurs with our position, and will bring it to the attention of her superiors (as is EPA). As discussed we have forwarded DEC Governor Executive Order for comment and direction.

school

**NYC Department of Environmental Protection
Bureau of Environmental Compliance**

Air Monitoring Scheme

No	Locations	Type	Remarks
1	PS 314K 330 59 th Street, Brooklyn	Background	Manual sampling by NYS DEC
2	PS 199 30-20 48 th Street, Queens	Background	Continuous sampling by NYS DEC
3	600 East 6 th Street Manhattan		Continuous sampling by NYS DEC
4	Susan Wagner High School 1200 Manor Road Staten Island	Background	Continuous sampling by NYS DEC
5	Hot Zone #1		Will be conducted by DEP
6	Hot Zone #2		Will be conducted by DEP

1. Sampling at the above locations will commence on September 14, 2001
2. A minimum of three samples will be collected at each location with a sample volume of 1800 liters and maximum flow rate of 15 liters/min.
3. The samples will be analyzed for both PCM and TEM.
4. The results of the samples will be faxed to DEP by 9:00 A.M. the following day.
5. Please note that the sampling locations are subject to change.

No	Date	H.S. E.F 100 Trinity Place	P.S. 234 282 Grennwich St.	Stuyvesant H.S. 345 Chambers St.	I.S. 89 201 Warren St.
70	12/12/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
71	12/13/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
72	12/14/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
73	12/15/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
74	12/16/01	< 13.33 s/sqmm	< 13.33 s/sqmm	13.33 s/sqmm	13.33 s/sqmm
75	12/17/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	13.33 s/sqmm
76	12/18/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
77	12/19/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
78	12/20/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
79	12/21/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
80	12/22/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
81	12/23/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
82	12/24/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
83	12/25/01	< 13.33 s/sqmm	< 15.15 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
84	12/26/01	13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
85	12/27/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
86	12/28/01	< 16.00 s/sqmm	< 16.00 s/sqmm	< 16.00 s/sqmm	< 16.00 s/sqmm
87	12/29/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
88	12/30/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
89	12/31/01	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
90	01/01/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
91	01/02/02	13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
92	01/03/02	26.67 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	26.67 s/sqmm
93	01/04/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm

No	Date	H.S. E.F 100 Trinity Place	P.S. 234 282 Grennwich St.	Stuyvesant H.S. 345 Chambers St.	I.S. 89 201 Warren St.
94	01/05/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
95	01/06/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
96	01/07/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
97	01/08/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
98	01/09/02	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm	< 13.33 s/sqmm
99	01/10/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
100	01/11/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
101	01/12/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
102	01/13/02	< 14.3 s/sqmm	< 14.3 s/sqmm	14.3 s/sqmm	28.6 s/sqmm
103	01/14/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
104	01/15/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
105	01/16/02	< 14.3 s/sqmm	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
106	01/17/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
107	01/18/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
108	01/19/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
109	01/20/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
110	01/21/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
111	01/22/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
112	01/23/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
113	01/24/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
114	01/25/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
115	01/26/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
116	01/27/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
117	01/28/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm

No	Date	H.S. E.F 100 Trinity Place	P.S. 234 282 Grennwich St.	Stuyvesant H.S. 345 Chambers St.	I.S. 89 201 Warren St.
118	01/29/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
119	01/30/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
120	01/31/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
121	02/01/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
122	02/02/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
123	02/03/02	< 14.3 s/sqmm	28.6 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
124	02/04/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
125	02/05/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
126	02/06/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
127	02/07/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
128	02/08/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
129	02/09/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
130	02/10/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
131	02/11/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
132	02/12/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
133	02/13/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
134	02/14/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
135	02/15/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
136	02/16/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
137	02/17/02	< 14.3 s/sqmm	< 14.3 s/sqmm	14.3 s/sqmm	< 14.3 s/sqmm
138	02/18/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
139	02/19/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
140	02/20/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
141	02/21/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm

No	Date	H.S. E.F 100 Trinity Place	P.S. 234 282 Grennwich St.	Stuyvesant H.S. 345 Chambers St.	I.S. 89 201 Warren St.
142	02/22/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
143	02/23/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
144	02/24/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
145	02/25/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
146	02/26/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
147	02/27/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
148	02/28/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
149	03/01/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
150	03/02/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
151	03/03/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
152	03/04/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
153	03/05/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
154	03/06/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
155	03/07/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
156	03/08/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
157	03/09/03	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
158	03/10/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
159	03/11/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
160	03/12/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
161	03/13/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
162	03/14/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
163	03/15/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
164	03/16/02	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm
165	03/17/02	14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm	< 14.3 s/sqmm