

14585

Name of Operator A. TITUS, JR Date: 5/31/02 Time: _____

Category: (circle one)

Environment

Cleaning

Health

Indoor Air

Specific Contaminant

School

Old WTC

Other _____

Question:

*WHAT IS BEING DONE ABOUT THE MOLD COMING FROM THE BANKER TRUST BLDG.? SUBWAY STATION FULTON, (JOHN & MAIDEN LANE) HAVE WTC DUST STUCK IN VENT SYSTEM. WALK & DON'T WALK SIGNS HAVE DUST IN GRIDS. PHONE BOOTH(TOP) - 176 B'WAY NEED CLEANING.

Answer:

CLEAN-UP SUPPOSE TO START END OF MAY / EARLY JUNE. I CAN CHECK THE REGISTER FOR YOUR PASS COMPLAINT AND SEE WHAT WAS DONE. CALLER WAS ADVISED TO CALL DEPTHELPS HOTLINE CLOSING AT 5-8102

Comments:

PII COMPLAINTS HAVE BEEN ADDRESS PENDING CLEAN-UP. I CALL 2 1/2

Caller Information:

First Name: PII

Address 1: 176 B'WAY Apt _____

Address 2: _____ Borough: _____

City NY State: NY Zip: _____

Phone #1 (✓) _____ Phone #2 (✓) _____

Follow up:

Referral/Follow-Up Needed? (circle one) YES NO

Referral Agency/Organization: DEP

DEP Reference # _____

NOTE: PREVIOUSLY CALLED UNDER DEP REF. 422351 + 423670

14585

Name of Operator A. TITUS, JR Date: 5/3/02 Time: _____

Category: (circle one)

Environment

Specific Contaminant

Cleaning
School

Health

Old WTC

Indoor Air

Other _____

Question:

WHAT IS BEING DONE ABOUT THE MOLD COMING FROM THE BANKER TRUST BLDG.? SUBWAY STATION FULTON, (JOHN & MANDER LANE) HAVE WTC DUST STUCK IN VENT SYSTEM. WALK & DON'T WALK SIGN HAVE DUST IN GRIDS. PHONE BOOTH (TOP) - 176 B'WAY NEED CLEANING.

Answer:

CLEAN-UP SUPPOSE TO START END OF MAY / EARLY JUNE. I CAN CHECK THE REGISTER FOR YOUR PASS COMPLAINT AND SEE WHAT WAS DONE. CALLER WAS ADVISED TO CALL DEATHHELP AS HOTLINE CLOSING AT 5-8102

Comments:

PII

COMPLAINTS HAVE BEEN ADDRESS PENDING CLEAN-UP. I CALL 2 1/2

Caller Information:

First Name:

PII

Address 1:

176 B'WAY

Apt _____

Address 2:

Borough: _____

City

NY

State:

NY

Zip: _____

Phone #1 ()

Phone #2 ()

Follow up:

Referral/Follow-Up Needed? (circle one)

YES

NO

Referral Agency/Organization:

DEP

DEP Reference # _____

NOTE: PREVIOUSLY CALLED UNDER DEP REF. 422351 + 423670

IMPORTANT MESSAGEFOR RoseDATE 4/5 TIME 9⁴⁰ A.M.
P.M.**WHILE YOU WERE AWAY**M. P11OF 176 BwayPHONE No. 212 732 9234
AREA CODE NUMBER EXTENSION

TELEPHONED		PLEASE CALL.	
CALLED TO SEE YOU		WILL CALL AGAIN	
WANTS TO SEE YOU		RUSH	
RETURNED YOUR CALL			

MESSAGE Rose - weds night spoken
needs someone to look @ lodges.
All have dust still.
(spoke to Rose previously)

SIGNED _____

Name of Operator Karen Date: 3/19/02 Time: 3:10

13601 (H)
(X) (R)

Category: (circle one)

Environment

Cleaning

Health

Indoor Air

Specific Contaminant

School

Old WTC

Other

Question:

① Visible dust on rooftops and ledges of buildings located along Broadway. (between John and Maiden Lane) When will this be cleaned? She would like someone to come out and inspect. ② South Tower has been smoking since last Thursday 3/14/02 - Has air quality testing been increased as a result?

Answer:

Referred to DEP for clean-up and air quality

C

PII

will be away after 3/22/02 - Please send someone out before this time.

Caller Information:

First Name:

PII

Address 1:

176 Broadway

Apt

PII

Address 2:

Borough:

Manh

City

New York

State:

NY

Zip:

10038

Phone #

PII

Phone #2

PII

Follow up:

Referral/Follow-Up Needed? (circle one)

YES

NO

Referral Agency/Organization:

DEP

DEP Reference #

422351

BWTC 3/19/02

Howard

4/3/02 - Faxed USEPA PR of 3/26/02 also reviewed the clean-up results. (pm)

4/23/02 L.M. to followup on cleaning inspection conducted 3/23. (R)

Faxed PR of USEPA MHC per DOH

Per 4/2/02

update on bulk tests/AQ/ Genl clean-up

OLG-2 →

4/24/02 spoke w/ PII informed re of clean-up of facade and roof top along Broadway. Scheduled for early May. Stay tuned to nyl or news update for schedule. 4/3/02

PII

CALLIED AGAIN 4-5-02, SHE
SAID THAT HER HUSBAND

PII

(SHE) HAD NOT

REC'D THE EPA PR OF 3/26/02, AND NOT CON-
SIDERED ^{there} I TOLD ^{her} WE WOULD REFAX IT
ON 4-8-02 (ON 4-5-02). SHE ALSO

MENTIONED, WITHOUT DETAIL, ABOUT A DIOXIN
SPRINKLE IN A BLOCK NEAR 100 CHURCH;
I TOLD HER WE WERE NOT AWARE OF
THIS RESULT, ONLY ABOUT DIOXIN
TESTS OF EPA (SEE WEB SITE) WHICH I
ADVISED ~~that~~ WERE BELOW THE LEGAL
LIMIT, AND WERE OUTDOOR TESTS ONLY.

4-8-02

REFAXED THE PRESS REL + ARTICLE ON
EXTER. CLEANING FOR NY TIMES. PER

PII

THEY HV. REC'D THE FAX

NYC DEP

50-17 Junction Blvd.
Corona, NY 11368
(718)DEP-HELP Fax (718)586-4086

Service Request Inspection Detail

Report Date 03/19/2002 06:54 PM

Submitted By

Page 1

Service # 422351
Problem BWTCH WTC RELATED (HOT LINE)
Address 178 BROADWAY 1
10038
Cross Streets CORTLANDT ST
JOHN ST
Compass Direction
Building ID 10011 Block 00065 Lot 0017 GRID 101

Location Area District
Sub-Area 101 Parcel

of Calls 1 Duration of Call 00:00 Call Date 03/19/2002 17:44
Taken By 2882 FREYRE, RICARDO
Responsibility BHZ BANHAZMAT (AIR, NOISE, HAZ. MAT)
Scheduled Date
Inspector
Due Date
Resolution Code
Asset
Avg Insp Duration
Avg Insp Days 0
Avg Insp Hrs 0
Avg Insp Mins 0

Priority
Start Date
Inspection Date
☐ No Work Orders Required
Resolution Date

☐ Customer Contact Req
Budget #

4/3/02
Fixed PR of USEPA
4/3/02
NO AEM RA 004

3/23 Inspected on this site; awaiting results / Per 4/3/02 update
bulk tests / AQ / Gen'l. Cleanup

Problem Comments

Initial Caller

Last Name
First Name, MI
Address

City, State/Province, ZIP/PC

☐ Foreign

Day Phone

Reference #

No Info from owner
Sent to Asbestos Unit for appropriate
action

PII

PII

Evening Phone

PII

Call Date 03/19/2002 17:44

Caller Comments

(1) DUST ON ROOF OF NEARBY BUILDINGS AND LEDGES LOCATED ALONG BROADWAY BET JOHN STREET & MAIDEN LANE. COMPLAINANT REQUESTS INSPECTION FROM HER APARTMENT TO SHOW INSPECTORS THE DUST.

(2) INDICATES THAT SHE HAS SEEN SMOKE COMING PII OWER SINCE MARCH 14TH AND IS STILL HAPPENING. SHE WANTS TO KNOW IF THERE HAS BEEN ANY INCREASE IN THE AIR QUALITY TESTING DUE TO THE SMOKE. MS. HUGHES WILL BE OUT OF TOWN ON MARCH 22, AND REQUESTS THAT THE INSPECTIONS BE SET UP BEFORE SHE LEAVES. SHE WILL BE AVAILABLE DURING THE DAY.

CALLED IN BY KAREN ELLIS

Work Order Work Order # Activity Asset Act Type Act Group Initiated Scheduled To Type Completed Unit ID Source Maint Type

There are no work orders for this service number

Assets
Asset From Type Unit ID To Type Unit ID # Qualifier

There are no assets

H Enm Council
Intent + extreme clean-up
Should be system
ready workers
from the towers

Fax:2127045142

**** Transmit Conf. Report ****

P.1

Apr 3 2002 18:29

Telephone Number	Mode	Start	Time	Page	Result	Note
95534062	NORMAL	3,18:27	0'58"	3	* O K	

Page

Stay Tuned.

Quality Talking

Number of Pages: 3 (including)

Please find the WTPA Press Release on outdoor building cleaning (facade + rooftop) on their A/D monitoring. Also under discussion is Indoor Air Quality Testing.

Comments:

☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Re: Concerns about Cleaning

Phone: (212) 732-9234

Fax: (212) 553-4062

*To: Catherine Hughes
From: Louis M. #6 Hothine*

13644

Name of Operator Karen Date: 3/21 Time: 3:55

Category: (circle one)

Environment

Cleaning

Health

Indoor Air

Specific Contaminant

School

Old WTC

Other _____

Question:

① Cleaning of ledges and rooftops on Broadway bet. John & Maiden Lane. - Please see "Super" for access to roof - (Address listed below)

UMA Complaint # 13601 - 3/19/02

Answer:

Comments:

Ms. Hughes called 3/18/02 - "see file" - She will be going out of town today for 10 days - Contact Super for roof access. - Simon Reysen - 212-227-8630 Apt # PII

Caller Information:

First Name:

PII

Address 1:

176 Broadway

Apt _____

Address 2:

Borough:

Manhattan

City

New York

State:

NY

Zip:

Phone #1

(212) 732-9234

Phone #2

Left Message for Mr. Reysen 3/26/02

Follow up:

Referral/Follow-Up Needed? (circle one)

YES

NO

Referral Agency/Organization:

DEP

DEP Reference #

422351e

New ID#

423670

Flu
Chanelle 3/21/02

NYC DEP

59-17 Junction Blvd.
Corona, NY 11368
(718)DEP-HELP Fax (718)596-4086

Service Request Inspection Detail

Report Date 03/22/2002 12:31 PM

Submitted By

Page 1

Service # 423670
Problem BWTCH WTC RELATED (HOT LINE)
Address 178 BROADWAY 1
10038
Cross Streets CORTLANDT ST
JOHN ST
Compass Direction
Building ID 10011 Block 00065 Lot 0017 CMBD 101

TO: ROSE MARABETTI
From: Barbara [Signature]

Location

Area

Sub-Area

101

District

Parcel

of Calls 1
Taken By 7146
Responsibility BHZ
Scheduled Date
Inspector
Due Date
Resolution Code
Asset
Avg Insp Duration

Duration of Call 00:00

Call Date 03/22/2002 11:59

MAYFIELD, CHERELLE

BANHAZMAT (AIR, NOISE, HAZ. MAT)

Priority

Start Date

Inspection Date

☐ No Work Orders Required

Resolution Date

☐ Customer Contact Req

Budget #

Avg Insp Days 0
Avg Insp Hrs 0
Avg Insp Mins 0

Problem Comments DEP HAS NOT RECEIVED ANY INFORMATION FROM THE OWNER.

THIS COMPLAINT HAS BEEN FORWARDED TO THE ASBESTOS UNIT FOR APPROPRIATE ACTION

Initial Caller

Last Name

First Name, MI

Address

PII

Title

City, State/Province, ZIP/PC

☐ Foreign

Day Phone

(212)732-9234 x

Evening Phone

Call Date 03/22/2002 11:59

Reference #

Caller Comments

CONTACT SUPER FOR ROOF ACCESS NAMED SYMON REYSER AP PII 212-227-8630.

CLEANING OF LEDGES AND ROOF TOP ON BROADWAY BETWEEN JOHN AND MAIDEN LANE.

Work Order #	Activity	Asset	Act Type	Act Group	Initiated	Scheduled	Completed	Sourced	Maint Type
Priority	Problem	Project	Act Type	Unit ID		Act Type	Unit ID		

There are no work orders for this service number

Assets

Asset

From Type Unit ID

To Type Unit ID

Qualifier

There are no assets

Linked Requests

Service # Problem

Problem Date

Address

Location

FROM: LOWER MANHATTAN
AIR QUALITY HOTLINE
212-221-8635

To: PII

Fax Number: 212-553-4062

5 Pages (including cover sheet)

Comments: PLEASE FIND ATTACHED THE USED A
PRESS RELEASE ON OUTDOOR BUILDING
CLEANING (FACADES+ ROOFTOPS). ALSO
ATTACHED IS AN ARTICLE FROM THE 4/6/02
NEW YORK TIMES REGARDING THE EXTERIOR
CLEANING OF BUILDINGS.

REGARDS,
BRUCE MCDONNELL

95534062	NORMAL	8.12:33	1.52"	S	* O K
Telephone Number	Mode	Start	Time	Page	Result
Note					

Apr 8 2002 12:35

P.1

** Transmit Conf. Report **

Fax: 2127045142