

NO

Answer

4/18/02

NA 4/19/02 - 4:10 PM

Try Again 4/21/02
NA

14074

Name of Operator Lekesia Grace Date: 4/15/02 Time: _____

Category: (circle one)

Environment Cleaning Health Indoor Air
Specific Contaminant School Old WTC Other _____

Question:

Caller stated that he's been wanting to have apartment inspected
Caller also states that his blood work shows high Merc. Levels.
Caller wants to know ^{how} much longer before his apt is
inspected. ALSO MENTIONED ^{VISIBLE DUST ON} WINDSHIELD WOULD LIKE ALSO (from DOH) INSPECTION (BA 418-52)

Answer:

I told him that someone will get back in
touch w/ him. ALSO REFERRED HIM ON 4-15-02 TO
ATSDR (ENCL. WEBSITE) + TOLD HIM THAT URINE
SAMPLE MORE ACCURATE FOR MERCURY (BA 418-52)

Comments:

Caller's first call was 3/28/02. #13794.

Caller Information:

First Name: PII Last Name: PII
Address 1: PII Apt: PII
Address 2: _____ Borough: Manhattan
City: NYC State: NY Zip: _____
Phone: PII Phone #2 () _____

Follow up:

Referral/Follow-Up Needed? (circle one) YES NO

Referral Agency/Organization:

DEP Reference #

DOH / DEP (BUATCH 484378)

4/12
5:00pm - NA
4/19
4:00pm
NA

142
14054

Name of Operator Sherbreina Date: 4/12/02 Time: 4:45

Category: (circle one)

Environment

Cleaning

Health

Indoor Air

Specific Contaminant

School

Old WTC

Other _____

Question:

Blood tested high for Mercury - Wants to know what his next step is. Also mentioned visible dust on window sills etc + would like that called into DEP (BM 41502)

Answer:

Gave him the number to Mt. Sinai for medical questions. Also ref'd him on 4/15/02 to ATSDR (including website), + told him that urine sample more accurate for mercury (BM 41502)

Comments:

Called several weeks ago + is awaiting a site visit by DEP.

Caller Information:

First Name

PII

Last Name

PII

Address 1:

333 Rector Pl.

Ap

PII

Address 2:

Borough:

City

State:

Zip:

Phone #1

PII

Phone #2

PII

Follow up:

Referral/Follow-Up Needed? (circle one)

YES

NO

Referral Agency/Organization:

DEP / DOH

DEP Reference #

484278

13794
2/2

Name of Operator Karen Ellis Date: 3/28 Time: 2:55

Category: (circle one)

Environment

Cleaning

Health

Indoor Air

Specific Contaminant

School

Old WTC

Other

Question:

① Caller needs info on cleaning procedure - ② Has Doh
Conducted any indoor air tests in 333 Rector Place? if not
③ Please place on list for IAQ ④ What are the effects
of inhalation of dust from 9/11? Is there a mobile Health center on
Vesey St.?

Answer:

Referred to Doh / Please call w/ info on air
quality testing in building / FAX-Cleaning Procedure
Recommended he see his doctor.

Comments:

tenant moved into 333 Rector in January - He has PII small
Children PII - Concerned that previous tenant did not
clean apartment properly or have air quality tests. The children
were seen by a doctor - He has not and has been ill since 9/11.

Caller Information:

First Name: PII Last Name: PII

Address 1: 333 Rector Place Apt. PII

Address 2: Borough: Manh

City: New York State: NY Zip: 10280

Phone #1: PII (A/FAX) Phone #2: PII

Follow up:

Referral/Follow-Up Needed? (circle one) YES NO

Referral Agency/Organization: Doh

DEP Reference #

Rrt called
4/3 4:30
left
message

FAX COVER SHEET

From: LOWER MANHATTAN
AIR QUALITY HOTLINE
212-221-8635

To: _____

PII

Fax Number: 212-945-6620

6 7 Pages (including cover sheet)

Comments:

*Department of Health Fact Sheets for
Routine Cleaning of Homes.*

*EPA Press Release on Outdoor and
Indoor Air Quality.*

TO DO
PARTIAL

① ON IAG
LIT?

② TELL DEP
Results 4-18-02
Results

NYC DEP

59-17 Junction Blvd.
Corona, NY 11368
(718)DEP-HELP Fax (718)898-4086

Service Request Inspection Detail

Report Date 04/18/2002 12:01 PM

Submitted By

Page 1

Service # 434378

Problem BWTCH WTC RELATED (HOT LINE)

Address 333 RECTOR PL 1
10280Cross Streets S END AVE
BEND

Compass Direction

Building ID 10000 Block 00018 Lot 0080

CMB

Location PII
Area District
Sub-Area 101 Parcel

of Calls 1 Duration of Call 00:00 Call Date 04/15/2002 15:44
Taken By 2862 FREYRE, RICARDO
Responsibility BHZ BANHAZMAT (AIR, NOISE, HAZ. MAT) Priority
Scheduled Date Start Date
Inspector Inspection Date
Due Date ☐ No Work Orders Required
Resolution Code Resolution Date
Asset ☐ Customer Contact Req
Avg Insp Duration Budget #
Avg Insp Days 0
Avg Insp Hrs 0
Avg Insp Mins 0

Problem Comments THE OWNER OF 333 RECTOR PLACE REPORTED THAT BOTH A PROFESSIONAL AND GENERAL
CLEAN-UP WERE DONE AS WELL AS EXTENSIVE AIR SAMPLING (ALL RESULTS WERE NEGATIVE).

A VISUAL SURVEY OF THE EXTERIOR OF THE BLDG BY DEP PERSONNEL (JANUARY, 2002) FOUND
NO EVIDENCE OF WTC DEBRIS.

Last Name
First Name, MI
Address

PII

City, State/Province, ZIP/PC

☐ Foreign

Day Phone

PII

Evening Phone

PII

Reference #

Caller Comments DUST ON WINDOW SILL REQUESTING TEST IN APT

There are no work orders for this service number