

Asbestos Sampling Location

Location #	Sampling Date	PCM (f/cc)
Z 1	9/12	0.010
	9/12	0.010
	9/15-9/16	<0.0043-0.0089
	9/19	0.012
	9/20	<LOQ
	9/21	<LOQ
	9/22	0.009
	9/23	<LOQ
	9/24	0.008
	9/25	0.007
	9/26	0.017
	9/27	0.014
	9/29	0.007
	9/30	<LOQ
E 5	10/1	0.007
	10/2	0.007
	10/3	<LOQ
	10/4	<LOQ
	9/21	<LOQ
	9/12	0.009
	9/17	0.007
	9/25	0.007
	10/1	0.007
	10/2	0.007
	9/18	0.008
	9/19	<LOQ
	9/20	<LOQ
	9/21	<LOQ
Z 8	9/22	0.009
	9/23	<LOQ
	9/24	<LOQ
	9/25	<LOQ
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.009
	9/30	<LOQ
	10/1	0.007
	10/2	0.009
	10/3	0.010
	10/4	0.014
	9/19	0.030
	9/21	<0.01
P 8A	9/22	<LOQ
	9/23	<LOQ
	9/24	0.008
	9/25	0.012
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.009
	9/30	<LOQ
	10/1	0.008
	10/2	0.007
	10/3	<LOQ
	10/4	<LOQ
	9/19	0.050
	9/20	<LOQ
E 10	9/21	<LOQ
	9/22	<LOQ
	9/23	<LOQ
	9/24	0.012
	9/25	0.008
	9/26	<LOQ
	9/27	<LOQ
	10/1	0.007
	10/2	0.009
	10/3	<LOQ
	10/4	<LOQ
	9/13	<LOQ
	9/14	<LOQ
	9/15	0.031
E 11	9/16	0.013
	9/17	0.012
	9/18	0.011
	9/19	<LOQ
	9/20	<LOQ
	9/21	<LOQ
	9/22	<0.01
	9/23	<LOQ
	9/24	0.009
	9/25	0.007
	9/26	0.008
	9/27	<0.009
	9/29	0.009
	9/30	<LOQ
E 12	10/1	0.009
	10/2	0.008
	10/3	0.021
	10/4	0.019
	9/13	0.220
	9/14	<LOQ
	9/15	0.022
	9/16	0.030
	9/17	0.013
	9/18	0.018
	9/19	0.014
	9/20	<LOQ
	9/21	<LOQ
	9/22	0.010
E 13	9/23	<LOQ
	9/24	0.017
	9/25	0.007
	9/26	0.01
	9/27	0.016
	9/28	<0.009
	9/29	0.041
	9/30	0.042
	10/1	0.009
	10/2	0.007
	10/3	<LOQ
	10/4	0.014
	9/14	0.002
	9/15	0.024
E 14	9/16	0.050
	9/17	0.002
	9/18	0.045
	9/19	0.045
	9/20	0.009
	9/21	0.015
	9/22	0.014
	9/23	0.012
	9/24	0.009
	9/25	0.009
	9/26	0.014
	9/27	0.014
	9/28	<0.009
	9/29	0.009
Z 15	9/30	0.009
	10/1	0.009
	10/2	0.008
	10/3	<LOQ
	10/4	0.030
	9/23	0.010
	9/24	0.007
	9/25	0.009
	9/26	0.008
	9/27	0.050
	9/28	<0.009
	9/29	0.009
	9/30	0.024
	10/1	0.009
P 17	10/2	0.007
	10/3	<LOQ
	10/4	<LOQ
	9/10	0.012
	9/21	<LOQ
	9/22	<LOQ
	9/23	<LOQ
	9/24	<0.007
	9/25	0.008
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.007
	9/30	<LOQ
	10/1	0.009
P 17A	10/2	0.009
	10/3	<LOQ
	10/4	<LOQ
	9/19	0.010
	9/15	<0.0046
	9/16	0.0055
	9/18	0.034
	9/27	0.018
	9/27	0.016
	9/16	0.035
	9/17	0.024

LOQ = Limit of Quantification

Air/Asbestos data
Revised 10/5/01 - 8:00 AM

Asbestos Sampling Location

Location #	Sampling Date	PCM (f/cc)
Z 21	9/13	0.1
	9/14	0.007
	9/15	0.034
	9/16	0.030
	9/17	0.027
	9/18	0.027
	9/19	0.020
	9/20	<LOQ
	9/21	0.008
	9/22	0.008
	9/23	0.026
	9/25	0.008
	9/26	0.078
	9/27	0.010
Z 22	9/29	0.015
	9/30	0.011
	10/1	0.035
	10/2	0.019
	10/3	0.023
	10/4	0.016
	9/14	<LOQ
	9/15	0.035
	9/16	0.030
	9/18	0.007
	9/15	0.019
	9/13	<LOQ
	9/14	0.020
	9/18	0.021
E 26	9/15	0.008
	9/16	0.010
	9/23	<LOQ
	9/24	<0.011
	9/25	0.008
	9/26	0.025
	9/27	<LOQ
	9/29	0.02
	9/30	<LOQ
	10/1	0.009
	10/2	0.009
	10/3	0.010
	10/4	0.022
	9/13	<LOQ
Z 29	9/14	<LOQ
	9/15	0.030
	9/16	<LOQ
	9/20	<LOQ
	9/25	0.008
	9/27	<LOQ
	9/29	0.029
	9/30	0.076
	10/1	0.015
	10/2	0.016
	10/3	0.009
	10/4	0.077
	9/15	0.033
	9/16	0.030
E 30	9/19	0.019
	9/21	<LOQ
	9/22	<LOQ
	9/23	<LOQ
	9/24	<LOQ
	9/25	0.007
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.031
	9/30	0.009
	10/1	0.009
	10/2	0.008
	10/3	<LOQ
	10/4	0.012
Z 32	9/21	0.011
	9/22	0.010
	9/23	<LOQ
	9/24	0.010
	9/25	0.008
	9/26	0.014
	9/27	<LOQ
	9/29	0.08
	9/30	0.022
	10/1	0.012
	10/2	0.009
	10/3	0.013
	10/4	0.012
	9/15	0.0043
Z 33A	9/20	<LOQ
	9/21	<LOQ
	9/22	<LOQ
	9/23	0.029
	9/24	0.039
	9/25	0.007
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.009
	9/30	0.009
	10/1	0.008
	10/2	<LOQ
	10/3	<LOQ
	10/4	<LOQ
P 34	9/19	<LOQ
	9/21	<LOQ
	9/22	<0.008
	9/23	<LOQ
	9/24	<0.008
	9/25	0.007
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.013
	9/30	0.009
	10/1	0.009
	10/2	0.009
	10/3	0.011
	10/4	<LOQ
P 35	9/20	0.010
	9/29	0.008
	9/19	<LOQ
	9/20	<LOQ
	9/21	0.009
	9/23	<LOQ
	9/24	<0.008
	9/25	0.007
	9/26	<LOQ
	9/27	<LOQ
	9/29	0.015
	9/30	0.015
	10/1	0.008
	10/3	<LOQ
	10/4	0.011

P = Open to the Public
E = Border Line
Z = Restricted Zone

LOQ = Limit of Quantification

Air/Asbestos data
Revised 10/5/01 - 8:00 AM



- DO NOT Restore at This Time
- Can be Restored
- Further Investigation Necessary
- In Service
- Closed Valve

Water main information
Revised 10/4/01 - 8:00 AM

- Safety Zone
- Security Area