

Maldonado, Jane

WTC

From: Maldonado, Jane
Sent: Thursday, August 22, 2002 12:43 PM
To: Kam, Phyllis
Subject: FW: 170 John Street

1-1049212

-----Original Message-----

From: Maldonado, Jane
Sent: Thursday, August 22, 2002 11:53 AM
To: 'leekny@bellatlantic.net'
Subject: 170 John Street

8/22/02

Dear Sir/Madam:

Your correspondence was forwarded to the Department of Environmental Protection for response. Our records indicate you had entered a request for indoor air testing for your building at 170 John Street, Manhattan.

As you are probably aware, the USEPA has established a hotline and web site for indoor testing and cleaning. You can register for the cleaning and/or testing by electronically submitting your request. Although attempts have been made to compile previously submitted information, you should complete the USEPA registration form to ensure inclusion in this program.

Please refer to the USEPA web site for more information or you may call the hotline number at (877) 796-5471.

Maldonado, Jane

To: Kam, Phyllis
Subject: FW: 170 John Street

Please log out. Thanks

-----Original Message-----

From: Maldonado, Jane
Sent: Thursday, August 22, 2002 11:53 AM
To: 'leekny@bellatlantic.net'
Subject: 170 John Street

8/22/02

Dear Sir/Madam:

Your correspondence was forwarded to the Department of Environmental Protection for response. Our records indicate you had entered a request for indoor air testing for your building at 170 John Street, Manhattan.

As you are probably aware, the USEPA has established a hotline and web site for indoor testing and cleaning. You can register for the cleaning and/or testing by electronically submitting your request. Although attempts have been made to compile previously submitted information, you should complete the USEPA registration form to ensure inclusion in this program.

Please refer to the USEPA web site for more information or you may call the hotline number at (877) 796-5471.