

Maldonado, Jane

To: Kam, Phyllis
Subject: Please log out per Penny Theodorellys, Deputy Director, Asbestos Unit

WTC

1-2487032 Can be closed out. We reached by telephone and DEP contractor finished cleaning of the exterior on June 29, 2002.

WTC

1-2233659 Can be closed out. Mr. Silver reached out to us by telephone and was provided with the information. The building at 74 Trinity Place was not on our clean up list. The program was explained.

Avaltroni, Robert

From: McCarthy, Anne
Sent: Monday, May 13, 2002 4:54 PM
To: Avaltroni, Robert
Cc: Radhakrishnan, Krish; Smyth, Virginia
Subject: FW: NYC.gov - Correspondence #1-2487032 Message to Commissioner, DEP - Asbestos Abatement

Please respond.

Your NYC.gov CRM Correspondence Number is 1-2487032
DATE RECEIVED: 05/11/2002 10:44:59
DATE DUE: 05/24/2002

Message Type: Misc. Comments

Topic: Asbestos Abatement

Contact Info: Yes

M/M: Ms

First Name:

Last Name:

Company:

Street Address:

City:

State:

Postal Code:

Country: United States

Work Phone #:

Email Address:

Message: RE: 110 CHAMBERS STREET, NYC

RECEIVED A LETTER ABOUT CLEANUP OF ACM AND DEBRIS. DEBRIS WAS NOT FOUND ON THE FACADE OR THE ROOF. I AM UNABLE TO PROVIDE A CONTACT PRESENT 8AM TO 8PM/7 DAY/ WEEK AS REQUESTED. ONCE THE COMMERCIAL SPACE IS RENTED, IT WILL BE POSSIBLE BUT NOT AT THE PRESENT TIME. AS FAR AS I KNOW THE DOWNTOWN ALLIANCE FOR NY HAS ALREADY POWER WASHED THE FACADE OF THE BUILDING. PLEASE LET ME KNOW HOW YOU WISH TO PROCEED. I'VE BEEN UNABLE TO REACH THE IDENTIFIED CONTACT PERSON BY PHONE. I NEVER RECEIVED A PREVIOUS MAILING REFERRED TO IN THIS CORRESPONDENCE.

Krish

Maldonado, Jane

From: Kelpin, Gerry
Sent: Thursday, April 18, 2002 2:26 PM
To: Avaltroni, Robert
Cc: Needle, Michelle; Maldonado, Jane
Subject: RE: NYC.GOV - Message to Commissioner, DEP - Hazardous Materials - Correspondence #1-2233659

Can this one go to Krish for response? Thanks.

—Original Message—

From: McCarthy, Anne
Sent: Thursday, April 18, 2002 12:33 PM
To: Avaltroni, Robert
Cc: Kelpin, Gerry; Needle, Michelle
Subject: FW: NYC.GOV - Message to Commissioner, DEP - Hazardous Materials - Correspondence #1-2233659

Please respond.

Your NYC.GOV CRM Correspondence Number is 1-2233659

DATE RECEIVED: 04/17/2002 17:52:26

Message Type: Request for Information

Topic: Hazardous Materials

Contact Info: Yes

M/M: Mr.

First Name: William

Last Name: Silver

Company: Weiskopf, Silver & Co.

Street Address: 74 Trinity Place

City: New York

State: NY

Postal Code: 10006

Country: United States

Work Phone #: 212-514-4829

Email Address: wsspecialists@juno.com

Message: Regarding the article on the downtown clean up of building exteriors in The New York Times on Saturday, April 6, 2002: Is my building (74 Trinity Place) in the list of 211 buildings where work will be done?