

DEP/EPA

mtg 4/4/03

- ① INVOICES ✓
- ① B Exterior Program ✓
- ② 114 liberty & waiting for letter from Quad to OK ✓
 - B) Basement finals being taken today
 - C) commercial space & Abatement needed
- ③ Quad B & D have common space / HVAC sch
 lost Bldg to start 4/18 2 South End and just finished
 last week
- Quad C ? } should be done 4/15
- ④ Disposal issues & contractor to send a letter outline ✓
- ⑤ 110 draft report and background report under review
 Needs some changes in narrative ✓

* Need from P.D. details of photos }

- 225 Reactor ^{24 flows}
Exhaust vents (33) ✓
~~(33)~~

- 333 Reactor
Undetermined

3215 SE
All systems Station
29 vents
1 HVAC

- 355
Undetermined HR Station

- 365
All systems Station
26 vents
2 HVAC

- 375
Undetermined HR Station

- 385
All systems Station
41 vents
2 HVAC

- 395
Undetermined HR

- 400
1 concern
not to go back

✓ 99
none

1073 inspected

102 cleaned by owner

221 cleaned by DEP contractors

323 3,669,113 sq ft

QUADA
air monitor
to three

* EPA stated
that all HVAC's/
common spaces to
be done by 4/16

149 held up in HVAC/common spaces (6 bldg)

700 letters in mail all due back by April 15th

393 cleaned to date

257 tested to date

169 sch to be cleaned by Fri next week
today 4/1 25 apts sch to be cleaned



Strategic Planning mtg.

10/28/02

NOV 12 $\Rightarrow$ Need
Presentations $\rightarrow$ Draft document

Bureau Oversight
goals/objectives

No format

$\rightarrow$ follow

① Krish $\Rightarrow$ flex time $\rightarrow$

② Rose $\Rightarrow$ can we combine EDAU with
community outreach

③

Noise Code


10/28/02

$\rightarrow$ follow up to city Hall mtg.

call Steam

Dore,
Kush just met with us reg

Dore, CK

CK  (212)
Julie Greenberg Julie

Michael Cook 125 Oak

* Cole - right
AIBP ~~Truman~~ Quad D not ready
* US - call Kush with you 

Marilyn Davenport 212 616-5235
REBY Policy driving
Note Standards "97" Max

10 liberty
2-3 Violation
Site/bldg right next to each other
Stuff is very good.

795 office space

Foremost breaker

just suspended
11/23/02 for failure to pay
penalty

24/245 > 3 violations

→ unreasonable

dec levels

violations
8:30

ECB

82
89
96

~~Marilyn~~
~~Marilyn~~

LMC whole
Blay
low
furn

~~Charlie~~
~~Syan~~

~~Kathy~~

365
1921

211

5

100 > bly

211 100 clean by
3 clean by. 0 was in queue

(B)

211 DEF

100

5 on gain

211

4 need cl

5

2 Source

325

211

324

100

5

339

341

211

100

5

314

3

319

3

322

324

339
341
344
85

①

EPA $\Rightarrow$ Public outreach

Flies should be in all mailboxes

Extend Oct 3 deadline

Joel Kupperman Franklin St?

$\rightarrow$ who wanted to know about why DEP found % EPA found
8% did we change standards. Told him he was very unfair
to

①*

$\rightarrow$ community coord. for ~~res~~ mental health, other issues to
follow community for 2-3 years $\rightarrow$ Council member
Heron has a proposal to LMDC wants DOT/DEP support
(Federal \$)

②*

$\rightarrow$ Noise control in downtown (Comm word to support)
~~what~~ want noise to be controlled (Abatement)

$\rightarrow$ Councilman Heron to audience $\rightarrow$ Experts agree the
~~best~~ quieter the better.

③ Prepared legit $\rightarrow$ DEP to Aligned EPA

Further cleaning
Further testing

Bounded

in samples
Soil samples

Dr. Majorie Clark $\Rightarrow$ you're not doing it's job (EPA) should be reimbursed
Cleaning of Apts. why do ~~that~~

Micra-voc $\rightarrow$ David
ultra sonic $\rightarrow$ pneumonia
should be used
in conjunction with other
methods

EXTERIOR CLEAN UP - SUMMARY REPORT

INSPECT	1072
Buildings identified with WTC debris	315
Buildings cleaned by owners	95
Buildings cleaned by DEP	136
Square feet of area cleaned	1,792,828
Clean-up activities in progress or expected to start over next two weeks	40
Buildings with no license agreement	44

→ with multi in (1300)

EPA ⇒ Hotline 1 877 796 - 5471

Asbestos ⇒ How good a clean up -
 toxins ⇒ What should we concerned about next
 Metal health ⇒ ?? one year later, what signs

96% water to water / leach

Data policies

hard chert

EPA
 score of clean ⇒ vol. (noting by 1014)
 Bandwidth
 contaminants of concern

Testing / perimeter
 boundaries not
 adequate
 Public Places
 Parks, Commercial
 Spaces

10T

Feb 27

3.6 million

1 hour
27

10T

3.6 million sq ft

~~3.6 million sq ft~~

2.00

7.2 million


Common spaces

5 mil

186 Bldg

10 million

5.6 > 10
4.6



Thurs. 1) call Dave Stank re Mtg on Wed Feb 19th
2) get info for Pre-Bid Mtg put in car

105

Fema

105 Dune

105 Dune Fema mid 7 requests >>

- ①
- ②

HVAC report

March 7th =

happy 105 Dune

unimpacted HVAC

Report that just impact comfortable about

140 and Common space / reg removal

~~Due to~~ locally picking up mold

140 25 1/2 wh

Common

Diesel Engine $\Rightarrow$ ① Particulate
②

75% - 6-8 weeks to reduce

Particulates
NOx
SOx } why time

11:00

11 water
DPC
FDC

permit


Many Means $\Rightarrow$ contact owners
Boma.

Bor $\rightarrow$ Need to call
IRIS re permits

Skyl $\Rightarrow$ Cedar
liberty

8 $\Rightarrow$

Enca




12 13 40th wall 10th
1012

~~200~~ dual

Eric has the whole list

BR → no cost permit for building downtown
Battery Collins



Al Swanson
545 Rathbun Ave
SE NY 10312

Produce
Feb ins.

Send
copy
of ins

Fema This fund

low

UP
Brent
munic
issuance
Tucker city

- ① RMP Peru
- ② HAR MAT
- ③ Enforcement people
- ④ Kim Hamm Routine
- ⑤

HPD $\Rightarrow$ ~~air quality~~

~~Complaint # 464 906~~

~~V Cosentino 212 - 765-3040~~

Thurs. ① call Cathy C re: 66 John
Cate Jenlin

② kind / ~~for~~ memo to PM

③ Speak to MK re: Bill's cabbie
and Charlie

④ PM

⑤ VS. list

⑥ ~~BT~~ ~~where~~ ~~see~~

General $\Rightarrow$ con with DOH
Felon

Explain

discretion

unassigned

ATC $\Rightarrow$ submit invoices

① Indoor $\Rightarrow$ ③ ^{Dep} Scores

$\Downarrow$

① estimate with approval from FEMA

① Dep develop estimator ^③ to develop P/W with FEMA
~~with~~
Draft

② Dep developed scores con with EPA to develop
final scores

③ ~~for~~ ^{emergency} list contracts $\rightarrow$ short listed contractor based off criteria
developed by DEP

④ developed access agreements / insurance requirements
with DEP legal / city law

⑤ line items reg for days over



ACADEMY OF
CONTINUING
EDUCATION
PROGRAMS

10:00 ~~Club Bunn~~
~~S~~

11:00 ~~Spine Donyois~~
~~Therese Vasquez~~
~~V Bellos~~

1562

1562

EPH

1185


.1303

late
sore

200

130 - letter 2 well over

30



ACADEMY OF
CONTINUING
EDUCATION
PROGRAMS

2nd C

EPA Adding Bldg Book } 1 Bldg
EPA Adding People Book } 10 Person

260 Apts left

130 letter sent out to 260

81 tied up

410 } about 2/3 letter not can

297 * Big question EPA # & Data base
Not matching with Contractor about 200?

2nd D however both EPA/contractor fed it
Just inc. # will not find Add. Apts

2nd 2nd D #

2nd B

~~27 clean sent~~

348 letters → 220 dropped out

70 = 7 sel

220
70
290
348
70
188

141 → 70 sel

927 clean Text R

150

1080

204
140

69

40

51