

- 4 Financial Center (Maynard Lynne)
Spoke with Battery Park City people
regarding clean up and EPTA
~~at~~ ~~point~~ on East St & Vesey
we can
- In efforts to further shrink the park
we will be setting up new recreation
locations Park Place (South of Murray
(West) West St near the College of Arts
(North) of Rector St Thomas St Westbury
- We have a call in to Joe Hoffman
of TTA re: walk through A E #2 3 in
trains
- We will be speaking with Bernie Bell
of CTA re: Stuyvesant H.S. walk
way to school and path for kids
to enter
- will be speaking with DOH re: barge
decon location just north of H.S.
- Working on Market Park (Chambers/Greenwich
was cleaned on 9/30. Reports of private
samples taken by residents & consultants
has so far been unfounded. DEP/EPTA haven't
seen any reports or analysis

- Our Day Mat Unit is working with the FDNY with respect to subterranean work.

They performed a BS subterranean entry to ascertain the condition of the slurry wall and freon tanks. We monitored for freon 22 (direct reading instrument).

All readings for freon 22 were negative. In addition, water samples from the flooded N. PATH subway tracks were taken. Sample proved to be positive for freon 22.

Our people monitored the atmosphere for oxygen, explosive conditions, freon 22 and volatile organics. We determined that conditions at the time of entry were satisfactory for use of respirators. Supplied air was carried as an emergency backup in the event of encountering unforeseen conditions.

- Battery Park City
Playground area in North Battery Park City cleanup by EPA 10/1.

- Gateway Plaza (LeFrak)

Incident of the 600 Bldg (315 South St) Garage Area and inner core + yard cleaning almost complete. As agreed with Charles Mellemen, VP, e.g. Bldgs 200 300 400 people allowed to retrieve personal belongings, Bldgs 100 600 trucks required for people obtaining personal belongings.
200 entry OK 100 need dust masks
300 with masks 600 need dust masks
400

- Asks for complaints
Bldg owners / residents

~~EPA/DOH~~ ^{that we take the lead} asked by ^(State) DOH to do sampling.

- NYSDOH has ATSDR doing pers sampling
ATSDR has asked that we take the lead (possibly do sampling including indoor sampling)

EPA website. DEP

A E 2 3

stairs can be opened

Joe/Hoffman-TA

WTC

North
Chambers
to
WTC

East-West
W. Sunnyside Church
South City Hall
Park

Nike Company EDC
next to Regal Estate
Branch
we attend

All streets


EMWAY

Res.

high

for
delivery

Ad of Ed - for north & Stuyvesant



(issue)

Tony Woo
VP

EPA
landed
Trailers

HCU

EPA cover

Ph. OEM
~~X~~

Mural Lynch

Control

Tony Woo

West site 26

Parking lot operator

saying to get into

to DeCon Operation

PII

PII

West site
across the street
totally paved

(Tom - ^{Matia}
Shen - Dept of Health
Dun -

BRN ?

State Toxic
Health

(DEC hoginess)

Every 6 day
monitors

biters
will be
coming in today

Joe Dolor
FHA

for Monitoring
7 days
shown

Best time

Plan
smoke

radiation
depletes
uranium
from the
planet
radiological

Tom Matia

DOH FAX
(2/12)
447-2890

PII

vo
C. M. DOH
105
Bulva

- Results of Air Testing update consistent with 6am report

• New Issue

~~All Buildings south of 14th Street~~ ^{residential} ~~included~~
~~the Battery Park Area (residential)~~
 have been surveyed. ~~On the Battery~~
 up findings clean up of facades and
 lobby

Extensive review of residential and commercial buildings (including Battery Park area) suggests that our Notice to Building Owners South of 14th St be followed (~~see~~ see attached).

~~This should be incorporated with the Public Health Advisory for people reoccupying~~

Strongly recommend that ~~the~~ a
~~press~~
 press release

- Exit points established for vehicles coming presently in the area and those being transported
- We need a plan to possibly drop vehicles already taken
- need a plan to include vehicles transporting debris to Rock Hills and other ~~transfer~~ transfer stations
- Publish directive tomorrow and FAX to Jall (Have Jan McCarthy put in the same format as original with on ~~on~~)

1989 move image

City Hall
we wipe surfaces

Pres secy DOH

Contractor help??
survey
of residential
Bldgs
Battery Park
clean up
fireplaces
& Lobbies

- 1) ~~for~~ ~~for~~ consultant??
- 2) Board of Ed. Stuyvesant

Fire Dept. promoting
training for fire fighters
1st responder
trained
Capt. Polter
train
Fitz Mat Co. 1

- We need a press release to building owners ^{assisting} advising them in efforts to re-occupy

EDC
110
Mandates
have?

- We need to work with OEM / PD regarding getting building contractors access to locations without imposing on security restrictions

100 Church St.

CAU Rosemary O'Keefe

-
- completing cleanup of Battery Park City Promenade / park area (sand)

9/22
10 PM
Commencing operation cleanup
Chambers to South to North
Murray to South
Brooklyn to West
Battery to East
HEPA VECs

- DECAs should let employees know of cleanup efforts conduct to represent any concerns.

Areas to: Battery Park
Ker for Pl Park
Play ground
sand box promenade

Bot surface
Battery Park Conservancy
secured park
North Battery Park → still haven't cleaned

Various areas
Ker for South first Place
promenade

priority streets sidewalks

Drainage
Mainway
21

not included to
Greenwich St Broadway
Mainway

9/24 continue cleaning complete
Tues PM

helped
no good

haven't had traffic diverted
2 of 4 samples failed 2 border line

Rubber
 Kinked
 Bed of Coal
 recommended

Mike
Hess

(100 Church)

PII

Erin Moore

positive results



to
result in
(not going
spelled up
who clean up

Accidents ? ?
Business //

parallel

Boy chocolate

reparations
at + might
if we get

Incident

55 Butts

PII

~~Vaccinia - Bumpy~~
~~Herpes - Small~~
~~Polioma - 150-200~~
~~Lipid~~
~~Influenza - Small~~
~~Corona - General~~

400 Chunks
Rider Boy Bldg 225
Rider Place

SAFE
MINI

REVERLEY.

U
A
E

Red Cross → 212-604-9285
activists
NYC → 212-560-2730
energ.

Missing
Family
Friends
846-856-4167
212-741-4626





[Home](#) | [Jobs@ Six Flags](#) | [About Us](#) | [Media](#)
[For Investors](#) | [Our Partners](#) | [Contact Us](#) | [Site Map](#) | [Child Safety Online](#) | [Privacy Policy](#)

SIX FLAGS and all related indicia are trademarks of Six Flags Theme Parks Inc. ®, ™ and © 2001.
LOONEY TUNES, characters, names, and all related indicia are trademarks of and © Warner Bros.
BATMAN, SUPERMAN and all related characters and elements are trademarks of and © DC Comics.
(s01)

- ~~Monitoring~~ latest readings around the perimeter are okay
- We did air sampling at Battery Park North
22 River Terrace upper floors okay
41 " " upper floors okay ~~lobby~~
400 Chambers St upper floor (9th) okay lobby ~~slightly~~
clean up of common areas requested
HVAC filters need to be changed
- We are mtg this pm with the Deputy Secy of State and staff re: occupancy of 123 William St
- We will assist TLC and bldg owner with respect to reoccupancy of 4 Rector St. EPA
- Spoke with Bruce Sprague last night and Andy Constantine early this am we are getting 5" HEPA Vacs locations considered for immediate use
2 for Battery Park City 2 inside outside perimeter
1 more for vehicles under Manhattan Bridge and other check points
- We are assisting contractors/building owners through the hot line established in our Asbestos unit. We are starting to get more inquiries as anticipated

Call
for
info

- We will discuss possibilities to assist businesses with permit relocation (if we can)

But Sprange

- EPA Field Coor. DAN HARKEY has been in contact with DEP HAZ MAT to bring in additional "HEPA VAC's" locations under consideration 2 for Battery Park City 2 for Inside & outside of Perim. 1 to clean vehicles at transfer stations
- EPA & Coast are setting up Command Ctr within Frozen Zone to start up and run the washing operation
- EPA => ~~the~~ is the process of setting up to monitor for dioxins. In initial stages could not be done. DEP HAZMAT ~~not~~ does not have instruments, EPA has to get the special instrument brought to sites
- will be meeting with Staff this Am to review permits & fees A) Emerg. Man B) Asbestos Streamlined
- We are mtg with the Deputy Secy of State with re: to reorganizing 123 William St

Greenwich Chambers
Warren
Murray ??

Bway

Phase 1
Microscopy

Transmission
Electron
Microscopy

PCM looking at or above .01 ^{refined} for
TEM looks for # of structures ^{at 100 per}
millimeter squared its ok

EPA

Tested one of 9 beams in Tower 2
came back ok

Air results
on webs still
cross with
EPA

2 methods
used

TEM

Transmission
Electron
Microscopy

PCM

Phase
contrast
Microscopy

Drenth Chambers | G'way
Werner
Murray ??

Phase II
TEM
Transmission
Electron
Microscopy

PCM looking at or above .01 ^{per mil} for
TEM looks for # of structures ^{at least} 30 per
millimeter squared its ok

EPA

Tested one of 9 beams in Tower 2
came back ok

Air results
on WTC site
cross w/ Ch
EPA

2 methods
concur

~~Grey~~

Gateway

10:45 123 William St
Deputy Secy of State of NY
Private Bldg

FLC occupy
4 Rector St

W

Liberty & Bway well slightly
elevated
Clean filters
HVAC system
common areas
& lobby

good 3 Bldgs 400 Chambers St
14th floor 22 River Terrace
lobby upper floors 41
Asbestos
9th floor fine lobby slightly
above

↓
250 Bway

request Comm Vercella Human Rights
5th 40 Rector St

5th
d 8th
floors

12pm meet "EPA"
 Mike Berkowicz
 (917) 578-7346

~~(scribbled out)~~
~~(scribbled out)~~

Park Place

not feasible close to
 area cross
 streets
 facade
 Church / Park Place
 staging all trucks
 wash station

high
 6000 sq ft
 slightly
 1000 sq ft
 6 Apts

25 Park Place

store
 office
 bldgs
 few as idios

Bldgs worked on
 business can't do
 business no one
 around.

EPA

40 feet base at
 Human Rights
 Standard & Appeals
 TLC
 Dept of Labor?

need to have fence moved slightly north
 to allow occupancy
 maybe 20 ft beyond facade of the
 bldg on Rect

John Harwood
put on website

Yurish

- DOH Advisory
re: People Re-Occupying Commercial Bldgs
and Residents Re-Entering their Homes:
Recommendations for Protecting Health

Speak with Health Have put on websites
DOH, DEP DCAS

Montefiore
Barbara

- Vehicle removal Plan
check points vehicles leaving
or ~~being~~ coming out of area
Washed, wrapped
Includes vehicles transporting debris
to Fresh Kills or other Transfer
Stations

Put in format consistent with
Notice to Building owners located
South of 14th St.

Montefiore
Spoke
with
operational
Shaw

Stuyvesant H.S. - How do we reopen ASAP
extensive cleanup to be commence

- EEDAV staff deployed to 110 Maiden Lane
to assist in directing people to appropriate
areas for assistance in re-occupancy efforts

CDC (DOH - DOH)

PHASE I - PHASE 2 - PHASE 3

Search, Rescue, Clean up Disasters, Ground Zero

- N95 respiratory masks (TB masks) & goggles to prevent eye irritation. HEPA filter
- Wash down prior to the rain last night in area surrounding the exchange

13th Lt
Ramp Station
Fonbay

2) Styvesant
H.S.
every day
evaluate

3) coordinate
with EPT
re new parameter



9:00

S.I. Vehicles
mile

- 1) ~~draws~~ Exit points for vehicles
 Him with Sanathorn EPA, Health
 Vehicles in area that may work ↓ won't Deco
 viability
- 2) FDC 110 München Lane ~~ETD~~?
- 3) Xoon gas checked
 Air samples good
 Vacuum good
- 4) EPA, DEC 12hr sampling not us
- 5)

- Entrance Conference last week

- PE8 \$1.877 million
creative

Con Ed filing fees
revenue?
creativity (for Smyley)

ASA will no longer be managers ???

MI MII will be able to
collect over time

will go to Virginia from Louis people

* CompStat

Expenses = What we have done downsizing
since 96

productivity = more with less
noise / Air complaints
response time etc.

Asbestos response time

DEPTA = # of filings RTK
Spills $\longleftrightarrow$ dollars recovered from bad guys

Things to be highlighted for presentation
to the Mayor