

Maldonado, Jane

To: asumowicz@cityhall.nyc.gov
Cc: Chapin, Diana; avaltroniR@dep.nyc.gov
Subject: EPA Indoor Working Group Meeting

From Michael Gilseman

Diana Chapin asked me to call/fax you regarding today's EPA Indoor Working Group meeting. At the meeting, DEP stated its position regarding the asbestos levels that the COC committee has recommended. Our stated position was the same that was articulated at last Tuesday's Sr. Staff meeting with Joel. Once again, DEP is concerned that the levels under consideration will set new standards that are unreasonable for schools, businesses and other dwellings throughout the City. We indicated to Mark Maddaloni of EPA our concerns regarding scientific backup for these levels as well as assumptions made regarding risk factors.

Also, you should note that some staff from NYCDOH and NYCCOSH seemed to agree with our position.

Maldonado, Jane

From: Sumowicz, Alessandra [asumowicz@cityhall.nyc.gov]
Sent: Thursday, April 04, 2002 6:04 PM
To: Maldonado, Jane
Cc: Chapin, Diana; Avaltroni, Robert; Miller, James; Gabriel, Edward
Subject: RE: EPA Indoor Working Group Meeting

Jane - please give this to Mike!! Thanks.

We need to raise this at our task force meeting with Kenny and Callahan on Monday! There is no way EPA should be issuing any benchmarks, guidance ... that cannot be attained! This is counter to any common sense.

-----Original Message-----

From: Maldonado, Jane [mailto:janem@dep.nyc.gov]
Sent: Thursday, April 04, 2002 4:32 PM
To: asumowicz@cityhall.nyc.gov
Cc: Chapin, Diana; Avaltroni, Robert
Subject: EPA Indoor Working Group Meeting

From Michael Gilseman

Diana Chapin asked me to call/fax you regarding today's EPA Indoor Working Group meeting. At the meeting, DEP stated its position regarding the asbestos levels that the COC committee has recommended. Our stated position was the same that was articulated at last Tuesday's Sr. Staff meeting with Joel. Once again, DEP is concerned that the levels under consideration will set new standards that are unreasonable for schools, businesses and other dwellings throughout the City. We indicated to Mark Maddaloni of EPA our concerns regarding scientific backup for these levels as well as assumptions made regarding risk factors.

Also, you should note that some staff from NYCDOH and NYCCOSH seemed to agree with our position.