

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc PCM (f/cc)	Asbestos Conc TEM (struc./mm2)	
PERIMETER SAMPLES									
09/12/01	10912/A207001	GREENWICH & CHAMBERS ST.	AMBIENT	95	950		0.080	overload	Sent out 9/12
09/12/01	10912/A207002	CENTRE & CHAMBERS ST.	AMBIENT	90	900		0.016	123.73	Get info back 9/13
09/12/01	10912/A207003	SPRUCE & GOLD ST	AMBIENT	95	950		0.040	157.48	
09/12/01	10912/A207004	BROADWAY & WORTH ST	AMBIENT	50	500		0.010	44.99 x	
09/12/01	10912/A207005	W.BROADWAY & WORTH ST	AMBIENT	35	350		0.010	11.25 x	
PERIMETER SAMPLES									
09/13/01	10913/A207001	MURRAY & CHURCH ST.	AMBIENT	25	375		0.220	overload	Sent out 9/17
09/13/01	10913/A207002	FULTON & CHURCH ST.	AMBIENT	40	600		0.100	overload	Info back 9/25
09/13/01	10913/A207003	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ		
09/13/01	10913/A207005	LIBERTY & CHURCH ST.	AMBIENT	30	450	0.01	<LOQ		
09/13/01	10913/A207004	WASHINGTON & CEDAR ST.	AMBIENT	30	450	0.01	<LOQ		
PERIMETER SAMPLES									
09/14/01	10914/A003001	MURRAY & CHURCH ST.	AMBIENT	40	600	0.008	<LOQ		Sent out 9/17
09/14/01	10914/A003002	FULTON & CHURCH ST.	AMBIENT	40	600		0.007		Info back 9/25
09/14/01	10914/A003007	MURRAY & GREENWICH ST.	AMBIENT	50	750	0.006	<LOQ	14.32	
09/14/01	10914/A003003	LIBERTY & CHURCH ST.	AMBIENT	40	600		0.020	overload	
09/14/01	10914/A003004	CEDAR & TRINTY PL	AMBIENT	39	585		0.027		
09/14/01	10914/A003008	MURRAY BETWEEN CHURCH & BROADWAY	AMBIENT	40	600		0.002		
09/14/01	10914/A003009	FULTON BETWEEN CHURCH & BROADWAY	AMBIENT	30	450	0.01	<LOQ		
HOT ZONE SAMPLES									
09/14/01	10914/A003005	1 LIBERTY PLAZA - APPROX. 50 FT FROM EXPLOSION	AMBIENT	50	750	0.007	<LOQ		
09/14/01	10914/A003006	PARK & GREENWICH ST.- APPROX. 50 FT. FROM EXPLOSION	AMBIENT	35	525		0.009	<6.56 x	
DEP FACILITY									
09/14/01	10914/A207006	184 AVE D, DEP PUMPING STATION - FOUR BAY AREA	INDOOR	65	975		0.005		
PERIMETER SAMPLES									
09/15/01	10915/A307001	MURRAY & CHURCH ST.	AMBIENT	35	525		0.022	120.18	Sent out 9/18
09/15/01	302-1	FULTON & CHURCH ST.	AMBIENT	40	600		0.034	overload	Info back 9/19
09/15/01	LAB3#2	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.031	overload	
09/15/01	LAB1#2	LIBERTY & BROADWAY	AMBIENT	50	750		0.008	overload	
09/15/01	LAB3#3	CEDAR & BROADWAY	AMBIENT	30	450		0.033	overload	
09/15/01	10915/A307003	BROADWAY & MURRAY ST	AMBIENT	30	450		0.045	overload	
09/15/01	10915/A307002	MURRAY BETWEEN CHURCH & BROADWAY	AMBIENT	50	750		0.024	overload	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 11 of 13

> 0.01 > 70 < 70 < 100

C00164

11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOG (f/cc)	Fiber Conc PCM (f/cc)	Asbestos Conc PEM (struc/mm2)
09/15/01	LAB1#1	FULTON BETWEEN CHURCH & BROADWAY	AMBIENT	45	675		0.035	131.23
HOT ZONE SAMPLES								
09/15/01	LAB3#1	GREENWICH & PARK PL	AMBIENT	30	450		0.076	overload
09/15/01	302-2	VESEY BETWEEN CHURCH & GREENWICH ST.	AMBIENT	40	450		0.035	overload
PERIMETER SAMPLES								
09/16/01	10916/A207003	MURRAY & CHURCH ST.	AMBIENT	30	450		0.030	78.74
09/16/01	302/002	FULTON & CHURCH ST.	AMBIENT	40	600		0.030	overload
09/16/01	LAB1#1	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.013	78.74
09/16/01	10916/A307001	LIBERTY ST. & BROADWAY	AMBIENT	35	525		0.010	overload
09/16/01	10916/A307002	CEDAR ST. & BROADWAY	AMBIENT	40	600		0.030	overload
09/16/01	10916/A207004	MURRAY BETWEEN CHURCH & BROADWAY	AMBIENT	45	675		0.050	overload
09/16/01	302/003	FULTON BET WEEN CHURCH & BROADWAY	AMBIENT	40	600		0.030	121.69
HOT ZONE SAMPLES								
09/16/01	LAB1#2	WASHINGTON & PARK PL	AMBIENT	30	450		0.038	102.36
09/16/01	302/001	VESEY ST BETWEEN CHURCH & W.BROADWAY	AMBIENT	40	600		0.024	overload
INDOOR SAMPLES								
09/16/01	10916/A207001	CITY HALL, 2ND FL, OUTSIDE JULIE MENDIK'S OFFICE	INDOOR	120	1800		0.022	overload
09/16/01	10916/A207002	CITY HALL, 1ST FL - BLUE ROOM	INDOOR	120	1800		0.011	39.37
PERIMETER SAMPLES								
09/17/01	LAB1#1	MURRAY & CHURCH ST.	AMBIENT	45	675		0.013	43.74
09/17/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.017	overload
09/17/01	LAB3#001	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.012	61.24
09/17/01	10917/A307001	LIBERTY ST. & BROADWAY	AMBIENT	30	450		0.062	overload
HPD BUILDING								
09/17/01	LAB3#1	100 GOLD STREET - LOBBY	AMBIENT	60	900		0.006	22.50 +
09/17/01	LAB3#2	100 GOLD STREET - 9th FL	AMBIENT	60	900		0.006	<11.25 +
BATTERY PARK CITY								
09/17/01	10917/A100001	22 RIVER TERRACE, LOBBY	INDOOR	120	1800		0.004	
09/17/01	10917/A100002	22 RIVER TERRACE, 14th FL.	INDOOR	120	1800	0.002	<LOQ	
09/17/01	10917/A307003	41 RIVER TERRACE (TRIBECA POINT) - LOBBY	INDOOR	90	1350	0.002	<LOQ	
09/17/01	10917/A307004	41 RIVER TERRACE (TRIBECA POINT) - PHB	INDOOR	90	1350		0.003	
09/17/01	10917/A307002	400 CHAMBERS STREET (TRIBECA POINT) - LOBBY	INDOOR	120	1800		0.014	19.69
09/17/01	302/002	400 CHAMBERS STREET, 9TH FLOOR	INDOOR	120	1800		0.007	<19.69 x
09/17/01	302/003	WEST END OF WARREN STREET	AMBIENT	45	675		0.007	

METHODS: 1. PCM: NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM: EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 12 of 13

09/16/01

20.01 < 0.01 > 70 < 70

E: 11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
PERIMETER SAMPLES								
09/18/01	10918/A003001	MURRAY & CHURCH ST.	AMBIENT	35	525		0.018	110.24
09/18/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.027	overload
09/18/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		0.010	<7.87 *
09/18/01	10918/A207002	LIBERTY & CHURCH ST.	AMBIENT	30	450		0.021	overload
09/18/01	10918/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.008	52.49 *
09/18/01	10918/A207001	WEST ST & VESEY ST.	AMBIENT	40	600		0.034	157.48
INDOOR SAMPLES								
09/18/01	10918/A307002	225 RECTOR PL - 11TH FLOOR	INDOOR	90	1350		0.044	overload
09/18/01	302/002	225 RECTOR PL - LOBBY	INDOOR	90	1350		0.030	Insuff. Materials
PERIMETER SAMPLES								
09/19/01	10919/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.014	122.48
09/19/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.020	overload
09/19/01	10919/A100001	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/19/01	10919/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/19/01	302/003	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/002	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675		0.012	6.75
09/19/01	LAB 3 #5	NORTH END AVE & VESEY ST.	AMBIENT	30	450		0.010	overload *
09/19/01	LAB 3 #2	WEST ST & WARREN ST.	AMBIENT	30	450		0.030	149.61
09/19/01	10919/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.050	<8.75
09/19/01	10919/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675		0.012	17.50
SOUTH END								
09/19/01	10919/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.013	overload
09/19/01	10919/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/005	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/19/01	LAB 3 #3	WEST ST & ALBANY	AMBIENT	30	450		0.050	overload
09/19/01	LAB 3 #4	GATEWAY PLAZA PARK AREA	AMBIENT	30	450		0.010	31.50 *
PERIMETER SAMPLES								
09/20/01	10920/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 13 of 13

09/20/01 166

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
09/20/01	LAB3 #1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307001	WARREN ST. & NORTH END AVE	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/002	CEDAR & CHURCH STREETS	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/20/01	302/005	RIVER TERRACE AND PARK PLACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	302/006	RIVER TERRACE AND CHAMBERS ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #4	WARREN ST. & NORTH END AVE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307002	NORTH END AVENUE & PARK PL	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307003	RIVER TERRACE AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/20/01	10920/A307004	SOUTH END AVENUE AND ALBANY ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307005	RECTOR PLACE - AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/003	WEST THAMES STREET	AMBIENT	35	525	0.009	<LOQ	
09/20/01	302/004	THIRD PLACE & BATTERY PL.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #2	SOUTH END AVE. & THAMES ST.	AMBIENT	30	450	0.01	0.010	15.75 X
09/20/01	LAB3 #3	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/21/01	10921A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	<7.87 X
09/21/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/21/01	10921A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/21/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450		0.020	55.12
09/21/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	35	525		0.010	78.74 X -??
09/21/01	10921/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/21/01	10921/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 14 of 13

0001671

E: 11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
09/21/01	302/002	THIRD PL. & BATTERY PL - WATERSIDE	AMBIENT	45	675		0.009	78.74 x
09/21/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450		<0.011	
09/21/01	LAB 3 #3	GATEWAY PLAZA PARK AREA	AMBIENT	34	510		0.014	overload
PERIMETER SAMPLES								
09/22/01	10922A040001	MURRAY & CHURCH ST.	AMBIENT	40	600		0.010	<7.87 x
09/22/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	
09/22/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		<0.01	
09/22/01	10922A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.009	<8.75 y
NORTH END								
09/22/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	<0.007	<LOQ	
09/22/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600		0.009	
09/22/01	LAB3 #3	WARREN & RIVER TERRACE PARK AREA	AMBIENT	30	450	0.01	<0.01	
09/22/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.01	<0.01	
09/22/01	10922/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/22/01	10922/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/002	THIRD PL. & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<0.008	
09/22/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	40	600		0.010	23.62 y
09/22/01	LAB 3 #5	GATEWAY PLAZA PARK AREA	AMBIENT	35	525		0.010	6.67 z
ST. JOHN'S UNIVERSITY								
09/22/01	10922A003001	101 MURRAY (LOBBY AREA - CAFETERIA)	INDOOR	120	1800		0.003	
09/22/01	10922A003002	101 MURRAY(2ND FLOOR BY ROOM 214)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#6	101 MURRAY (6TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#7	101 MURRAY (10TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
PERIMETER SAMPLES								
09/23/01	10923A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/23/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.026	overload
09/23/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/23/01	10923/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923A040002	PARK PL. & CHURCH	AMBIENT	45	675		0.010	<8.00
09/23/01	302/006	PARK PL. & GREENWICH	AMBIENT	40	600		0.014	7.27

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 15 of 13

000168

11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
09/23/01	10923A307004	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.013	overload
BATTERY PARK SAMPLES								
NORTH END								
09/23/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/23/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600	0.008	<LOQ	
09/23/01	LAB3 #3	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	35	525	0.009	<LOQ	
09/23/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.008	<LOQ	
09/23/01	10923/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/23/01	10923/A307006	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675		0.029	61.24
09/23/01	302/002	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/23/01	302/003	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
09/23/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450	0.01	<LOQ	
09/23/01	LAB 3 #5	GATEWAY PLAZA PARK AREA	AMBIENT	30	450	0.002	<LOQ	
PERIMETER SAMPLES								
09/24/01	10924A207001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.017	35.00
09/24/01	10924A040001	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.009	
09/24/01	10924A307001	PARK PL. & CHURCH	AMBIENT	45	675		0.007	
09/24/01	302/001	PARK PL. & GREENWICH	AMBIENT	40	600		0.012	<8.75
BATTERY PARK SAMPLES								
NORTH END								
09/24/01	302/002	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/24/01	302/003	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600	0.008	<LOQ	
09/24/01	10924A040003	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	45	675		0.007	
09/24/01	10924A040002	WEST ST & WARREN ST.	AMBIENT	45	675		0.009	
09/24/01	10924/A307005	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.012	8.75
09/24/01	10924/A307004	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/24/01	10924/A307002	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.010	<8.75 x
09/24/01	10924A307003	RECTOR PL BY THE PARK	AMBIENT	45	675		0.039	131.23
09/24/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/24/01	302/005	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 16 of 13

000169

E: 11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
09/24/01	10924A040004	WEST ST & ALBANY	AMBIENT	45	675		0.010	78.74
09/24/01	10924A040005	GATEWAY PLAZA PARK AREA	AMBIENT	30	450	0.011	<0.011	
PERIMETER SAMPLES								
09/25/01	10925A307002	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600	0.008	<LOQ	
09/25/01	302/003	MURRAY & GREENWICH ST.	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A307003	WARREN ST & NORTH END AVENUE	AMBIENT	40	600	0.008	<LOQ	
09/25/01	10925A307001	PARK PL. & CHURCH	AMBIENT	45	675		0.009	
09/25/01	302/002	PARK PL. & GREENWICH	AMBIENT	40	600		0.009	
09/25/01	10925A003001	TRINITY PL. & THAMES ST.	AMBIENT	40	600	0.008	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/25/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/25/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/006	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A307005	WEST ST & WARREN ST.	AMBIENT	45	675		0.012	8.00
09/25/01	10925A307004	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.008	<LOQ	
09/25/01	10925A307006	RIVER TERRACE & VESEY ST	AMBIENT	40	600	0.008	<LOQ	
SOUTH END								
09/25/01	302/009	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/010	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/007	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/25/01	302/008	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	45	675	0.007	<LOQ	
09/25/01	10925A003002	WEST ST & ALBANY	AMBIENT	40	600	0.008	<LOQ	
09/25/01	10925A003003	GATEWAY PLAZA PARK AREA	AMBIENT	40	600		0.008	
PERIMETER SAMPLES								
09/26/01	302/004	MURRAY & CHURCH ST.	AMBIENT	45	675		0.010	<8.00
09/26/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.078	<6.67
09/26/01	302/003	MURRAY & GREENWICH ST.	AMBIENT	45	675		0.008	
09/26/01	10926A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/26/01	302/002	PARK PL. & CHURCH	AMBIENT	45	675		0.008	
09/26/01	302/001	PARK PL. & GREENWICH	AMBIENT	45	675		0.011	<8.00
09/26/01	10926A307004	TRINITY PL. & THAMES ST.	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307009	VESEY & WEST ST.	AMBIENT	45	675		0.011	16.00

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 17 of 13

C00170

11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
BATTERY PARK SAMPLES								
NORTH END								
09/26/01	302/008	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302009	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525		0.017	<6.67
09/26/01	302/010	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/011	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307002	NORTH END AVE & PARK PL WEST	AMBIENT	40	600	0.008	<LOQ	
09/26/01	10926A307003	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
09/26/01	10926A307006	SOUTH END AVE & ALBANY ST	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307008	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/006	W. THAMES ST - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
09/26/01	302/007	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525	0.009	<LOQ	
09/26/01	10926A307007	WEST ST & ALBANY	AMBIENT	35	525		0.014	20.00
09/26/01	10926A307005	GATEWAY PLAZA PARK AREA	AMBIENT	35	525		0.023	13.33
PERIMETER SAMPLES								
09/27/01	302/001	PARK PL. & CHURCH	AMBIENT	35	525		0.050	
09/27/01	302/002	MURRAY & CHURCH ST.	AMBIENT	40	600		0.016	
09/27/01	302/003	PARK PL. & GREENWICH	AMBIENT	35	525		0.014	
09/27/01	302/004	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/27/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.010	
09/27/01	302/006	TRINITY PL. & THAMES ST.	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/007	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
09/27/01	10927A207002	VESEY & WEST ST.	AMBIENT	35	525		0.018	60.00
09/27/01	10927A207003	VESEY & WEST ST.	AMBIENT	35	525		0.016	60.00
BATTERY PARK SAMPLES								
NORTH END								
09/27/01	302/008	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/009	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525		0.014	
09/27/01	302/010	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/011	WEST ST & WARREN ST.	AMBIENT	35	525		0.009	
09/27/01	302/012	NORTH END AVE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/27/01	302/013	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
09/27/01	LAB3-001	SOUTH END AVE & ALBANY ST	AMBIENT	40	600	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 18 of 13

C00171

[11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/27/01	LAB3-002	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/27/01	LAB3-003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	
09/27/01	LAB3-004	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	45	675	0.007	<LOQ	
09/27/01	LAB3-005	WEST ST & ALBANY	AMBIENT	45	675	0.007	<LOQ	
09/27/01	LAB3-006	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/28/01	10928A307001	PARK PL. & CHURCH	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307004	MURRAY & CHURCH ST.	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307002	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307003	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/001	FULTON & CHURCH ST.	AMBIENT	35	525		0.059	
09/28/01	302/002	TRINITY PL. & THAMES ST.	AMBIENT	35	525		0.036	
09/28/01	10928A307005	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/28/01	10928A307007	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307006	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525	0.009	<LOQ	
09/28/01	10928A307009	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/004	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/28/01	10928A307008	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/28/01	LAB3-005	SOUTH END AVE & ALBANY ST	AMBIENT	35	525		0.012	
09/28/01	LAB3-004	RECTOR PL BY THE PARK	AMBIENT	40	600	0.008	<LOQ	
09/28/01	LAB3-001	W. THAMES ST - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
09/28/01	LAB3-002	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
09/28/01	302/003	WEST ST AVE & ALBANY	AMBIENT	35	525		0.020	
09/28/01	LAB3-006	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/005	REAR COURTYARD GATEWAY PLAZA	AMBIENT	35	525	0.009	<LOQ	
09/28/01	302/006	PROMENADE IN FRONT OF STEAMER LANDING	AMBIENT	35	525	0.009	<LOQ	
09/28/01	LAB3-003	THIRD PL & W. THAMES AREA	AMBIENT	35	525	0.009	<LOQ	

PERIMETER SAMPLES

09/29/01	302/004	PARK PL. & CHURCH	AMBIENT	35	525		0.020	16.00
----------	---------	-------------------	---------	----	-----	--	-------	-------

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 19 of 13

000172

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc PCM (f/cc)	(st)
09/29/01	302/003	MURRAY & CHURCH ST.	AMBIENT	35	525		0.041	46
09/29/01	302/002	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
09/29/01	302/001	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/29/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.015	<8.00
09/29/01	302/007	TRINITY PL. & THAMES ST.	AMBIENT	35	525		0.058	
09/29/01	LAB-006	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/29/01	10929A003003	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.007	<LOQ	
09/29/01	10929A003001	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/29/01	10929A003002	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	45	675	0.007	<LOQ	
09/29/01	302/008	WEST ST & WARREN ST.	AMBIENT	35	525	0.008	<LOQ	
09/29/01	10929A003004	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/29/01	LAB3-005	SOUTH END AVE & ALBANY ST	AMBIENT	35	525		0.020	6.67
09/29/01	LAB3-004	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
09/29/01	LAB3-002	W. THAMES ST PARK AREA - ALONG WATERFRONT	AMBIENT	35	525		0.013	<6.67
09/29/01	LAB3-001	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525		0.015	<6.67
09/29/01	302/006	WEST ST & ALBANY	AMBIENT	35	525		0.082	80.00
09/29/01	LAB3-007	GATEWAY PLAZA PARK AREA	AMBIENT	45	675		0.020	
09/29/01	LAB3-003	THIRD PL & W. THAMES AREA	AMBIENT	40	600	0.008	<LOQ	
PERIMETER SAMPLES								
09/30/01	302/004	PARK PL. & CHURCH	AMBIENT	35	525		0.024	
09/30/01	302/003	MURRAY & CHURCH ST.	AMBIENT	35	525		0.042	
09/30/01	302/002	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
09/30/01	302/001	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/30/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.011	
09/30/01	10930A307/005	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.076	
09/30/01	10930A307/001	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
09/30/01	10930A307/007	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
09/30/01	10930A307/006	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525	0.009	<LOQ	
09/30/01	10930A307/003	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	30	450	0.011	<LOQ	
09/30/01	10930A307/002	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 20 of 13

000173

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm2)
09/30/01	LAB3/001	RIVER TERRACE & VESEY ST	AMBIENT	40	600	0.008	<LOQ	
SOUTH END								
09/30/01	LAB3/003	SOUTH END AVE & ALBANY ST	AMBIENT	35	525		0.031	
09/30/01	LAB3/004	RECTOR PL BY THE PARK	AMBIENT	35	525		0.020	
09/30/01	LAB3/006	W. THAMES ST PARK AREA - ALONG WATERFRONT	AMBIENT	35	525		0.009	
09/30/01	LAB3/005	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525		0.015	
09/30/01	10930A307/004	WEST ST & ALBANY	AMBIENT	35	525		0.022	
09/30/01	LAB3/002	GATEWAY PLAZA PARK AREA	AMBIENT	40	600	0.008	<LOQ	
PERIMETER SAMPLES								
10/01/01	302/003	PARK PL. & CHURCH	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/004	MURRAY & CHURCH ST.	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/001	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/002	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
10/01/01	302/005	FULTON & CHURCH ST.	AMBIENT	35	525		0.035	
10/01/01	302/006	TRINITY PL. & THAMES ST.	AMBIENT	45	675		0.015	
10/01/01	1101A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK SAMPLES								
NORTH END								
10/01/01	1101/RTKA30700	RIVER TERRACE & PARK PL WEST	AMBIENT	45	600	0.008	<LOQ	
10/01/01	1101/RTKA30700	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
10/01/01	1101/RTKA30700	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	45	675	0.007	<LOQ	
10/01/01	1101/RTKA30700	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
10/01/01	1101/RTKA30700	WARREN ST & NORTH END AVE	AMBIENT	45	675	0.007	<LOQ	
10/01/01	LAB3-006	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
10/01/01	LAB3-002	SOUTH END AVE & ALBANY ST	AMBIENT	35	525	0.009	<LOQ	
10/01/01	LAB3-003	RECTOR PL BY THE PARK	AMBIENT	35	525	0.009	<LOQ	
10/01/01	LAB3-001	W. THAMES ST PARK AREA - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
10/01/01	LAB3-004	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
10/01/01	1101/RTKA30700	WEST ST & ALBANY	AMBIENT	40	600		0.012	
10/01/01	LAB3-005	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
10/02/01	1102RTK307002	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
10/02/01	302/001	FULTON & CHURCH ST.	AMBIENT	35	525		0.019	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
10/02/01	1102RTK307003	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
10/02/01	302/005	WARREN ST & NORTH END AVENUE	AMBIENT	35	525	0.009	<LOQ	
10/02/01	1102RTK307001	PARK PL. & CHURCH	AMBIENT	45	675	0.007	<LOQ	
10/02/01	1102RTK307004	PARK PL. & GREENWICH	AMBIENT	40	600	0.008	<LOQ	
10/02/01	302/002	TRINITY PL. & THAMES ST.	AMBIENT	35	525		0.016	
BATTERY PARK SAMPLES								
NORTH END								
10/02/01	1102RTK307007	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
10/02/01	1102RTK307003	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
10/02/01	1102RTK307006	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	45	675	0.007	<LOQ	
10/02/01	302/004	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
10/02/01	302/005	NORTH END AVE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
10/02/01	LAB3-001	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
10/02/01	LAB3-003	SOUTH END AVE & ALBANY ST	AMBIENT	40	600	0.008	<LOQ	
10/02/01	LAB3-004	RECTOR PL BY THE PARK	AMBIENT	40	600	0.008	<LOQ	
10/02/01	LAB3-006	W. THAMES ST - ALONG WATERFRONT	AMBIENT	35	525	0.009	<LOQ	
10/02/01	LAB3-005	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	35	525	0.008	<LOQ	
10/02/01	302/003	WEST ST & ALBANY	AMBIENT	35	525	0.009	<LOQ	
10/02/01	LAB3-002	GATEWAY PLAZA PARK AREA	AMBIENT	40	600	0.008	<LOQ	
PERIMETER SAMPLES								
10/03/01	1103RTK307001	PARK PL. & CHURCH	AMBIENT	35	675	0.009	<LOQ	
10/03/01	1103RTK307002	MURRAY & CHURCH ST.	AMBIENT	35	525	0.009	<LOQ	
10/03/01	1103RTK307004	PARK PL. & GREENWICH	AMBIENT	35	525	0.009	<LOQ	
10/03/01	1103RTK307003	MURRAY & GREENWICH ST.	AMBIENT	35	525		0.021	
10/03/01	302/001	FULTON & CHURCH ST.	AMBIENT	35	525		0.023	
10/03/01	302/002	TRINITY PL. & THAMES ST.	AMBIENT	35	525		0.020	
10/03/01	LAB3-001	WARREN ST & NORTH END AVENUE	AMBIENT	35	525		0.010	

600175

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc/mm2)
BATTERY PARK SAMPLES								
NORTH END								
10/03/01	1103RTK307007	RIVER TERRACE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
10/03/01	1103RTK307005	RIVER TERRACE & CHAMBERS ST	AMBIENT	35	525	0.009	<LOQ	
10/03/01	1103RTK307006	RIVER TERRACE PARK AREA BETWEEN PARK PL & WARREN	AMBIENT	35	525	0.009	<LOQ	
10/03/01	1103RTK307009	WEST ST & WARREN ST.	AMBIENT	35	525	0.009	<LOQ	
10/03/01	LAB3-002	NORTH END AVE & PARK PL WEST	AMBIENT	35	525	0.009	<LOQ	
10/03/01	LAB3-003	RIVER TERRACE & VESEY ST	AMBIENT	35	525	0.009	<LOQ	
SOUTH END								
10/03/01	LAB3-005	SOUTH END AVE & ALBANY ST	AMBIENT	40	600	0.008	<LOQ	
10/03/01	LAB3-006	RECTOR PL BY THE PARK	AMBIENT	40	600	0.009	<LOQ	
10/03/01	LAB3-008	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600		0.011	
10/03/01	LAB3-007	WEST OF THIRD PL (SOUTH COVE APARTMENT)	AMBIENT	40	600	0.008	<LOQ	
10/03/01	302/003	WEST ST & ALBANY	AMBIENT	35	525	0.009	<LOQ	
10/03/01	1103RTK307008	GATEWAY PLAZA (SOUTHEND AVE/LIBERTY ST)	AMBIENT	35	525		0.010	

000176

SciLab Job #: 201101536

Client Name: Riverpoint, Inc.

Phase Contrast Microscopy (PCM) Fiber Results

10/5/01 sample Results

101171; DEP; Manhattan, NYC / AMBIENT

P.02/05
2126793114 TO 19146321538
OCT 05 2001 20:04 FR SCIENTIFIC LABS

SciLab Sample #	Client Sample # / Location	Date Collected	Flow Rate (liters/min.)	Duration (min.)	Air Filtered (liters)	Fields	Fibers	Fiber Density (Fibers/mm ²)	Fibers Conc. (Fibers/cc)	TWA
01	6-10-05 Warren / North End	10/5/01	15	45	675	100	8	10.19	0.006	
02	7-10-05 Warren / West Street	10/5/01	15	45	675	100	10	12.74	0.007	
03	17-10-05 North End / Park	10/5/01	15	45	675	100	5	6.37	<0.004	
04	18-10-05 Vesey / River Ter	10/5/01	15	50	750	100	7	8.92	0.005	
05	15-10-05 Chambers / River Ter	10/5/01	15	45	675	100	11	14.01	0.008	
06	16-10-05 Warren / River Ter	10/5/01	15	45	675	100	8	10.19	0.006	
07	14-10-05 Park / River Ter	10/5/01	15	45	675	100	6	7.64	0.004	
08	4-10-05 Greenwich / Murray	10/5/01	15	45	675	100	9	11.46	0.007	
09	2-10-05 Greenwich / Park Pl.	10/5/01	15	45	675	100	12	15.29	0.009	
10	3-10-05 Church / Murray	10/5/01	14.5	45	653	100	10	12.74	0.008	
11	1-10-05 Church / Park Pl.	10/5/01	14.5	45	653	100	9	11.46	0.007	
12	5-10-05 Church / Fulton	10/5/01	14.5	40	580	100	9	11.46	0.008	
13	20-10-05 B'way / Vesey	10/5/01	14.5	40	580	100	8	10.19	0.007	

221000

SciLab Job #: 201101535

Client Name: Riverpoint, Inc.

Phase Contrast Microscopy (PCM) Fiber Results

10171; DEP; NYC, Manhattan

P. 02/03

2126793114 TO 19146321558

OCT 05 2001 19:36 FR SCIENTIFIC LABS

SciLab Sample #	Client Sample # / Location	Date Collected	Flow Rate (liters/min.)	Duration (min.)	Air Filtered (liters)	Fields	Fibers	Fiber Density (Fibers/cm ²)	Fibers Conc. (Fibers/cc)	TWA
01	11-1005 Rector Place	10/5/01	15	50	750	100	5	6.37	< 0.004	
02	13-1005 West End West Thomas	10/5/01	15	50	750	100	4	5.10	< 0.004	
03	12-1005 3rd Place / West End / Water Side	10/5/01	15	50	750	100	3	3.82	< 0.004	
04	9-1005 South End Albany	10/5/01	15	50	750	100	3	3.82	< 0.004	
05	8-1005 Gateway Plaza (South End Of Library)	10/5/01	15	50	750	100	4	5.10	< 0.004	
06	10-1005 West Of Albany	10/5/01	15	50	750	100	9	11.45	0.006	
07	19-1005 Trinity Place & James	10/5/01	15	50	750	100	9	11.45	0.006	
08	FB-1A Field Blank	10/5/01	0	0	0	100	0.5	0.64		Footnotes: /
09	FB-2A Field Blank	10/5/01	0	0	0	100	0.5	0.64		Footnotes: /

Reporting Notes:

(1) Fibers/cc cannot be calculated for samples (or blanks) with no air volume.

Analyzed by: Proc Control 100123 Date Analyzed: 11/6/01

*NAD/NSD = no value detected; NA = not analyzed; NYLAP Lab #200546-0; New York samples (NYSIDORESLAP Lab # 11490); National Institute of Standards and Technology Accreditation requirements mandate that this report must not be reproduced except in full without the approval of the laboratory. ATMA # 102843.

821000

SciLab Job #: 201101536

Client Name: Riverpoint, Inc.

Phase Contrast Microscopy (PCM) Fiber Results

101171; DEP; Manhattan, NYC / AMBIENT

SciLab Sample #	Client Sample # / Location	Date Collected	Flow Rate (liters/min.)	Duration (min.)	Air Filtered (liters)	Fields	Fibers	Fiber Density (Fibers/mm ²)	Fibers Conc. (Fibers/cc)	TWA
14	Field Blank	10/3/01	0	0	0	100	0.5	0.64		
15	Field Blank	10/5/01	0	0	0	100	0.5	0.64		

Footnotes: /

Footnotes: /

Reporting Notes:

(1) Fibers/cc cannot be calculated for samples (or blanks) with no air volume.

Analyzed by: Fred Corvassal *fred*, Date Analyzed: 10/5/01

*NAD/NSD = no asbestos detected; NA = not analyzed; NYLAP Lab #200546-0; New York samples (NYSDOH ELAP Lab # 014801); National Institute of Standards and Technology Accreditation requirements mandate that this report must not be reproduced except in full without the approval of the laboratory. AHA # 102843.

P. 03/05

2126793114 TO 19146321558

OCT 05 2001 20:04 FR SCIENTIFIC LABS

621000

E: 11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc PCM (f/cc)	Asbestos Conc TEM (struc./mm2)
PERIMETER SAMPLES								
09/18/01	10918/A003001	MURRAY & CHURCH ST.	AMBIENT	35	525		0.018	110.24
09/18/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.027	overload
09/18/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		0.010	<7.87
09/18/01	10918/A207002	LIBERTY & CHURCH ST.	AMBIENT	30	450		0.021	overload
09/18/01	10918/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.008	52.49
09/18/01	10918/A207001	WEST ST & VESEY ST.	AMBIENT	40	600		0.034	157.48
INDOOR SAMPLES								
09/18/01	10918/A307002	225 RECTOR PL - 11TH FLOOR	INDOOR	90	1350		0.044	overload
09/18/01	302/002	225 RECTOR PL - LOBBY	INDOOR	90	1350		0.030	Insuff. Materials
PERIMETER SAMPLES								
09/19/01	10919/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675		0.014	122.48
09/19/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.020	overload
09/19/01	10919/A100001	MURRAY & GREENWICH ST.	AMBIENT	40	600	0.008	<LOQ	
09/19/01	10919/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY NORTH END								
09/19/01	302/003	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/002	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675		0.012	6.75
09/19/01	LAB 3 #5	NORTH END AVE & VESEY ST.	AMBIENT	30	450		0.010	overload
09/19/01	LAB 3 #2	WEST ST & WARREN ST.	AMBIENT	30	450		0.030	149.61
09/19/01	10919/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675		0.050	<8.75
09/19/01	10919/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675		0.012	17.50
SOUTH END								
09/19/01	10919/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675		0.013	overload
09/19/01	10919/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/004	W. THAMES ST - ALONG WATERFRONT	AMBIENT	45	675	0.007	<LOQ	
09/19/01	302/005	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/19/01	LAB 3 #3	WEST ST & ALBANY	AMBIENT	30	450		0.050	overload
09/19/01	LAB 3 #4	GATEWAY PLAZA PARK AREA	AMBIENT	30	450		0.010	31.50
PERIMETER SAMPLES								
09/20/01	10920/A003001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 13 of 13

[11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
09/20/01	LAB3 #1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307001	WARREN ST. & NORTH END AVE	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/002	CEDAR & CHURCH STREETS	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/20/01	302/005	RIVER TERRACE AND PARK PLACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	302/006	RIVER TERRACE AND CHAMBERS ST.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #4	WARREN ST. & NORTH END AVE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450	0.01	<LOQ	
09/20/01	10920/A307002	NORTH END AVENUE & PARK PL	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307003	RIVER TERRACE AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/20/01	10920/A307004	SOUTH END AVENUE AND ALBANY ST.	AMBIENT	45	675	0.007	<LOQ	
09/20/01	10920/A307005	RECTOR PLACE - AT THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/20/01	302/003	WEST THAMES STREET	AMBIENT	35	525	0.009	<LOQ	
09/20/01	302/004	THIRD PLACE & BATTERY PL.	AMBIENT	30	450	0.01	<LOQ	
09/20/01	LAB3 #2	SOUTH END AVE. & THAMES ST.	AMBIENT	30	450	0.01	0.010	15.75
09/20/01	LAB3 #3	GATEWAY PLAZA PARK AREA	AMBIENT	35	525	0.009	<LOQ	
PERIMETER SAMPLES								
09/21/01	10921A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/001.	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	<7.87
09/21/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	35	525	0.009	<LOQ	
09/21/01	10921A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
BATTERY PARK CITY								
NORTH END								
09/21/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	LAB3 #5	NORTH END AVE & RIVER TERRACE	AMBIENT	30	450		0.020	55.12
09/21/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	35	525		0.010	78.74
09/21/01	10921/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/21/01	10921/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/21/01	10921/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/21/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<LOQ	

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 14 of 13

C001671

E: 11/7/2001

WORLD TRADE CENTER AIR MONITORING TABLE

Date Sampled	Sample ID	Location Sampled	Ambient/ Indoor	Duration Sampled (Mins)	Sample Volume (liters)	PCM LOQ (f/cc)	Fiber Conc. PCM (f/cc)	Asbestos Conc. TEM (struc./mm ²)
09/21/01	302/002	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675		0.009	78.74
09/21/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	30	450		<0.011	
09/21/01	LAB 3 #3	GATEWAY PLAZA PARK AREA	AMBIENT	34	510		0.014	overload
PERIMETER SAMPLES								
09/22/01	10922A040001	MURRAY & CHURCH ST.	AMBIENT	40	600		0.010	<7.87
09/22/01	302/001	FULTON & CHURCH ST.	AMBIENT	45	675		0.008	
09/22/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450		<0.01	
09/22/01	10922A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675		0.009	<8.75
NORTH END								
09/22/01	302/004	RIVER TERRACE & PARK PL WEST	AMBIENT	45	675	<0.007	<LOQ	
09/22/01	302/005	RIVER TERRACE & CHAMBERS ST	AMBIENT	40	600		0.009	
09/22/01	LAB3 #3	WARREN & RIVER TERRACE PARK AREA	AMBIENT	30	450	0.01	<0.01	
09/22/01	LAB3#2	WEST ST & WARREN ST.	AMBIENT	30	450	0.01	<0.01	
09/22/01	10922/A307002	NORTH END AVE & PARK PL WEST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307003	RIVER TERRACE & VESEY ST	AMBIENT	45	675	0.007	<LOQ	
SOUTH END								
09/22/01	10922/A307004	SOUTH END AVE & ALBANY ST	AMBIENT	45	675	0.007	<LOQ	
09/22/01	10922/A307005	RECTOR PL BY THE PARK	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/002	THIRD PL & BATTERY PL - WATERSIDE	AMBIENT	45	675	0.007	<LOQ	
09/22/01	302/003	W. THAMES ST - ALONG WATERFRONT	AMBIENT	40	600	0.008	<0.008	
09/22/01	LAB 3 #4	WEST ST & ALBANY	AMBIENT	40	600		0.010	23.62
09/22/01	LAB 3 #5	GATEWAY PLAZA PARK AREA	AMBIENT	35	525		0.010	6.67
ST. JOHN'S UNIVERSITY								
09/22/01	10922A003001	101 MURRAY (LOBBY AREA - CAFETERIA)	INDOOR	120	1800		0.003	
09/22/01	10922A003002	101 MURRAY(2ND FLOOR BY ROOM 214)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#6	101 MURRAY (6TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
09/22/01	LAB3#7	101 MURRAY (10TH FLOOR)	INDOOR	120	1800	0.003	<0.003	
PERIMETER SAMPLES								
09/23/01	10923A040001	MURRAY & CHURCH ST.	AMBIENT	45	675	0.007	<LOQ	
09/23/01	302/001	FULTON & CHURCH ST.	AMBIENT	40	600		0.026	overload
09/23/01	LAB3#1	MURRAY & GREENWICH ST.	AMBIENT	30	450	0.01	<LOQ	
09/23/01	10923/A307001	WARREN ST & NORTH END AVENUE	AMBIENT	45	675	0.007	<LOQ	
09/23/01	10923A040002	PARK PL. & CHURCH	AMBIENT	45	675		0.010	<8.00
09/23/01	302/006	PARK PL. & GREENWICH	AMBIENT	40	600		0.014	7.27

METHODS: 1. PCM : NIOSH 7400 METHOD, "A" COUNTING RULE. 2. TEM : EPA 40 CFR PART 763 FINAL RULE (AHERA)

Page 15 of 13

C00168