

Mtg.
3/20/02

Air Test
Force

J Miller - good deal of info forwarded re: testimony
to DEP

Hotline set on 3/8 - database will show where
testing was done ~~at~~ (by address)

Assembling data
Disclosure

mm - describes just full provisions

WL - DON can issue subpoenas for testimony
documents on any matter before the Dept.

~~DEP~~
HPD rep - We have similar powers re a re
residential premises

JM - But can we compel testing?

WL - Outside the bldg - nexus to public
health is easy

Inside - public areas - OK

- private space

↳ commercial - worker safety

↳ priv opt - less easy

HPD rep - Whatever the stat reference,
we need to do that a health
hazard or risk exists

Jim - Contaminants of concern ^{working} group
 dev. that - drawn by EPA
 Fibrous glass,
 Silica & other contents may have/
 will cause health problems
 EPA will give a level

Thinking default standard will be -
 What was the state of facts on 9/10

Tom Lieber (EPA) - There are some selected
 standards that EPA has been
 using

70 structures / m^2 of filter

1/2 of bulk

by Pellegrino (Legal Counsel) - Surprised that there is
 a reluctance to set standards

There's OSHA

There's auto info that made case of
 fibrous glass

Jim - Workplace standards may not be reliable
 - temporary (8 hrs/day)
 - adults only

Tom Lieber - Diff standards

Investigation - release or threat of release

Clear up - threat caused by a
 release

Tom Lieber - typical policy is to redirect indoor
homes records on wall testing

KPD - Quite apart from setting a standard,
we need to know if someone is prepared
to say there's a hazard - but we'll need
that to justify what we do

Jm - As of Nov - lots of landlords didn't
do the clean-up we recommended
WU - We've been telling people everything is OK -
We're just doing this to make people happy

KPD - There may be multiple standards
- standard for testing
- standard for clean-up w/ a sense
of risk

Jm - Does federal govt have broader auth than the
a federal disaster area?

OGM - Defined area under FEMA

TL - No federal under an statutes

TL - There may be auth under CERCLA

100 Gold @ 2:30pm each Wed - Test Force mfg.

Next mfg 4/3/02 @ 10AM at ~~600~~ 100 Gold
5th fl