

Exhibit A:

Results from Organic Testing

Ambient Group, Inc.
10 Morris Avenue
Glen Cove, NY 11542
ELAP # 10865

Client: Cushman Wakefield a/a/f Deutsche Bank
Address: 130 Liberty Street
Project ID: 211909

Project ID	Date Collected	Field ID	Floor/Location	Dioxin TEQ Concentration (pg/q)	PNAs (mq/kg)	
211909	4/18/02	211909-01	Level B/Top Of Shelf	242.31	ND	
211909	4/18/02	211909-02	Level B/Top Of Shelf	7475.00	Acenaphthylene (75.7), Benzo(a)anthracene (13.2), Benzo(g,h,i)perylene (12.4), Chrysene (14.3), Fluoranthene (23.2), Pyrene (18.2)	
211909	4/18/02	211909-03	Level B/Top Of The Table	8532.00	Acenaphthylene (80.1), Chrysene (24.4)	
211909	4/18/02	211909-04	Level B/Top Of Shelf	3177.00	ND	
211909	4/18/02	211909-05	Level B/Top Of Shelf	7004.00	Acenaphthylene (106)	
211909	4/18/02	211909-06	Level B/Top Of The Desk	1272.00	Acenaphthylene (26.0), Pyrene (31.8)	
211909	4/18/02	211909-07	Level B/Top Of Shelf	2475.90	Acenaphthylene (37.3), Benzo(b)fluoranthene (17.7), Benzo(k)fluoranthene (12.1), Chrysene (15.8), Pyrene (33.0), Acenaphthylene (45.7), Benzo(b)fluoranthene (14.1), Benzo(k)fluoranthene (15.1), Chrysene (17.5), Pyrene (30.3)	
211909	4/18/02	211909-08	Level B/Top Of The Desk	5722.00		
211909	4/18/02	211909-09	Level B/Top Of Steel Beam	317.52	ND	
211909	4/18/02	211909-10	Level B/Top Of Vending Machine	10930.00	Acenaphthylene (485), Acenaphthylene (110), Pyrene (47.4)	
211909	4/18/02	211909-11	Level B/Top Of The Desk	7885.00	Acenaphthylene (81.4), Acenaphthylene (60.5), Benzo(a)anthracene (14.7), Benzo(b)fluoranthene (17.9), Benzo(g,h,i)perylene (14.6), Chrysene (30.7), Dibenz(a,h)anthracene (24.7), Pyrene	
211909	4/22/02	211909-10	Level B/Back Side Of (HVAC) Duct		ND	
211909	4/22/02	211909-05	Level B/Top Of The Duct		Pyrene (31.7)	

211909 A,B, and 1st Floor PNA and Dioxin summary Level B

06/11/2002 13:05 FAX 2129444818

AMBIENT GROUP

NYC-WTC_000154849
004

Ambient Group, Inc.
10 Morris Avenue
Glen Cove, NY 11542
ELAP # 10865

Client: Cushman Wakefield a/a/f Deutsche Bank
Address: 130 Liberty Street
Project ID: 211909

Date Collected	Field ID	Floor/Location	Dioxin TEQ Concentration (pg/g)	PNAs (mq/kg)	
4/18/02	211909-12	Level A/Top Of The Desk	13480.00	ND	
4/18/02	211909-13	Level A/Top Of The Desk	3434.80	Pyrene (18.1)	
4/18/02	211909-14	Level A/Top Of The Mail Slots	4880.80	Benzo(a)anthracene (16.4), Benzo(b)fluoranthene (12.7), Chrysene (13.3), Fluoranthene (22.0), Pyrene (23.7)	
4/18/02	211909-15	Level A/Top Of Shelf	6826.00	ND	
4/18/02	211909-16	Level A/Top Of The Desk	5598.00	Benzo(a)anthracene (29.8), Fluoranthene (33.2), Pyrene (26.8)	
4/18/02	211909-17	Level A/On The Floor	1281.30	Benzo(a)pyrene (13.0), Benzo(b)fluoranthene (12.9), Chrysene (12.9), Fluoranthene (26.7), Pyrene (38.2)	
4/18/02	211909-18	Level A/Top Of The Desk	31.89	ND	
4/18/02	211909-19	Level A/On The Floor	632.70	ND	
4/18/02	211909-20	Level A/Top Of The Desk	4375.20	Benzo(a)anthracene (15.9), Benzo(b)fluoranthene (13.1), Chrysene (14.4), Fluoranthene (20.9), Pyrene (20.7)	
4/18/02	211909-21	Level A/Top Of The Mail Slots	3076.60	ND	
4/22/02	211909-12	Level A/Top Of Light		ND	
4/22/02	211909-13	Level A/Top Of Light		ND	
4/22/02	211909-14	Level A/Top Of Light		ND	
4/22/02	211909-15	Level A/Top Of Light		Acenaphthylene (29.0), Fluoranthene (15.1), Pyrene (12.3)	

211909 A,B, and 1st Floor PNA and Dioxin summary Level A

06/11/2002 13:06 FAX 2129444618

AMBIENT GROUP

005

NYC-WTC_000154850

Ambient Group, Inc.
10 Morris Avenue
Glen Cove, NY 11542
ELAP # 10865

Client: Cushman Wakefield a/a/f Deutsche Bank
Address: 130 Liberty Street
Project ID: 211909

Date Collected	Field ID	Floor/Location	Dioxin TEQ Concentration (pg/q)	PNAs (mq/kg)	
4/22/02	211909-16	Level A/Top Of Light		ND	
4/23/02	211909-17	Level A/Top Of Light	6831.00	Fluoranthene (17.8), Pyrene (28.8)	
4/23/02	211909-19	Level A/Top Of Duct Work	408.80	ND	
4/23/02	211909-21	Level A/Top Of Light	104.25	ND	

- 211909 A,B, and 1st Floor PNA and Dioxin summary Level A

0T0666687T7 YVJ 00:0T 7007/TT/00

2005 11/11/05

000000

NYC-WTC_000154851

Ambient Group, Inc.
10 Morris Avenue
Glen Cove, NY 11542
ELAP # 10865

Client: Cushman Wakefield a/a/f Deutsche Bank
Address: 130 Liberty Street
Project ID: 211909

Project ID	Date Collected	Field ID	Floor/Location	Dioxin TEQ Concentration (pg/q)	PNAs (mq/kg)
211909	4/18/02	211909-22	1st Floor/Top Of Coffee Table	685.55	Benzo(a)pyrene (13.4), Chrysene (15.9), Fluoranthene (46.9), Phenanthrene (20.8), Pyrene (73.0)
211909	4/18/02	211909-23	1st Floor/Top Of Table	254.53	Benzo(a)pyrene (33.8)
211909	4/18/02	211909-24	1st Floor/Top Of Desk	202.23	Anthracene (20.8), Benzo(a)anthracene (31.3), Benzo(a)pyrene (34.7), Benzo(b)fluoranthene (35.0), Benzo(g,h,i)perylene (19.2), Benzo(k)fluoranthene (25.9), Chrysene (79.7), Fluoranthene (124), Phenanthrene (47.5), Pyrene (238)
211909	4/18/02	211909-25	1st Floor/Top Of Desk	887.31	Acenaphthylene (68.6), Fluoranthene (14.4), Pyrene (21.1)
211909	4/18/02	211909-26	1st Floor/Top Of Sink	230.30	Benzo(a)pyrene (11.1), Benzo(b)fluoranthene (14.3), Chrysene (12.2), Fluoranthene (31.9), Naphthalene (23.5), Phenanthrene (11.2), Pyrene (53.7)
211909	4/22/02	211909-27	1st Floor/By The Window Ledge (Floor - Near Column)		Acenaphthylene (115), Anthracene (27.3), Benzo(a)anthracene (39.7), Benzo(a)pyrene (44.5), Benzo(b)fluoranthene (43.5), Benzo(g,h,i)perylene (30.8), Benzo(k)fluoranthene (33.0), Chrysene (80.2), Fluoranthene (191), Indeno(1,2,3-cd)pyrene (22.3), Naphthalene (74.5), Phenanthrene (58.4), Pyrene (309)
211909	4/22/02	211909-28	1st Floor/Top Of Steel Beam		ND
211909	4/22/02	211909-29	1st Floor/Outside Of Air Louver		Benzo(a)pyrene (13.9), Benzo(b)fluoranthene (35.5), Chrysene (19.1), Fluoranthene (44.9), Phenanthrene (14.8), Pyrene (72.5)
211909	4/22/02	211909-30	1st Floor/Outside Of Escalator		Dibenz(a,h)anthracene (33.9), Fluoranthene (15.7), Pyrene (21.7)
211909	4/22/02	211909-31	1st Floor/Top Of Desk		ND

211909 A,B, and 1st Floor PNA and Dioxin summary 1st Floor

NYC 9/11 Public Portal Document

NYC-WTC_000154852

1000

NYC-WTC_000154852

Ambient Group, Inc.
10 Morris Avenue
Glen Cove, NY 11542
ELAP # 10865

Client: Cushman Wakefield a/a/f Deutsche Bank
Address: 130 Liberty Street
Project ID: 211909

Project ID	Date Collected	Field ID	Floor/Location	Dioxin TEQ Concentration (pg/g)	PNAs (mq/kg)
211909	4/22/02	211909-32	1st Floor/Top Of (Computer) Shelf		Fluoranthene (20.3), Phenanthrene (11.4), Pyrene (31.6)
211909	4/22/02	211909-33	1st Floor/Top Of Desk		ND
211909	4/22/02	211909-34	1st Floor/Top Of Shelf		Pyrene (26.2)
211909	4/22/02	211909-35	1st Floor/Top Of Wood Shelf		Benzo(a)pyrene (10.3), Chrysene (14.3), Fluoranthene (33.8), Phenanthrene (13.5), Pyrene (30.7)
211909	4/23/02	211909-23	1st Floor/Top Of Light	845.60	ND
211909	4/23/02	211909-24	1st Floor/On The Floor	104.35	Anthracene (38.4), Benzo(a)anthracene (13.0), Benzo(a)pyrene (12.3), Benzo(b)fluoranthene (30.3), Benzo (g,h,i) perylene (10.4), Benzo(k)fluoranthene (8.3), Chrysene (52.7), Fluoranthene (41.6), Phenanthrene (12.5), Pyrene (75.2)
211909	4/23/02	211909-25	1st Floor/Top Of Light	619.89	Pyrene (16.2)
211909	4/23/02	211909-26	1st Floor/Top Of Light	269.16	Benzo(a)pyrene (11.3), Benzo(b)fluoranthene (11.8), Chrysene (22.3), Fluoranthene (26.6), Pyrene (47.0)
211909	4/23/02	211909-27	1st Floor/On The Floor	5.50	Anthracene (27.5), Benzo(a)anthracene (14.2), Benzo(a)pyrene (14.7), Benzo(b)fluoranthene (48.5), Benzo(g,h,i) perylene (31.0), Benzo(k)fluoranthene (25.1), Chrysene (62.6), Fluoranthene (175), Indeno(1,2,3-cd)pyrene (22.3), Phenanthrene (72.6), Pyrene (326)
211909	4/23/02	211909-31	1st Floor/Top Of Light	255.03	ND
211909	4/23/02	211909-32	1st Floor/Top Of Light (Low Ceiling)	398.50	ND

211909 A,B, and 1st Floor PNA and Dioxin summary 1st Floor

NYC 9/11 Public Portal Document

AMBIENT GROUP

NYC-WTC_000154853

Ambient Group, Inc.
10 Morris Avenue
Glen Cove, NY 11542
ELAP # 10865

Client: Cushman Wakefield a/a/f Deutsche Bank
Address: 130 Liberty Street
Project ID: 211909

Project ID	Date Collected	Field ID	Floor/Location	Dioxin TEQ Concentration (pg/g)	PNAs (mq/kg)
211909	4/23/02	211909-33	1st Floor/Top Of Light	348.20	ND
211909	4/23/02	211909-34	1st Floor/Top Of Duct Work	241.39	ND

ANALYTICS

ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. G112-032
 Account No. 31749530
 Report Date: 05/03/02
 NEETHA TIWARI
 AMBIENT LABS INC

55 W 39TH STREET FL 12
 NEW YORK, NY 10018

Final Report

Date Received: 04/22/02 11:57

Sample Type: 26 - Waste Sample(s)

Project:

PO Number:

Lab ID	Parameter	Concentration	PQL	Analysis Analyst	Date/Time
-002	211909-02A	Sample Date: 04/18/02 16:00			
	8310 Extraction	Complt	--	MCL	04/24/02 21:21
	PAH Scan HPLC				
	Acenaphthene	< 18 mg/kg	18	JM	04/26/02 02:03
	Acenaphthylene	75.7 mg/kg	18	JM	04/26/02 02:03
	Anthracene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Benzo(a)anthracene	13.2 mg/kg	8.8	JM	04/26/02 02:03
	Benzo(a)pyrene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Benzo(b)fluoranthene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Benzo(g,h,i)perylene	12.4 mg/kg	8.8	JM	04/26/02 02:03
	Benzo(k)fluoranthene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Chrysene	14.3 mg/kg	8.8	JM	04/26/02 02:03
	Dibenz(a,h)anthracene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Fluoranthene	23.2 mg/kg	8.8	JM	04/26/02 02:03
	Fluorene	< 18 mg/kg	18	JM	04/26/02 02:03
	Indeno(1,2,3-cd)pyrene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Naphthalene	< 18 mg/kg	18	JM	04/26/02 02:03
	Phenanthrene	< 8.8 mg/kg	8.8	JM	04/26/02 02:03
	Pyrene	18.2 mg/kg	8.8	JM	04/26/02 02:03
-003	211909-03A	Sample Date: 04/18/02 16:00			
	8310 Extraction	Complt	--	MCL	04/24/02 21:21





ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. G112-032
 Account No. 31749530
 Report Date: 05/03/02
 NEETHA TIWARI
 AMBIENT LABS INC

55 W 39TH STREET FL 12
 NEW YORK, NY 10018

Final Report

Date Received: 04/22/02 11:57
 Sample Type: 26 - Waste Sample(s)
 Project:

PO Number:

Lab ID	Parameter	Concentration	PQL	Analysis Analyst	Date/Time
-003	211909-03A	Sample Date: 04/18/02 16:00			
	PAH Scan HPLC				
	Acenaphthene	< 42 mg/kg	42	JM	04/26/02 02:22
	Acenaphthylene	60.1 mg/kg	42	JM	04/26/02 02:22
	Anthracene	< 21 mg/kg	21	JM	04/26/02 02:22
	Benzo(a)anthracene	< 21 mg/kg	21	JM	04/26/02 02:22
	Benzo(a)pyrene	< 21 mg/kg	21	JM	04/26/02 02:22
	Benzo(b)fluoranthene	< 21 mg/kg	21	JM	04/26/02 02:22
	Benzo(g,h,i)perylene	< 21 mg/kg	21	JM	04/26/02 02:22
	Benzo(k)fluoranthene	< 21 mg/kg	21	JM	04/26/02 02:22
	Chrysene	24.4 mg/kg	21	JM	04/26/02 02:22
	Dibenz(a,h)anthracene	< 21 mg/kg	21	JM	04/26/02 02:22
	Fluoranthene	< 21 mg/kg	21	JM	04/26/02 02:22
	Fluorene	< 42 mg/kg	42	JM	04/26/02 02:22
	Indeno(1,2,3-cd)pyrene	< 21 mg/kg	21	JM	04/26/02 02:22
	Naphthalene	< 42 mg/kg	42	JM	04/26/02 02:22
	Phenanthrene	< 21 mg/kg	21	JM	04/26/02 02:22
	Pyrene	< 21 mg/kg	21	JM	04/26/02 02:22

-004 211909-04A Sample Date: 04/18/02 16:00

8310 Extraction Complt -- MCL 04/24/02 21:21
 PAH Scan HPLC



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTIXCORP.COM

Group No. G112-032
 Account No. 31749530
 Report Date: 05/03/02
 NEETHA TIWARI
 AMBIENT LABS INC

55 W 39TH STREET FL 12
 NEW YORK, NY 10018

Final Report

Date Received: 04/22/02 11:57
 Sample Type: 26 - Waste Sample(s)
 Project:

PO Number:

Lab ID	Parameter	Concentration	PQL	Analysis Analyst	Date/Time
-005	211909-05A	Sample Date: 04/18/02 16:00			
	Acenaphthylene	106 mg/kg	67	JM	04/26/02 03:00
	Anthracene	< 10 mg/kg	34	JM	04/26/02 03:00
	Benzo(a)anthracene	< 10 mg/kg	34	JM	04/26/02 03:00
	Benzo(a)pyrene	< 10 mg/kg	34	JM	04/26/02 03:00
	Benzo(b)fluoranthene	< 10 mg/kg	34	JM	04/26/02 03:00
	Benzo(g,h,i)perylene	< 10 mg/kg	34	JM	04/26/02 03:00
	Benzo(k)fluoranthene	< 10 mg/kg	34	JM	04/26/02 03:00
	Chrysene	< 10 mg/kg	34	JM	04/26/02 03:00
	Dibenz(a,h)anthracene	< 10 mg/kg	34	JM	04/26/02 03:00
	Fluoranthene	< 10 mg/kg	34	JM	04/26/02 03:00
	Fluorene	< 10 mg/kg	67	JM	04/26/02 03:00
	Indeno(1,2,3-cd)pyrene	< 10 mg/kg	34	JM	04/26/02 03:00
	Naphthalene	< 10 mg/kg	67	JM	04/26/02 03:00
	Phenanthrene	< 10 mg/kg	34	JM	04/26/02 03:00
	Pyrene	< 10 mg/kg	34	JM	04/26/02 03:00
-006	211909-06A	Sample Date: 04/18/02 16:00			
	8310 Extraction	Complt	--	MCL	04/24/02 21:21
	PAH Scan HPLC				
	Acenaphthene	< 21 mg/kg	21	JM	04/26/02 03:18
	Acenaphthylene	26.0 mg/kg	21	JM	04/26/02 03:18



ANALYTICS

ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. G112-032
 Account No. 31749530
 Report Date: 05/03/02
 NEETHA TIWARI
 AMBIENT LABS INC

55 W 39TH STREET FL 12
 NEW YORK, NY 10018

Final Report

Date Received: 04/22/02 11:57
 Sample Type: 26 - Waste Sample(s)
 Project:

PO Number:

Lab ID	Parameter	Concentration	PQL	Analysis Analyst	Date/Time
-006	211909-06A	Sample Date: 04/18/02 16:00			
	Anthracene	< 11 mg/kg	11	JM	04/26/02 03:18
	Benzo(a)anthracene	< 11 mg/kg	11	JM	04/26/02 03:18
	Benzo(a)pyrene	< 11 mg/kg	11	JM	04/26/02 03:18
	Benzo(b)fluoranthene	< 11 mg/kg	11	JM	04/26/02 03:18
	Benzo(g,h,i)perylene	< 11 mg/kg	11	JM	04/26/02 03:18
	Benzo(k)fluoranthene	< 11 mg/kg	11	JM	04/26/02 03:18
	Chrysene	< 11 mg/kg	11	JM	04/26/02 03:18
	Dibenz(a,h)anthracene	< 11 mg/kg	11	JM	04/26/02 03:18
	Fluoranthene	< 11 mg/kg	11	JM	04/26/02 03:18
	Fluorene	< 21 mg/kg	21	JM	04/26/02 03:18
	Indeno(1,2,3-cd)pyrene	< 11 mg/kg	11	JM	04/26/02 03:18
	Naphthalene	< 21 mg/kg	21	JM	04/26/02 03:18
	Phenanthrene	< 11 mg/kg	11	JM	04/26/02 03:18
	Pyrene	31.8 mg/kg	11	JM	04/26/02 03:18
-007	211909-07A	Sample Date: 04/18/02 16:00			
	8310 Extraction	Complt	--	MCL	04/24/02 21:21
	PAH Scan HPLC				
	Acenaphthene	< 21 mg/kg	21	JM	04/26/02 03:37
	Acenaphthylene	37.3 mg/kg	21	JM	04/26/02 03:37
	Anthracene	< 11 mg/kg	11	JM	04/26/02 03:37





ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. G112-032
 Account No. 31749530
 Report Date: 05/03/02
 NEETHA TIWARI
 AMBIENT LABS INC

55 W 39TH STREET FL 12
 NEW YORK, NY 10018

Final Report

Date Received: 04/22/02 11:57
 Sample Type: 26 - Waste Sample(s)
 Project:

PO Number:

Lab ID	Parameter	Concentration	PQL	Analysis Analyst	Date/Time
-007	211909-07A	Sample Date: 04/18/02 16:00			
	Benzo(a)anthracene	< 11 mg/kg	11	JM	04/26/02 03:37
	Benzo(a)pyrene	< 11 mg/kg	11	JM	04/26/02 03:37
	Benzo(b)fluoranthene	17.7 mg/kg	11	JM	04/26/02 03:37
	Benzo(g,h,i)perylene	< 11 mg/kg	11	JM	04/26/02 03:37
	Benzo(k)fluoranthene	12.1 mg/kg	11	JM	04/26/02 03:37
	Chrysene	15.8 mg/kg	11	JM	04/26/02 03:37
	Dibenz(a,h)anthracene	< 11 mg/kg	11	JM	04/26/02 03:37
	Fluoranthene	< 11 mg/kg	11	JM	04/26/02 03:37
	Fluorene	< 21 mg/kg	21	JM	04/26/02 03:37
	Indeno(1,2,3-cd)pyrene	< 11 mg/kg	11	JM	04/26/02 03:37
	Naphthalene	< 21 mg/kg	21	JM	04/26/02 03:37
	Phenanthrene	< 11 mg/kg	11	JM	04/26/02 03:37
	Pyrene	33.0 mg/kg	11	JM	04/26/02 03:37
-008	211909-08A	Sample Date: 04/18/02 16:00			
	8310 Extraction	Complt	--	MCL	04/24/02 21:21
	PAH Scan HPLC				
	Acenaphthene	< 22 mg/kg	22	JM	04/26/02 03:56
	Acenaphthylene	45.7 mg/kg	22	JM	04/26/02 03:56
	Anthracene	< 11 mg/kg	11	JM	04/26/02 03:56
	Benzo(a)anthracene	< 11 mg/kg	11	JM	04/26/02 03:56

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)
Client Sample ID: 211909-03D

Lot-Sample #...:	G2D190191 - 003	Work Order #...:	EX6VE1AA	Matrix....:	SOLID
Date Sampled...:	04/18/02	Date Received...:	04/19/02	Instrument:	5DS
Prep Date.....:	04/19/02	Analysis Date...:	04/24/02	Units.....:	pg/g
Prep Batch #...:	2109509	Dilution Factor:	1	% Moisture:	

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	570		1.000	570.000000
1,2,3,7,8-PeCDD	1700		0.500	850.000000
1,2,3,4,7,8-HxCDD	1500		0.100	150.000000
1,2,3,6,7,8-HxCDD	2900		0.100	290.000000
1,2,3,7,8,9-HxCDD	2700		0.100	270.000000
1,2,3,4,6,7,8-HpCDD	19000		0.010	190.000000
OCDD	46000		0.001	46.000000
2,3,7,8-TCDF	3100	CON	0.100	310.000000
1,2,3,7,8-PeCDF	4300		0.050	220.000000
2,3,4,7,8-PeCDF	6500		0.500	3,200.000000
1,2,3,4,7,8-HxCDF	6200		0.100	620.000000
1,2,3,6,7,8-HxCDF	6500		0.100	650.000000
2,3,4,6,7,8-HxCDF	7000		0.100	700.000000
1,2,3,7,8,9-HxCDF	500		0.100	50.000000
1,2,3,4,6,7,8-HpCDF	35000		0.010	350.000000
1,2,3,4,7,8,9-HpCDF	4100		0.010	41.000000
OCDF	25000		0.001	25.000000
Total TEQ Concentration				8,532.000000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	65	40 - 135
13C-1,2,3,7,8-PeCDD	58	40 - 135
13C-1,2,3,6,7,8-HxCDD	55	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	73	40 - 135
13C-OCDD	92	40 - 135
13C-2,3,7,8-TCDF	80	40 - 135
13C-1,2,3,7,8-PeCDF	69	40 - 135
13C-1,2,3,4,7,8-HxCDF	65	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	77	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)
Client Sample ID: 211909-05D

Lot-Sample #...: G2D190191 - 005	Work Order #...: EX6VG1AA	Matrix....: SOLID
Date Sampled...: 04/18/02	Date Received...: 04/19/02	Instrument: SD5
Prep Date.....: 04/19/02	Analysis Date...: 04/24/02	Units.....: pg/g
Prep Batch #...: 2109509	Dilution Factor: 1	% Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	390		1.000	390.000000
1,2,3,7,8-PeCDD	1200		0.500	600.000000
1,2,3,4,7,8-HxCDD	1200		0.100	120.000000
1,2,3,6,7,8-HxCDD	2400		0.100	240.000000
1,2,3,7,8,9-HxCDD	1800		0.100	180.000000
1,2,3,4,6,7,8-HpCDD	14000		0.010	140.000000
OCDD	27000		0.001	27.000000
2,3,7,8-TCDF	2500	CON	0.100	250.000000
1,2,3,7,8-PeCDF	3500		0.050	180.000000
2,3,4,7,8-PeCDF	5500		0.500	2,800.000000
1,2,3,4,7,8-HxCDF	6000		0.100	600.000000
1,2,3,6,7,8-HxCDF	5400		0.100	540.000000
2,3,4,6,7,8-HxCDF	5800		0.100	580.000000
1,2,3,7,8,9-HxCDF	440		0.100	44.000000
1,2,3,4,6,7,8-HpCDF	26000		0.010	260.000000
1,2,3,4,7,8,9-HpCDF	3000		0.010	30.000000
OCDF	23000		0.001	23.000000
Total TEQ Concentration				7,004.000000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	62	40 - 135
13C-1,2,3,7,8-PeCDD	61	40 - 135
13C-1,2,3,6,7,8-HxCDD	57	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	76	40 - 135
13C-OCDD	97	40 - 135
13C-2,3,7,8-TCDF	66	40 - 135
13C-1,2,3,7,8-PeCDF	71	40 - 135
13C-1,2,3,4,7,8-HxCDF	70	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	98	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)

Client Sample ID: 211909-10D

Lot-Sample #...: G2D190191 - 010
 Date Sampled...: 04/18/02
 Prep Date.....: 04/19/02
 Prep Batch #...: 2109509

Work Order #...: EX6VM1AA
 Date Received...: 04/19/02
 Analysis Date..: 04/24/02
 Dilution Factor: 1

Matrix....: SOLID
 Instrument: SD5
 Units.....: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	840		1.000	840.000000
1,2,3,7,8-PeCDD	2200		0.500	1,100.000000
1,2,3,4,7,8-HxCDD	2000		0.100	200.000000
1,2,3,6,7,8-HxCDD	4200		0.100	420.000000
1,2,3,7,8,9-HxCDD	2600		0.100	260.000000
1,2,3,4,6,7,8-HpCDD	30000		0.010	300.000000
OCDD	72000		0.001	72.000000
2,3,7,8-TCDF	4600	CON	0.100	460.000000
1,2,3,7,8-PeCDF	5300		0.050	260.000000
2,3,4,7,8-PeCDF	6400		0.500	3,200.000000
1,2,3,4,7,8-HxCDF	13000		0.100	1,300.000000
1,2,3,6,7,8-HxCDF	8200		0.100	820.000000
2,3,4,6,7,8-HxCDF	10000		0.100	1,000.000000
1,2,3,7,8,9-HxCDF	510		0.100	51.000000
1,2,3,4,6,7,8-HpCDF	55000		0.010	550.000000
1,2,3,4,7,8,9-HpCDF	5200		0.010	52.000000
OCDF	45000		0.001	45.000000
Total TEQ Concentration				10,930.000000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	54	40 - 135
13C-1,2,3,7,8-PeCDD	53	40 - 135
13C-1,2,3,6,7,8-HxCDD	58	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	60	40 - 135
13C-OCDD	61	40 - 135
13C-2,3,7,8-TCDF	42	40 - 135
13C-1,2,3,7,8-PeCDF	54	40 - 135
13C-1,2,3,4,7,8-HxCDF	48	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	58	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)
Client Sample ID: 211909-11D

Lot-Sample #...: G2D190191 - 011
 Date Sampled...: 04/18/02
 Prep Date.....: 04/19/02
 Prep Batch #...: 2109509

Work Order #...: EX6VN1AA
 Date Received...: 04/19/02
 Analysis Date...: 04/24/02
 Dilution Factor: 1

Matrix.....: SOLID
 Instrument: SD5
 Units.....: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	530		1.000	530.000000
1,2,3,7,8-PeCDD	1500		0.500	750.000000
1,2,3,4,7,8-HxCDD	1100		0.100	110.000000
1,2,3,6,7,8-HxCDD	2600		0.100	260.000000
1,2,3,7,8,9-HxCDD	1800		0.100	180.000000
1,2,3,4,6,7,8-HpCDD	18000		0.010	180.000000
OCDD	56000	E	0.001	56.000000
2,3,7,8-TCDF	3700	CON	0.100	370.000000
1,2,3,7,8-PeCDF	4000		0.050	200.000000
2,3,4,7,8-PeCDF	6100		0.500	3,000.000000
1,2,3,4,7,8-HxCDF	6900		0.100	690.000000
1,2,3,6,7,8-HxCDF	5400		0.100	540.000000
2,3,4,6,7,8-HxCDF	5900		0.100	590.000000
1,2,3,7,8,9-HxCDF	430		0.100	43.000000
1,2,3,4,6,7,8-HpCDF	32000	E	0.010	320.000000
1,2,3,4,7,8,9-HpCDF	4000		0.010	40.000000
OCDF	26000		0.001	26.000000
Total TEQ Concentration				7,885.000000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	68	40 - 135
13C-1,2,3,7,8-PeCDD	68	40 - 135
13C-1,2,3,6,7,8-HxCDD	59	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	62	40 - 135
13C-OCDD	65	40 - 135
13C-2,3,7,8-TCDF	59	40 - 135
13C-1,2,3,7,8-PeCDF	68	40 - 135
13C-1,2,3,4,7,8-HxCDF	58	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	60	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

E Estimated result. Result concentration exceeds the calibration range.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)

Client Sample ID: 211909-12D

Lot-Sample #...: G2D190191 - 012
 Date Sampled...: 04/18/02
 Prep Date.....: 04/19/02
 Prep Batch #...: 2109509

Work Order #...: EX6VP1AA
 Date Received...: 04/19/02
 Analysis Date...: 04/24/02
 Dilution Factor: 1

Matrix.....: SOLID
 Instrument: SD5
 Units.....: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	1100		1.000	1,100.000000
1,2,3,7,8-PeCDD	4000		0.500	2,000.000000
1,2,3,4,7,8-HxCDD	3100		0.100	310.000000
1,2,3,6,7,8-HxCDD	5000		0.100	500.000000
1,2,3,7,8,9-HxCDD	4800		0.100	480.000000
1,2,3,4,6,7,8-HpCDD	27000		0.010	270.000000
OCDD	52000		0.001	52.000000
2,3,7,8-TCDF	5600	CON	0.100	560.000000
1,2,3,7,8-PeCDF	6900		0.050	340.000000
2,3,4,7,8-PeCDF	8900		0.500	4,400.000000
1,2,3,4,7,8-HxCDF	11000		0.100	1,100.000000
1,2,3,6,7,8-HxCDF	9600		0.100	960.000000
2,3,4,6,7,8-HxCDF	8800		0.100	880.000000
1,2,3,7,8,9-HxCDF	840		0.100	84.000000
1,2,3,4,6,7,8-HpCDF	38000		0.010	380.000000
1,2,3,4,7,8,9-HpCDF	4400		0.010	44.000000
OCDF	20000		0.001	20.000000
Total TEQ Concentration				13,480.000000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	57	40 - 135
13C-1,2,3,7,8-PeCDD	55	40 - 135
13C-1,2,3,6,7,8-HxCDD	50	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	63	40 - 135
13C-OCDD	69	40 - 135
13C-2,3,7,8-TCDF	43	40 - 135
13C-1,2,3,7,8-PeCDF	61	40 - 135
13C-1,2,3,4,7,8-HxCDF	52	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	63	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

ANALYTICS

ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. G114-029
 Account No. 31749530
 Report Date: 05/06/02
 NEETHA TIWARI
 AMBIENT LABS INC

55 W 39TH STREET FL 12
 NEW YORK, NY 10018

Final Report

Date Received: 04/24/02 15:07
 Sample Type: 12 - Waste Sample(s)
 Project: 130 LIBERTY ST

PO Number:

Lab ID	Parameter	Concentration	PQL	Analysis Analyst	Date/Time
-008	211909-27A-P	1ST FL/ON THE FLOOR	Sample Date: 04/23/02		
	Benzo(a)pyrene	47.4 mg/kg	12	JM	04/28/02 23:59
	Benzo(b)fluoranthene	48.5 mg/kg	12	JM	04/28/02 23:59
	Benzo(g,h,i)perylene	31.0 mg/kg	12	JM	04/28/02 23:59
	Benzo(k)fluoranthene	25.1 mg/kg	12	JM	04/28/02 23:59
	Chrysene	62.6 mg/kg	12	JM	04/28/02 23:59
	Dibenz(a,h)anthracene	< 12 mg/kg	12	JM	04/28/02 23:59
	Fluoranthene	175 mg/kg	12	JM	04/28/02 23:59
	Fluorene	< 23 mg/kg	23	JM	04/28/02 23:59
	Indeno(1,2,3-cd)pyrene	22.3 mg/kg	12	JM	04/28/02 23:59
	Naphthalene	< 23 mg/kg	23	JM	04/28/02 23:59
	Phenanthrene	72.6 mg/kg	12	JM	04/28/02 23:59
	Pyrene	328 mg/kg	12	JM	04/28/02 23:59
-009	21909-31A-P	1ST FL/TOP OF LIGHT	Sample Date: 04/23/02		
	8310 Extraction	Complt	--	MCL	04/26/02 15:32
	PAH Scan HPLC				
	Acenaphthene	< 67 mg/kg	67	JM	04/29/02 00:18
	Acenaphthylene	< 67 mg/kg	67	JM	04/29/02 00:18
	Anthracene	< 34 mg/kg	34	JM	04/29/02 00:18
	Benzo(a)anthracene	< 34 mg/kg	34	JM	04/29/02 00:18
	Benzo(a)pyrene	< 34 mg/kg	34	JM	04/29/02 00:18

AMBIENT GROUP

Dioxins/Furans, HRGC/HRMS (8290)

Client Sample ID: 211909-17D-P

Lot-Sample #...: G2D240206 - 001
 Date Sampled...: 04/23/02
 Prep Date.....: 04/25/02
 Prep Batch #...: 2115451

Work Order #...: E0C521AC
 Date Received...: 04/24/02
 Analysis Date...: 04/29/02
 Dilution Factor: 1

Matrix.....: SOLID
 Instrument: 5D5
 Units.....: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	290		1.000	290.000000
1,2,3,7,8-PeCDD	1300		0.500	650.000000
1,2,3,4,7,8-HxCDD	1800		0.100	180.000000
1,2,3,6,7,8-HxCDD	3500		0.100	350.000000
1,2,3,7,8,9-HxCDD	2700		0.100	270.000000
1,2,3,4,6,7,8-HpCDD	19000		0.010	190.000000
OCDD	44000		0.001	44.000000
2,3,7,8-TCDF	1700	CON	0.100	170.000000
1,2,3,7,8-PeCDF	2800		0.050	140.000000
2,3,4,7,8-PeCDF	5200		0.500	2,600.000000
1,2,3,4,7,8-HxCDF	4500		0.100	450.000000
1,2,3,6,7,8-HxCDF	4900		0.100	490.000000
2,3,4,6,7,8-HxCDF	7000		0.100	700.000000
1,2,3,7,8,9-HxCDF	420		0.100	42.000000
1,2,3,4,6,7,8-HpCDF	22000		0.010	220.000000
1,2,3,4,7,8,9-HpCDF	3000		0.010	30.000000
OCDF	15000		0.001	15.000000
Total TEQ Concentration				6,831.000000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	80	40 - 135
13C-1,2,3,7,8-PeCDD	99	40 - 135
13C-1,2,3,6,7,8-HxCDD	80	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	78	40 - 135
13C-OCDD	80	40 - 135
13C-2,3,7,8-TCDF	67	40 - 135
13C-1,2,3,7,8-PeCDF	82	40 - 135
13C-1,2,3,4,7,8-HxCDF	73	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	71	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON

Confirmation analysis.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)
Client Sample ID: 211909-35D

Lot-Sample #...: G2D230154 - 009
 Date Sampled...: 04/22/02
 Prep Date...: 04/25/02
 Prep Batch #...: 2115447

Work Order #...: EX9721AC
 Date Received...: 04/23/02
 Analysis Date...: 04/29/02
 Dilution Factor: 1

Matrix...: SOLID
 Instrument: 7D5
 Units...: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	57		1.000	57.000000
1,2,3,7,8-PeCDD	120		0.500	60.000000
1,2,3,4,7,8-HxCDD	100		0.100	10.000000
1,2,3,6,7,8-HxCDD	160		0.100	16.000000
1,2,3,7,8,9-HxCDD	140		0.100	14.000000
1,2,3,4,6,7,8-HpCDD	1100		0.010	11.000000
OCDD	4200		0.001	4.200000
2,3,7,8-TCDF	320	CON	0.100	32.000000
1,2,3,7,8-PeCDF	270		0.050	14.000000
2,3,4,7,8-PeCDF	370		0.500	180.000000
1,2,3,4,7,8-HxCDF	270		0.100	27.000000
1,2,3,6,7,8-HxCDF	250		0.100	25.000000
2,3,4,6,7,8-HxCDF	240		0.100	24.000000
1,2,3,7,8,9-HxCDF	22		0.100	2.200000
1,2,3,4,6,7,8-HpCDF	880	JA	0.010	8.800000
1,2,3,4,7,8,9-HpCDF	120		0.010	1.200000
OCDF	510		0.001	0.510000
Total TEQ Concentration				486.910000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	76	40 - 135
13C-1,2,3,7,8-PeCDD	68	40 - 135
13C-1,2,3,6,7,8-HxCDD	76	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	70	40 - 135
13C-OCDD	80	40 - 135
13C-2,3,7,8-TCDF	68	40 - 135
13C-1,2,3,7,8-PeCDF	67	40 - 135
13C-1,2,3,4,7,8-HxCDF	72	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	71	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

JA The analyte was positively identified, but the quantitation is an estimate.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)

Client Sample ID: 211909-12D-P

Lot-Sample #...: G2D230154 - 012
 Date Sampled...: 04/22/02
 Prep Date.....: 04/25/02
 Prep Batch #...: 2115447

Work Order #...: EX9791AC
 Date Received..: 04/23/02
 Analysis Date..: 04/29/02
 Dilution Factor: 1

Matrix.....: SOLID
 Instrument: 7D5
 Units.....: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	380		1.000	380.000000
1,2,3,7,8-PeCDD	1200		0.500	600.000000
1,2,3,4,7,8-HxCDD	1300		0.100	130.000000
1,2,3,6,7,8-HxCDD	1900		0.100	190.000000
1,2,3,7,8,9-HxCDD	1700		0.100	170.000000
1,2,3,4,6,7,8-HpCDD	12000		0.010	120.000000
OCDD	35000		0.001	35.000000
2,3,7,8-TCDF	1700	CON	0.100	170.000000
1,2,3,7,8-PeCDF	2200		0.050	110.000000
2,3,4,7,8-PeCDF	3500		0.500	1,800.000000
1,2,3,4,7,8-HxCDF	4400		0.100	440.000000
1,2,3,6,7,8-HxCDF	3700		0.100	370.000000
2,3,4,6,7,8-HxCDF	4000		0.100	400.000000
1,2,3,7,8,9-HxCDF	260		0.100	26.000000
1,2,3,4,6,7,8-HpCDF	16000		0.010	160.000000
1,2,3,4,7,8,9-HpCDF	1900		0.010	19.000000
OCDF	8300		0.001	8.300000
Total TEQ Concentration				5,128.300000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	80	40 - 135
13C-1,2,3,7,8-PeCDD	73	40 - 135
13C-1,2,3,6,7,8-HxCDD	72	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	69	40 - 135
13C-OCDD	77	40 - 135
13C-2,3,7,8-TCDF	75	40 - 135
13C-1,2,3,7,8-PeCDF	77	40 - 135
13C-1,2,3,4,7,8-HxCDF	75	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	67	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.

AMBIENT GROUP
Dioxins/Furans, HRGC/HRMS (8290)
Client Sample ID: 211909-14D-P

Lot-Sample #...: G2D230154 - 014
 Date Sampled...: 04/22/02
 Prep Date.....: 04/25/02
 Prep Batch #...: 2115447

Work Order #...: EX98D1AC
 Date Received..: 04/23/02
 Analysis Date..: 04/29/02
 Dilution Factor: 1

Matrix.....: SOLID
 Instrument: 7D5
 Units.....: pg/g
 % Moisture:

PARAMETER	RESULT	DETECTION LIMIT	TEF FACTOR	TEQ CONCENTRATION
2,3,7,8-TCDD	190		1.000	190.000000
1,2,3,7,8-PeCDD	700		0.500	350.000000
1,2,3,4,7,8-HxCDD	890		0.100	89.000000
1,2,3,6,7,8-HxCDD	1300		0.100	130.000000
1,2,3,7,8,9-HxCDD	1200		0.100	120.000000
1,2,3,4,6,7,8-HpCDD	10000		0.010	100.000000
OCDD	36000		0.001	36.000000
2,3,7,8-TCDF	910	CON	0.100	91.000000
1,2,3,7,8-PeCDF	1300		0.050	65.000000
2,3,4,7,8-PeCDF	2200		0.500	1,100.000000
1,2,3,4,7,8-HxCDF	2800		0.100	280.000000
1,2,3,6,7,8-HxCDF	2400		0.100	240.000000
2,3,4,6,7,8-HxCDF	2700		0.100	270.000000
1,2,3,7,8,9-HxCDF	170		0.100	17.000000
1,2,3,4,6,7,8-HpCDF	13000		0.010	130.000000
1,2,3,4,7,8,9-HpCDF	1500		0.010	15.000000
OCDF	7600		0.001	7.600000
Total TEQ Concentration				3,230.600000

INTERNAL STANDARDS	PERCENT RECOVERY	RECOVERY LIMITS
13C-2,3,7,8-TCDD	79	40 - 135
13C-1,2,3,7,8-PeCDD	74	40 - 135
13C-1,2,3,6,7,8-HxCDD	78	40 - 135
13C-1,2,3,4,6,7,8-HpCDD	73	40 - 135
13C-OCDD	80	40 - 135
13C-2,3,7,8-TCDF	71	40 - 135
13C-1,2,3,7,8-PeCDF	70	40 - 135
13C-1,2,3,4,7,8-HxCDF	80	40 - 135
13C-1,2,3,4,6,7,8-HpCDF	71	40 - 135

Notes:

TEF values are cited in U.S. Environmental Protection Agency, (1989) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and -dibenzofurans (CDDs and CDFs) and 1989 update. U.S. Environmental Protection Agency, Risk Assessment forum, Washington, DC; EPA/625/3-89/016.

CON Confirmation analysis.