



THE CITY OF NEW YORK OFFICE OF THE COMPTROLLER
1 CENTRE STREET, NEW YORK, N.Y. 10007-2341

William C. Thompson, Jr.
COMPTROLLER

826 - 147

Date: 5/24/2005
RE: Departmental Report Request
Name: ANTONIO VITTORIOSO
Claim number: 2005PD004599
Occurrence date: 12/29/2004
Agency: DEPARTMENT OF ENVIRONMENTAL
PROTECTION(DEP)

S. PENNER, LEGAL, D.E.P. L/O: BKLYN -
35 BAY 7 S
SEE HANSEN SEARCH. IS IT POSSIBLE TO
HAVE SUCH
DAMAGE WHEN H2O IS TURNED BACK ON?

Please send all departmental reports and/or information that
you may have regarding the allegations made in the attached notice
of claim.

In the event that a contractor and/or insurance is involved
please consider this a priority request and supply the relevant
information as soon as possible.

If you have any questions concerning this request please call
the number below.

(M2C1)
MELANIE COLMAN
Bureau of Law & Adjustment

PROPERTY DAMAGE DIVISION
PHONE: 212-669-8754

NYC DEP

59-17 Junction Blvd.
Corona, NY 11368
(718)DEP-HELP Fax (718)595-4096

Service Request Inspection Detail

Report Date 03/04/2005 10:25 AM

Submitted By

Page 1

Service # 983162

Problem WA1 POSSIBLE WATER MAIN BREAK (USE COMMENTS)

Address 52 BAY 7 ST 3

Cross Streets 86 ST
BENSON AVE

Compass Direction

Building ID 3166001 Block 06357 Lot 0056 CMBD 311

Location

Area District
Sub-Area 311 BKLYN COMMUNITY BOARD 11 Parcel

# of Calls	1	Duration of Call	00:00	Call Date	12/23/2004 12:12
Template Type				A/P #	
Taken By	6311	SPIEGEL, ELVIRA		Source	
Responsibility	WMK	WATER MAINTENANCE - BROOKLYN		Priority	Z DEFAULT PRIORITY
Scheduled Date	12/27/2004 02:00			Start Date	12/23/2004 21:25
Inspector	1155	AMBROSINO, ALFRED		Inspection Date	12/27/2004 02:00
Due Date				☐ No Work Orders Required	
Resolution Code	WMR	MAIN RESTORED TO SERVICE		Resolution Date	12/29/2004 23:00
Asset				☐ Customer Contact Requested	

Avg Insp Duration

Avg Insp Days	0
Avg Insp Hrs	0
Avg Insp Mins	0

Service Request Progress

Schedule By
Start By
Complete By
Resolve By

Budget #
Map #
Project #

Title MR
Last Name MINUTELLO
First Name, MI R,
Address

City, State/Province, ZIP/PC

☐ Foreign

Day Phone (718)833-5561 x

Caller Comments water coming from wall also water flooding basement at 50 bay 7 st

Reference #

Evening Phone

Call Date 12/23/2004 12:12

There are no calls for this service number

Problem Comments 52 BAY 7ST 86ST/BENSON AVE

12/23/04 2125-2140 AMBROSINO/TUCCIARELLI TR#272

FOUND FRESH DIRT PUSHED UP IN STREET S/W SIDE W/S/O BAY 7ST 200' N/O BENSON AVE I/F/O 50. N/E 50, 52, 48, 49. HDYT I/F/O 46 HAS NOISE
SIGN ON DOOR AT 50 FOR DEP TO CALL TONY (718)232-1214 CALLED # N/A RI
UD DD 12/27/04

12/24/04 1100-1155 ESPOSITO/BELLAFIORE TR#260

AT LOC FOUND 50 GETTING MED LK IN PIT-CK LIVE HAS NOISE CK 45, 49, 46 ALL HAVE NOISE HDYT HAS SL/NOISE RECC SUPV TO GEOPHONE
FOR SPOT TO DIG. RI
UD DD 12/27/04

12/27/04 0200-0240 ALLEN/PUGLISI TR#272

MET SUPV GEOPHONE AREA ON BAY 7TH + 86ST RECC DIG OVER MAIN 5FT S ON BLDG LINE 6FT EOW BAY 7TH ST. AS PER SUPV.
UD DD 12/27/04

There are no assets

NYC DEP
59-17 Junction Blvd.
Corona, NY 11368
(718)DEP-HELP Fax (718)595-4096

COMPLETED Water Main Work Order

Report Date 03/04/2005 10:25 AM

Submitted By

Page 1

Work Order # 989295 Activity WA01B REPAIR BROKEN MAIN

Location/Address 52 BAY 7 ST 3
11228

Cross Streets 86 ST
BENSON AVE

Compass Direction

Building ID 3166001

Block 06357

Lot 0056

CMBD 311

Main ID WV 311 To WND DUMMY

Qualifier
Area 3 BROOKLYN District
Sub-area 311 BKLYN COMMUNITY BOARD 11 Location
Map #

Main Line Type	Diameter	0.00	Length	0.00
Pipe Type	Depth	0.00	Frost Depth	0.00
Pipe Class	Pipe Schedule		Description	
Joint Type	Joint Length	0.00	Locator Wire	No
Dir From Endpt1	Friction Factor	0.000	Corrosion Factor	0.000
Dir From Endpt2	Soil Type			
Pressure Zone	Manufacturer			
Service Status				
X Coord	As Built		Parcel	
Y Coord	Date Installed		Service Connects	0
Z Coord	Surface Cover			
Ownership				
Budget #				

Initiated By 1105 FRANTZ ALEXIS Initiated Date 12/27/2004 Scheduled
Assigned To 6554 JOHN THOMAS Service # 983162 Due

Authorization 1101 ALEXANDER, BARRY
Budget #
Crew W3 WATER - 3 LABORERS
Maint Type
Priority
Problem WMC CIRCULAR BREAK
Project
Source
Last Activity WA01B REPAIR BROKEN MAIN
WO Responsibility WRK

Out of Service ☐
Potential Service Request ☐
Last Activity Completed 02/16/2005

NYC DEP

59-17 Junction Blvd.
Corona, NY 11368
(718)DEP-HELP Fax (718)595-4096

COMPLETED Water Main Work Order

Report Date 03/04/2005 10:25 AM

Submitted By

Page 2

Work Order # 989295

Activity

WA01B

REPAIR BROKEN MAIN

Work Order Comments

52 BAY 7ST 86ST/BENSON AVE

12/23/04 2125-2140 AMBROSINO/TUCCIARELLI TR#272

FOUND FRESH DIRT PUSHED UP IN STREET S/W SIDE W/S/O BAY 7ST 200' N/O BENSON AVE I/F/O 50. N/E 50, 52, 48, 49. HDYT I/F/O 46 HAS
NOISE SIGN ON DOOR AT 50 FOR DEP TO CALL TONY (718)232-1214 CALLED # N/A RI
UD DD 12/27/04

12/24/04 1100-1155 ESPOSITO/BELLAFIORE TR#260

AT LOC FOUND 50 GETTING MED LK IN PIT-CK LIVE HAS NOISE CK 45, 49, 46 ALL HAVE NOISE HDYT HAS SL/NOISE RECC SUPV TO GEOPHONE
FOR SPOT TO DIG. RI
UD DD 12/27/04

12/27/04 0200-0240 ALLEN/PUGLISI TR#272

MET SUPV GEOPHONE AREA ON BAY 7TH + 86ST RECC DIG OVER MAIN (8") 5FT S ON BLDG LINE 6FT EOW BAY 7TH ST. AS PER SUPV.
UD DD 12/27/04

CHANGED ACTIVITY FROM WA06J TO WA01B.

UD BA 12/30/04

12/29/04 15:00-23:00 24 M/HR

THOMAS SADALLAH, WILLIAMS, BROWN

SET UP T.S.Z. GEOPHONED AREA, MADE TEST HOLE, GOT A GOOD PUSH. OPENED EXCAV. TO 5X3, REMOVED DEBRIS. UNABLE TO BEAT
WATER (N-15 ASSISTED IN S/D). MADE EMERGENCY NOTIFICATION. DUG DOWN CONTROLLING WATER WITH PUMP. EXPOSED 8" CIRCULAR
BREAK. CLEANED AROUND MAIN, INSTALLED SHORT 8"S/S CLAMP. RESTORED WATER: NO LEAK. B/F, TAMED, B/T. READY FOR H.P.
U/D MR 12/30/04 LOG #5948

**PROPERTY DAMAGE
CLAIM AGAINST THE CITY OF NEW YORK
FOR WATER DAMAGE OR LOSS**

TO THE COMPTROLLER OF THE CITY OF NEW YORK: I HEREWITH PRESENT MY CLAIM AGAINST THE CITY OF NEW YORK FOR PROPERTY DAMAGE.

ANTONIO VITTORIOSO Telephone # (718) 232-8473 (WORK)
Print Name Home Business
I reside at 30 Bay 7th St. BKLYN NY 11228
Number Street City State Zip

My damaged property
is located at same as above
Number Street City State Zip

and was damaged on 12/29/04

PLEASE INDICATE THE CAUSE OF THE WATER DAMAGE:

- NEW YORK CITY WATERMAIN BREAK ☒
NEW YORK CITY SEWER OVERFLOW ☐
STREET FLOODING ☐
ERRONEOUS THREE-DAY NOTICE ☐

DESCRIBE IN DETAIL HOW YOUR PROPERTY WAS DAMAGED:

I WAS NOTIFIED TO TURN OFF WATER FROM 5 PM TO 5 PM. WHEN WATER WAS TURNED BACK ON THE COPPER TUBING IN THE BACK OF THE REFRIGERATOR BROKE FLOODING THE ENTIRE FLOOR. ON MY DISH WASHER WHEN WATER

WAS TURNED ON THE INSPECTOR HEARD CRASHING WATER PRESSURE TO BLOW BECAUSE IT WAS CLOGGED WITH SAND FROM OUTSIDE.

DID YOU REPORT THE INCIDENT TO THE DEPARTMENT OF ENVIRONMENTAL PROTECTION? Yes ☒ No ☐

Date reported 1-3-05 Complaint Number(s) 2

CHECK BOX BELOW WHICH DESCRIBES YOUR PROPERTY:

Apt. Building ☐ Retail Store ☒ Private House ☐ Commercial Building ☐

Other ☐ Describe _____

ANY HISTORY OF WATER DAMAGE? Yes ☐ No ☒ If yes, give date(s) of previous water damage: _____

NO City Claim #(s) 2

WAS IT RAINING AT THE TIME OF THE INCIDENT? Yes ☐ No ☒ INDICATE HOW THE WATER ENTER THE PROPERTY: Basement Trap ☐ Toilet ☐ Sink ☐ Bathtub ☐ Foundation ☐ Walls ☐ Sidewalk Gratings ☐ Cellar Door ☐ Other ☐ DESCRIBE BELOW

FROM UNDER BOTH APPLIANCES

WHAT WAS THE LEVEL OF THE WATER IN THE PREMISES? _____

HOW WAS THE WATER REMOVED? BAILED OUT HOW LONG WAS WATER IN PREMISES? SEVERAL HOURS

WAS THERE ANY STRUCTURAL DAMAGE TO THE PROPERTY? Yes ☐ No ☒ If yes, Describe in detail _____

WAS ANY OF THE DAMAGED PROPERTY SOLD AT SALVAGE? Yes ☐ No ☒ If yes, amount received \$ _____

DID YOU HAVE INSURANCE COVERAGE FOR THE INCIDENT? Yes ☐ No ☒ If yes, state the name and address of your insurance company _____ amount paid \$ _____

Claim Pending ☐ Policy Limit _____

WITNESS(ES) [Signature]

AMOUNT OF CLAIM AGAINST NEW YORK CITY \$ 447.00

CERTIFICATION

Date 2/10/05 Signature of Claimant X Antonio Vittoriosso

being duly sworn depose and say that I read the foregoing NOTICE OF CLAIM and know the contents thereof; that same is true to the best of my knowledge, except as to the matter therein stated to be alleged upon information and belief, as to those matters, I believe it to be true.

SIGNATURE OF CLAIMANT X Antonio Vittoriosso

IMPORTANT: IF CLAIM IS NOT SETTLED, YOU MUST START LEGAL ACTION WITHIN ONE (1) YEAR AND 90 DAYS FROM THE DATE OF OCCURRENCE.

NOTARY PUBLIC STAMP:

ANTHONY M. VITTORIOSO
Notary Public, State of New York
No. 021803480
Qualified in New York County
Commission Expires Feb. 23, 2008

SWORN TO BEFORE ME THIS 10

DAY OF Feb 2005

[Signature]
SIGNATURE OF NOTARY PUBLIC

INSTRUCTIONS FOR FILING THIS CLAIM

This claim must be filed in duplicate either in person or by Registered or Certified Mail with: 90 days from the date of damage at the Office of the Comptroller, Municipal Building, Room 1225S, 1 Centre Street, New York, NY 10007-2341.

(CONTINUED ON REVERSE SIDE)