

ENVIRO-PROBE, INC.
 2917 BRUCKNER BOULEVARD
 BRONX, N.Y. 10461
 (718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23041
 NYSELAP #: 10898
 AIHA-PAT #: 102509

Job #:101171

PROJECT LOCATION:W.T.C. Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED:1/1/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT:

☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEANUP-UP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
Park Place/Church	01- 1/1/02	666	< 0.07	< LOD /	0.005
Park Place Greenwich	02- 1/1/02	675	< 0.07	< LOD /	0.005
Murray/Church	03- 1/1/02	666	< 0.07	< LOD /	0.005
Murray/Greenwich	04- 1/1/02	666	< 0.07	< LOD /	0.005
Fulton/Church	05- 1/1/02	666	< 0.07	< LOD /	0.005
North End/Warren	06- 1/1/02	657	0.07	0.005	0.005
West Street/Warren	07- 1/1/02	657	< 0.07	< LOD /	0.005
Gateway Plaza	08- 1/1/02	661.5	0.08	0.006 /	0.005
South End/Albany	09- 1/1/02	650.3	< 0.07	0.005 /	0.005
West Street/Albany	10- 1/1/02	661.5	< 0.07	< LOD /	0.005
Reclor Pl. by Park	11- 1/1/02	650.3	0.075	0.006	0.005
3rd Pl./South End	12- 1/1/02	650.3	0.08	0.006	0.005

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm2

 Lab Supervisor's Signature

 Analyst

ENVIRO-PROBE, INC.
 2917 BRUCKNER BOULEVARD
 BRONX, N.Y. 10461
 (718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #:23041
 NYSELAP #: 10898
 AIHA-PAT #: 102509

Job #:101171

PROJECT LOCATION:W.T.C. Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne
 ABATEMENT CONTRACTOR:
 Samples collected by: Client

DATE MONITORED:1/1/02

METHOD OF ABATEMENT: ☐ CONTAINMENT ☐ GLOVE BAG ☐ TENT ☐ OTHER
 NATURE OF TEST:
☐ PRE-TEST ☐ DURING PREPARATION ☐ DURING ASBESTOS REMOVAL ☐ DURING CLEANUP
☐ AFTER FINAL CLEAN-UP ☐ AIR-TEST ☐ OSHA
☐ AGGRESSIVE ☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W Thames	13- 1/1/02	661.5	< 0.07	< LOD	0.005
River Ter./Park Pl.	14- 1/1/02	657	< 0.07	< LOD	0.005
River Ter./Chambers	15- 1/1/02	657	< 0.07	< LOD	0.005
River Ter./Warren	16- 1/1/02	657	< 0.07	< LOD	0.005
North End/Park Pl.	17- 1/1/02	857	0.07	0.005	0.005
River Ter./Vesey	18- 1/1/02	643.5	< 0.07	< LOD	0.005
Trinity Pl./Thames	19- 1/1/02	650.3	0.085	0.006	0.005
Vesey/West Broadway	20- 1/1/02	666	0.08	0.006	0.005
Field Blank	21- 1/1/02		BDL		
Field Blank	22- 1/1/02		BDL		

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

 Lab Supervisor's Signature


 Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 104421

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/2/02

ABATEMENT CONTRACTOR:
 Samples collected by: Client

METHOD OF ABATEMENT: ☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEAN-UP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
Park Place/Church	01-01/02/02	686	<0.07	<LOD	0.005
Park Place/Greenwich	02-01/02/02	675	<0.07	<LOD	0.005
Murray/Church	03-01/02/02	686	<0.07	<LOD	0.005
Murray/Greenwich	04-01/02/02	675	<0.07	<LOD	0.005
Fulton/Church	05-01/02/02	666	<0.07	<LOD	0.005
North End/Warren	06-01/02/02	643.5	<0.07	<LOD	0.005
West Street/Warren	07-01/02/02	657	<0.07	<LOD	0.005
Gateway Plaza	08-01/02/02	650.3	<0.07	<LOD	0.005
South End/Albany	09-01/02/02	650.3	<0.07	<LOD	0.005
West Street/Albany	10-01/02/02	661.5	<0.07	<LOD	0.005
Rector Pl. by Park	11-01/02/02	661.5	<0.07	<LOD	0.005
3rd Pl./South End	12-01/02/02	650.3	<0.07	<LOD	0.005

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

 Lab Supervisor's Signature

 Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/2/02

ABATEMENT CONTRACTOR:
Samples collected by: Client

METHOD OF ABATEMENT:

☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEANUP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W Thames	13-01/02/02	661.5	<0.07	<LOD	0.005
River Ter./Park Pl.	14-01/02/02	643.5	<0.07	<LOD	0.005
River Ter./Warren	15-01/02/02	657	<0.07	<LOD	0.005
River Ter./Chambers	16-01/02/02	657	<0.07	<LOD	0.005
North End/Park Pl.	17-01/02/02	657	<0.07	<LOD	0.005
River Ter./Vesey	18-01/02/02	657	<0.07	<LOD	0.005
Trinity Pl./Thames	19-01/02/02	661.5	<0.07	<LOD	0.005
Vesey/West Broadway	20-01/02/02	688	<0.07	<LOD	0.005
Field Blank	21-01/02/02		BDL		
Field Blank	22-01/02/02		BDL		

METHOD: NIOSH 7400, Rule A (PCM)

****BDL - Below Detectable Levels**

*****These results apply to these particular samples**

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY 10801-1808

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne
ABATEMENT CONTRACTOR:
 Samples collected by: Client

DATE MONITORED: 1/3/02

METHOD OF ABATEMENT: ☐ CONTAINMENT
NATURE OF TEST: ☐ GLOVE BAG ☐ TENT ☐ OTHER
☐ PRE-TEST ☐ DURING PREPARATION ☐ DURING ASBESTOS REMOVAL ☐ DURING CLEAN-UP
☐ AFTER FINAL CLEAN-UP ☐ AIR-TEST ☐ OSHA
☐ AGGRESSIVE ☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
Park Place/Church	01-01/03/02	866	<0.07	<LOD	0.005
Park Place/Greenwich	02-01/03/02	866	<0.07	<LOD	0.005
Murray/Church	03-01/03/02	875	<0.07	<LOD	0.005
Murray/Greenwich	04-01/03/02	866	<0.07	<LOD	0.005
Fulton/Church	05-01/03/02	675	<0.07	<LOD	0.005
North End/Warren	06-01/03/02	857	<0.07	<LOD	0.005
West Street/Warren	07-01/03/02	657	<0.07	<LOD	0.005
Gateway Plaza	08-01/03/02	650.3	<0.07	<LOD	0.005
South End/Albany	09-01/03/02	650.3	<0.07	<LOD	0.005
West Street/Albany	10-01/03/02	661.5	<0.07	<LOD	0.005
Rector Pl. by Park	11-01/03/02	661.5	<0.07	<LOD	0.005
3rd Pl./South End	12-01/03/02	650.3	<0.07	<LOD	0.005

METHOD: NIOSH 7400, Rule A (PCM)

****BDL - Below Detectable Levels**

****These results apply to these particular samples**

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
 2917 BRUCKNER BOULEVARD
 BRONX, N.Y. 10461
 (718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/3/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT: ☐ CONTAINMENT
NATURE OF TEST:
☐ PRE-TEST ☐ DURING PREPARATION
☐ AFTER FINAL CLEAN-UP ☐ AIR-TEST
☐ AGGRESSIVE ☐ NON-AGGRESSIVE

☐ GLOVE BAG ☐ TENT ☐ OTHER
☐ DURING ASBESTOS REMOVAL ☐ DURING CLEAN-UP
☐ OSHA

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W. Thames	13-01/03/02	661.5	<0.07	<LOD	0.005
River Ter./Park Pl.	14-01/03/02	643.5	<0.07	<LOD	0.005
River Ter./Chambers	15-01/03/02	657	<0.07	<LOD	0.005
River Ter./Warren	16-01/03/02	730	<0.07	<LOD	0.005
North End/Park Pl.	17-01/03/02	657	<0.07	<LOD	0.005
River Ter./Vesey	18-01/03/02	643.5	<0.07	<LOD	0.005
Trinity Pl./Thames	19-01/03/02	661.5	0.08	0.008	0.005
Vesey/West Broadway	20-01/03/02	866	<0.07	<LOD	0.005
Field Blank	21-01/03/02		BDL		
Field Blank	22-01/03/02		BDL		

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
7 Hillside Ave., Suite 100
New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #:101171

PROJECT LOCATION: WTC, Various Locations

DATE MONITORED: 1/4/02

CONTAMINANT INVESTIGATED: Fibers Airborne
ABATEMENT CONTRACTOR:
Samples collected by: Client

METHOD OF ABATEMENT:

☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEANUP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
Park Place/Church	01-01/04/02	666	<0.07	<LOD	0.005
Park Place/Greenwich	02-01/04/02	675	<0.07	<LOD	0.005
Murray/Church	03-01/04/02	675	0.08	0.008	0.005
Murray/Greenwich	04-01/04/02	668	<0.07	<LOD	0.005
Fulton/Church	05-01/04/02	668	<0.07	<LOD	0.005
North End/Warren	06-01/04/02	643.5	<0.07	<LOD	0.005
West Street/Warren	07-01/04/02	643.5	<0.07	<LOD	0.005
Gateway Plaza	08-01/04/02	650.3	<0.07	<LOD	0.005
South End/Albany	09-01/04/02	650.3	<0.07	<LOD	0.005
West Street/Albany	10-01/04/02	661.5	<0.07	<LOD	0.005
Rector Pl. by Park	11-01/04/02	661.5	<0.07	<LOD	0.005
3rd Pl./South End	12-01/04/02	661.5	<0.07	<LOD	0.005

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
2917 BRÜCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/4/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT:

☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEANUP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W Thames	13-01/04/02	650.3	<0.07	<LOD	0.005
River Ter./Park Pl.	14-01/04/02	657	0.08	0.006	0.005
River Ter./Chambers	15-01/04/02	949	<0.07	<LOD	0.004
River Ter./Warren	16-01/04/02	657	<0.07	<LOD	0.005
North End/Park Pl.	17-01/04/02	657	<0.07	<LOD	0.005
River Ter./Vesey	18-01/04/02	643.5	<0.07	<LOD	0.005
Trinity Pl./Thames	19-01/04/02	881.5	<0.07	<LOD	0.005
Vesey/West Broadway	20-01/04/02	660	<0.07	<LOD	0.005
Field Blank	21-01/04/02		BDL		
Field Blank	22-01/04/02		BDL		

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
 2917 BRUCKNER BOULEVARD
 BRONX, N.Y. 10461
 (718)363-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/5/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT: ☐ CONTAINMENT

☐ GLOVE BAG ☐ TENT

☒ OTHER

NATURE OF TEST:

☐ PRE-TEST ☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEAN-UP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
Park Place/Church	01-01/05/02	675	<0.07	<LOD	0.005
Park Place/Greenwich	02-01/05/02	666	0.08	0.006	0.005
Murray/Church	03-01/05/02	666	<0.07	<LOD	0.005
Murray/Greenwich	04-01/05/02	675	<0.07	<LOD	0.005
Fulton/Church	05-01/05/02	675	0.09	0.006	0.005
North End/Warren	06-01/05/02	657	<0.07	<LOD	0.005
West Street/Warren	07-01/05/02	643.5	<0.07	<LOD	0.005
Gateway Plaza	08-01/05/02	661.5	<0.07	<LOD	0.005
South End/Albany	09-01/05/02	650.3	<0.07	<LOD	0.005
West Street/Albany	10-01/05/02	650.3	<0.07	<LOD	0.005
Rector Pl. by Park	11-01/05/02	661.5	0.07	0.005	0.005
3rd Pl./South End	12-01/05/02	650.3	<0.07	0.005	0.005

METHOD: NIOSH 7400, Rule A (PCM)

****BDL - Below Detectable Levels**

*****These results apply to these particular samples**

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm:2

 Lab Supervisor's Signature

 Analyst

ENVIRO-PROBE, INC.
 2917 BRUCKNER BOULEVARD
 BRONX, N.Y. 10461
 (718)863-0046

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
 NYSELAP #: 10898
 AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/5/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT: ☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEAN-UP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W Thames	13-01/05/02	661.5	<0.07	<LOD	0.005
River Ter./Park Pl.	14-01/05/02	657	<0.07	<LOD	0.005
River Ter./Chambers	15-01/05/02	730	<0.07	<LOD	0.005
River Ter./Warren	16-01/05/02	643.5	<0.07	<LOD	0.005
North End/Park Pl.	17-01/05/02	657	0.075	0.005	0.005
River Ter./Vesey	18-01/05/02	643.5	<0.07	0.005	0.005
Trinity Pl./Thames	19-01/05/02	650.3	<0.07	<LOD	0.005
Vesey/West Broadway	20-01/05/02	666	<0.07	<LOD	0.005
Field Blank	21-01/05/02		BDL		
Field Blank	22-01/05/02		BDL		

METHOD: NIOSH 7400, Rule A (PCM)

**BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AHA-PAT #: 102509
Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne
ABATEMENT CONTRACTOR:
 Samples collected by: Client

DATE MONITORED: 1/16/02

METHOD OF ABATEMENT: ☐ CONTAINMENT ☐ GLOVE BAG ☐ TENT ☐ OTHER
NATURE OF TEST:
☐ PRE-TEST ☐ DURING PREPARATION ☐ DURING ASBESTOS REMOVAL ☐ DURING CLEANUP
☐ AFTER FINAL CLEAN-UP ☐ AIR-TEST ☐ OSHA
☐ AGGRESSIVE ☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/84

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W Thames	13-01/16/02	681.5	<0.07	<LOD	0.005
River Ter./Park Pl.	14-01/16/02	657	<0.07	<LOD	0.005
River Ter./Chambers	15-01/16/02	657	<0.07	<LOD	0.005
River Ter./Waren	16-01/16/02	657	<0.07	<LOD	0.005
North End/Park Pl.	17-01/16/02	657	<0.07	<LOD	0.005
River Ter./Vesey	18-01/16/02	643.5	<0.07	<LOD	0.005
Trinity Pl./Thames	19-01/16/02	650.3	0.07	0.005	0.005
Vesey/West Broadway	20-01/16/02	656	0.09	0.007	0.005
Field Blank	21-01/16/02		BDL		
Field Blank	22-01/16/02		BDL		

METHOD: NIOSH 7400; Rule A (PCM)

BDL - Below Detectable Levels

***These results apply to these particular samples

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718) 863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/16/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT:

☐ CONTAINMENT

☐ GLOVE BAG

☐ TEST

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEAN-UP

☐ (AFTER FINAL CLEAN-UP

☐ (AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ (NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT: FIB/CC
Park Place/Church	01-01/16/02	656	<0.07	<LOD	0.005
Park Place/Greenwich	02-01/16/02	656	<0.07	<LOD	0.005
Murray/Church	03-01/16/02	675	<0.07	<LOD	0.005
Murray/Greenwich	04-01/16/02	688	<0.07	<LOD	0.005
Fulton/Church	05-01/16/02	656	<0.07	<LOD	0.005
North End/Warren	06-01/16/02	657	<0.07	<LOD	0.005
West Street/Warren	07-01/16/02	657	<0.07	<LOD	0.005
Gateway Plaza	08-01/16/02	650.3	<0.07	<LOD	0.005
South End/Albany	09-01/16/02	650.3	<0.07	<LOD	0.005
West Street/Albany	10-01/16/02	601.5	<0.07	<LOD	0.005
Rector Pl. by Park	11-01/16/02	681.5	<0.07	<LOD	0.005
3rd Pl/South End	12-01/16/02	681.5	<0.07	<LOD	0.005

METHOD: NIOSH 7402, Rule A (PCM)

****BDL:** Below Detectable Levels

*****These results apply to these particular samples**

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst

ENVIRO-PROBE, INC.
2917 BRUCKNER BOULEVARD
BRONX, N.Y. 10461
(718)863-0045

CLIENT: Riverpoint, Inc.
 7 Hillside Ave., Suite 100
 New Rochelle, NY. 10801-1608

FILE #: 23401
NYSELAP #: 10898
AIHA-PAT #: 102509

Job #: 101171

PROJECT LOCATION: WTC, Various Locations

CONTAMINANT INVESTIGATED: Fibers Airborne

DATE MONITORED: 1/2/02

ABATEMENT CONTRACTOR:

Samples collected by: Client

METHOD OF ABATEMENT:

☐ CONTAINMENT

☐ GLOVE BAG

☐ TENT

☐ OTHER

NATURE OF TEST:

☐ PRE-TEST

☐ DURING PREPARATION

☐ DURING ASBESTOS REMOVAL

☐ DURING CLEANUP

☐ AFTER FINAL CLEAN-UP

☐ AIR-TEST

☐ OSHA

☐ AGGRESSIVE

☐ NON-AGGRESSIVE

OTHERS:

METHOD: NIOSH 7400, ISSUE 2-8/15/94

SAMPLING LOCATION	SAMPLE #	VOLUME OF AIR SAMPLED (LITERS)	RESULTS FIBER/FIELD	RESULTS FIBERS/CC	DETECTION LIMIT FIB/CC
West End of W Thames	13-01/02/02	661.5	<0.07	<LOD	0.005
River Ter. Park Pl.	14-01/02/02	643.5	<0.07	<LOD	0.005
River Ter. Warren	15-01/02/02	657	<0.07	<LOD	0.005
River Ter. Chambers	16-01/02/02	657	<0.07	<LOD	0.005
North End Park Pl.	17-01/02/02	657	<0.07	<LOD	0.005
River Ter. Vesey	18-01/02/02	657	<0.07	<LOD	0.005
Trinity Pl. Thames	19-01/02/02	661.5	<0.07	<LOD	0.005
Vesey/West Broadway	20-01/02/02	668	<0.07	<LOD	0.005
Field Blank	21-01/02/02		BDL		
Field Blank	22-01/02/02		BDL		

METHOD: NIOSH 7400, Rule A (PCM)

****BDL - Below Detectable Levels**

*****These results apply to these particular samples**

L.O.D. = 0.07 Fibers/Field = 9 Fibers/mm²

Lab Supervisor's Signature

Analyst