

DRAFT, Environmental Samples

Dep data, 9/25/01, 3:51 PM, Page 1 of 56

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y
	Unique_ID	Document ID	SampleID	Compound_Name	Compound_Subtype	Testing_Agency	Testing_Lab	Date_Sampled	StartTime_Sampled	County	SiteName_or_Address	Build_Floor	North_south_street_or_avenue_1	North_south_street_or_avenue_2	East_West_cross_street1	East_West_cross_street2	Test_medium	Sampling_Duration	Detection_Limit	Results_concentration	Unit_of_measurement	Analysis_Method	Time_Standard	Date_DOH_Record_Test	Comments
1																									
2	201	8	1	Asbestos	Chrysotile	DEP		9/11/01	15:00	Manhattan	23 Barclay				Barclay		Bulk_Dust			1	percent			9/12/01	
3	202	8	2	Asbestos	Chrysotile	DEP		9/11/01	15:00	Manhattan	217 Broadway		Broadway				Bulk_Dust			4	percent			9/12/01	
4	203	8	3	Asbestos		DEP		9/11/01	15:00	Manhattan	Church & Vesey Street		Church		Vesey		Bulk_Dust			ND				9/12/01	
5	204	8	4	Asbestos	Chrysotile	DEP		9/11/01	15:00	Manhattan	NE Church & Vesey		Church		Vesey		Bulk_Dust			1.3	percent			9/12/01	
6	205	8	5	Asbestos		DEP		9/11/01	15:00	Manhattan	Across 90 Church Street		Church				Bulk_Dust			ND				9/12/01	
7	206	8	6	Asbestos	Chrysotile	DEP		9/11/01	15:00	Manhattan	Barclay & Church		Church		Barclay		Bulk_Dust			.48	percent			9/12/01	
8	207	8	7	Asbestos		DEP		9/11/01	15:00	Manhattan	Warren & Church		Church		Warren		Bulk_Dust			trace				9/12/01	
9	208	8	8	Asbestos		DEP		9/11/01	15:00	Manhattan	Church & Murray		Church		Murray	Warren	Bulk_Dust			1	percent			9/12/01	
10	209	8	9	Asbestos	Chrysotile	DEP		9/11/01	15:00	Manhattan	Park Place & Church		Church		Park Place		Bulk_Dust			4	percent			9/12/01	
11	210	8	10	Asbestos		DEP		9/11/01	15:00	Manhattan	Church & Dey		Church		Dey		Bulk_Dust			1	percent			9/12/01	
12	211	8	11	Asbestos	Chrysotile	DEP		9/11/01	15:00	Manhattan	Church & Cortland		Church		Cortland		Bulk_Dust			1	percent			9/12/01	
13	212	8	12	Asbestos		DEP		9/12/01		Manhattan	Greenwich & Chambers		Greenwich		Chambers		Ambient air			0.085	fibers/cc			9/12/01	
14	213	8	13	Asbestos		DEP		9/12/01		Manhattan	Center & Chambers		Center		Chambers		Ambient air			0.016	fibers/cc			9/12/01	
15	214	8	14	Asbestos		DEP		9/12/01		Manhattan	Spruce & Gold		Gold		Spruce		Ambient air			0.04	fibers/cc			9/12/01	
16	215	8	15	Asbestos		DEP		9/12/01		Manhattan	Broadway & Worth		Broadway		Worth		Ambient air			0.01	fibers/cc			9/12/01	ZIP 10013
17	392	8	16	Asbestos		DEP		9/12/01	3:00 PM	Manhattan	West Broadway & Worth		West Broadway		Worth		Ambient air			0.01	fibers/cc			9/12/01	ZIP 10013
18	415	14	B001	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	Corner Old Slip & Front St./Parked Explorer		Water		Old Slip		Bulk_Dust			2.400	percent	PLM		9/14/01	
19	416	14	B001	Asbestos	Amosite	DEP		9/13/01		Manhattan	Corner Old Slip & Front St./Parked Explorer		Water		Old Slip		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
20	417	14	B002	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	Park Area btw. 55 Water-Diana		Water				Bulk_Dust			3.300	percent	PLM		9/14/01	
21	418	14	B003	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	7 Hanover Sq., Corner of Hanover		Hanover		Hanover		Bulk_Dust			2.300	percent	PLM		9/14/01	
22	419	14	B004	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	Old Slip & Front St./Car on Corner		Front		Old Slip		Bulk_Dust			2.100	percent	PLM		9/14/01	
23	420	14	B005	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	7 Hanover Sq./AFA Protective Van Parked Opposite to Sq.		Hanover				Bulk_Dust			2.800	percent	PLM		9/14/01	
24	421	14	B006	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	55 Water /CCIA Mech Sys Co Van Prked Fron of 55 Water		Water				Bulk_Dust			2.400	percent	PLM		9/14/01	
25	422	14	B006	Asbestos	Amosite	DEP		9/13/01		Manhattan	55 Water /CCIA Mech Sys Co Van Prked Fron of 55 Water		Water				Bulk_Dust		<	1.000	percent	PLM		9/14/01	
26	423	14	B007	Asbestos	Chrysotile	DEP		9/13/01		Manhattan	Maiden & Broadway/corner of/off Black Jeep		Broadway		Maiden		Bulk_Dust			2.200	percent	PLM		9/14/01	
27	394	14	DEP01	Asbestos		DEP		9/14/01		Manhattan	Murray & Church		Church		Murray		Ambient air		<	0.008	fibers/cc			9/14/01	
28	395	14	DEP02	Asbestos		DEP		9/14/01		Manhattan	Fulton & Church		Church		Fulton		Ambient air			0.007	fibers/cc			9/14/01	
29	396	14	DEP03	Asbestos		DEP		9/14/01		Manhattan	Liberty & Church		Church		Liberty		Ambient air			0.020	fibers/cc			9/14/01	
30	397	14	DEP04	Asbestos		DEP		9/14/01		Manhattan	Trinity & Cedar		Trinity		Cedar		Ambient air			0.027	fibers/cc			9/14/01	
31	398	14	DEP05	Asbestos		DEP		9/14/01		Manhattan	Church & Dey		Church		Dey		Ambient air		<	0.007	fibers/cc			9/14/01	
32	399	14	DEP06	Asbestos		DEP		9/14/01		Manhattan	Park Pl. & Greenwich		Greenwich		Park Pl.		Ambient air			0.009	fibers/cc			9/14/01	
33	400	14	DEP07	Asbestos		DEP		9/14/01		Manhattan	Greenwich & Murray		Greenwich		Murray		Ambient air			0.003	fibers/cc			9/14/01	
34	401	14	DEP08	Asbestos		DEP		9/14/01		Manhattan	Murray btw. Church & Broadway		Church	Broadway	Murray		Ambient air			0.002	fibers/cc			9/14/01	
35	402	14	DEP09	Asbestos		DEP		9/14/01		Manhattan	Fulton btw. Church & Broadway		Church	Broadway	Fulton		Ambient air		<	0.010	fibers/cc	PCM		9/14/01	
36	424	17	*001dep	Asbestos		DEP		9/14/01		Brooklyn	PS 314K/330 59th St		59th				Ambient air			0.003	fibers/cc			9/16/01	
37	425	17	*002dep	Asbestos		DEP		9/14/01		Manhattan	PS 64/600 East 6th		E. 6				Ambient air		<	0.001	fibers/cc			9/16/01	
38	426	17	*003dep	Asbestos		DEP		9/14/01		Queens	PS 199/30-20 48th St		48th				Ambient air			0.002	fibers/cc			9/16/01	
39	427	17	*004dep	Asbestos		DEP		9/14/01		Staten Island	Susan Wagner/1200 Manor Rd.		Manor				Ambient air			0.005	fibers/cc			9/16/01	
40	428	17	*005dep	Asbestos		DEP		9/14/01		Brooklyn	PS 314K/330 59th St		59th				Ambient air			0.003	fibers/cc			9/16/01	
41	429	17	*006dep	Asbestos		DEP		9/14/01		Manhattan	PS 64/600 East 6th		E. 6				Ambient air			0.002	fibers/cc			9/16/01	
42	430	17	*007dep	Asbestos		DEP		9/14/01		Queens	PS 199/30-20 48th St		48th				Ambient air			0.002	fibers/cc			9/16/01	

DRAFT, Environmental Samples

Dep data, 9/25/01, 3:51 PM, Page 2 of 56

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y
	Unique_ID	Document ID	SampleID	Compound_Name	Compound_Subtype	Testing_Agency	Testing_Lab	Date_Sampled	StartTime_Sampled	County	SiteName_or_Address	Build_Floor	North_south_street_or_avenue_1	North_south_street_or_avenue_2	East_West_cross_street1	East_West_cross_street2	Test_medium	Sampling_Duration	Detection_Limit	Results_Concentration	Unit_of_measurement	Analysis_Method	Time_Standard	Date_DOH_Record_Test	Comments
1																									
43	431	17	*008dep	Asbestos		DEP		9/14/01		Staten Island	Susan Wagner/1200 Manor Rd.		Manor				Ambient air			0.004	fibers/cc			9/16/01	
44	432	17	*009dep	Asbestos		DEP		9/14/01		Brooklyn	PS 314K/330 59th St		59th				Ambient air		<	0.001	fibers/cc			9/16/01	
45	524	14	030104250-0001	Asbestos		DEP	EMSL	9/14/01	13:30	Brooklyn	PS 314/North Section on Roof	Roof			330 59th St.		Ambient air	120		0.003	fibers/cc			9/15/01	
46	525	14	030104250-0002	Asbestos		DEP	EMSL	9/14/01	15:55	Brooklyn	PS 314/Center of Roof	Roof			330 59th St.		Ambient air	120		0.003	fibers/cc			9/15/01	
47	526	14	030104251-0001	Asbestos		DEP	EMSL	9/14/01	13:00		Susan Wagner High School / Ambient Roof with Antennae on top North/with exhaust	Roof					Ambient air	120		0.005	fibers/cc			9/15/01	
48	527	14	030104251-0002	Asbestos		DEP	EMSL	9/14/01	15:00		Susan Wagner High School / Ambient Roof with Antennae on top North/with exhaust	Roof					Ambient air	120		0.004	fibers/cc			9/15/01	
49	403	14	06326	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	65 Wall Street/Christine's Nails				Wall		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
50	404	14	06327	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Corner of New & Exchange		New		Exchange		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
51	405	14	06328	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Wall St. & Pearl		Pearl		Wall		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
52	406	14	06320	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Pearl & Cedar		Pearl		Cedar		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
53	407	14	06330	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Liberty & William		William		Liberty		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
54	408	14	06331	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Pine St./Trump Building				Pine		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
55	409	14	06332	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	15 Nassau St.		Nassau				Bulk_Dust		<	1.000	percent	PLM		9/14/01	
56	410	14	06333	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	59 Nassau St.		Nassau				Bulk_Dust		<	1.000	percent	PLM		9/14/01	
57	411	14	06336a	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Corner of Fulton & Nassau		Nassau		Fulton		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
58	412	14	06335	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Maiden & Broadway		Broadway		Maiden		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
59	413	14	06336b	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Fulton & William		William		Fulton		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
60	414	14	06337	Asbestos	Chrysotile	DEP		9/14/01		Manhattan	Ann & Park Row		Park Row		Ann		Bulk_Dust		<	1.000	percent	PLM		9/14/01	
61	433	17	*010dep	Asbestos		DEP		9/15/01		Brooklyn	PS 314K/330 59th St		59th				Ambient air		<	0.001	fibers/cc			9/16/01	
62	434	17	*011dep	Asbestos		DEP		9/15/01		Brooklyn	PS 314K/330 59th St		59th				Ambient air		<	0.001	fibers/cc			9/16/01	
63	435	17	*012dep	Asbestos		DEP		9/15/01		Bronx	IS 155 /Jackson & E.148		Jackson		E. 148		Ambient air			0.003	fibers/cc			9/16/01	
64	436	17	*013dep	Asbestos		DEP		9/15/01		Bronx	IS 155 /Jackson & E.148		Jackson		E. 148		Ambient air			0.003	fibers/cc			9/16/01	
65	437	17	*014dep	Asbestos		DEP		9/15/01		Bronx	IS 155 /Jackson & E.148		Jackson		E. 148		Ambient air		<	0.001	fibers/cc			9/16/01	
66	438	17	*015dep	Asbestos		DEP		9/15/01		Manhattan	PS 64/600 East 6th		E. 6				Ambient air			0.002	fibers/cc			9/16/01	
67	439	17	*016dep	Asbestos		DEP		9/15/01		Manhattan	PS 64/600 East 6th		E. 6				Ambient air			0.003	fibers/cc			9/16/01	
68	440	17	*017dep	Asbestos		DEP		9/15/01		Manhattan	PS 64/600 East 6th		E. 6				Ambient air		<	0.001	fibers/cc			9/16/01	
69	441	17	*018dep	Asbestos		DEP		9/15/01		Queens	PS 199/30-20 48th St.		48th				Ambient air		<	0.001	fibers/cc			9/16/01	
70	442	17	*019dep	Asbestos		DEP		9/15/01		Queens	PS 199/30-20 48th St.		48th				Ambient air			0.002	fibers/cc			9/16/01	
71	443	17	*020dep	Asbestos		DEP		9/15/01		Queens	PS 199/30-20 48th St.		48th				Ambient air		<	0.001	fibers/cc			9/16/01	
72	444	17	*021dep	Asbestos		DEP		9/15/01		Staten Island	Susan Wagner/1200 Manor Rd.		Manor				Ambient air		<	0.001	fibers/cc			9/16/01	
73	445	17	*022dep	Asbestos		DEP		9/15/01		Staten Island	Susan Wagner/1200 Manor Rd.		Manor				Ambient air		<	0.001	fibers/cc			9/16/01	
74	446	17	*023dep	Asbestos		DEP		9/15/01		Staten Island	Susan Wagner/1200 Manor Rd.		Manor				Ambient air		<	0.001	fibers/cc			9/16/01	
75	730	25	DEC06A	Asbestos		DEP		9/16/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air			0.006	fibers/cc			9/18/01	
76	731	25	DEC06B	Asbestos		DEP		9/16/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air		<	0.001				9/18/01	
77	732	25	DEC06C	Asbestos		DEP		9/16/01		Manhattan	PS 64		600 East 6th St				Ambient air			0.008				9/18/01	
78	733	25	DEC06D	Asbestos		DEP		9/16/01		Queens	PS 199		30-20 48th Street				Ambient air			0.002				9/18/01	
79	734	25	DEC06E	Asbestos		DEP		9/16/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air			0.003				9/18/01	
80	735	25	DEC07A	Asbestos		DEP		9/16/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air			0.004				9/18/01	
81	736	25	DEC07B	Asbestos		DEP		9/16/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air			0.003				9/18/01	
82	737	25	DEC07C	Asbestos		DEP		9/16/01		Manhattan	PS 64		600 East 6th St				Ambient air			0.002				9/18/01	
83	738	25	DEC07D	Asbestos		DEP		9/16/01		Queens	PS 199		30-20 48th Street				Ambient air			0.003				9/18/01	
84	739	25	DEC07E	Asbestos		DEP		9/16/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air			0.002				9/18/01	

DRAFT, Environmental Samples

Dep data, 9/25/01, 3:51 PM, Page 3 of 56

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y
	Unique_ID	Document ID	SampleID	Compound_Name	Compound_sub_type	Testing_Agency	Testing_Lab	Date_Sampled	StartTime_Sampled	County	SiteName_or_Address	Build_Floor	North_south_street_or_avenue_1	North_south_street_or_avenue_2	East_West_cross_street1	East_West_cross_street2	Test_medium	Sampling_Duration	Detection_Limit	Results_concentration	Unit_of_measurement	Analysis_Method	Time_Standard	Date_DOH_Record_Test	Comments
1																									
85	740	25	DEC08A	Asbestos		DEP		9/16/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air			0.002				9/18/01	
86	741	25	DEC08B	Asbestos		DEP		9/16/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air		<	0.001				9/18/01	
87	742	25	DEC08C	Asbestos		DEP		9/16/01		Manhattan	PS 64		600 East 6th St				Ambient air			0.004				9/18/01	
88	743	25	DEC08D	Asbestos		DEP		9/16/01		Queens	PS 199		30-20 48th Street				Ambient air		<	0.001				9/18/01	
89	744	25	DEC08E	Asbestos		DEP		9/16/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air		<	0.001				9/18/01	
90	745	25	DEC09A	Asbestos		DEP		9/16/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air		NA					9/18/01	
91	746	25	DEC09B	Asbestos		DEP		9/16/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air		NA					9/18/01	
92	747	25	DEC09C	Asbestos		DEP		9/16/01		Manhattan	PS 64		600 East 6th St				Ambient air			0.006				9/18/01	
93	748	25	DEC09D	Asbestos		DEP		9/16/01		Queens	PS 199		30-20 48th Street				Ambient air		NA					9/18/01	
94	749	25	DEC09E	Asbestos		DEP		9/16/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air		NA					9/18/01	
95	750	25	DEC10A	Asbestos		DEP		9/17/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air	120		0.002	fibers/cc	PCM			
96	751	25	DEC10B	Asbestos		DEP		9/17/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air	120		0.002	fibers/cc	PCM			
97	752	25	DEC10C	Asbestos		DEP		9/17/01		Manhattan	PS 64		600 East 6th St				Ambient air	120	<	0.001	fibers/cc	PCM			
98	753	25	DEC10D	Asbestos		DEP		9/17/01		Queens	PS 199		30-20 48th Street				Ambient air	120		0.002	fibers/cc	PCM			
99	754	25	DEC10E	Asbestos		DEP		9/17/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air	120		0.002	fibers/cc	PCM			
100	755	25	DEC11A	Asbestos		DEP		9/17/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air	120	<	0.001	fibers/cc	PCM			
101	756	25	DEC11B	Asbestos		DEP		9/17/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air	120	<	0.001	fibers/cc	PCM			
102	757	25	DEC11C	Asbestos		DEP		9/17/01		Manhattan	PS 64		600 East 6th St				Ambient air	120	<	0.001	fibers/cc	PCM			
103	758	25	DEC11D	Asbestos		DEP		9/17/01		Queens	PS 199		30-20 48th Street				Ambient air	120		0.002	fibers/cc	PCM			
104	759	25	DEC11E	Asbestos		DEP		9/17/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air	120	<	0.001	fibers/cc	PCM			
105	760	25	DEC12A	Asbestos		DEP		9/17/01		Brooklyn	PS 314K/330 59th St		East 59th st				Ambient air	120		0.002	fibers/cc	PCM			
106	761	25	DEC12B	Asbestos		DEP		9/17/01		Bronx	IS 155 /Jackson & E.148		Jackson		East 148th St		Ambient air	120	<	0.001	fibers/cc	PCM			
107	762	25	DEC12C	Asbestos		DEP		9/17/01		Manhattan	PS 64		600 East 6th St				Ambient air	120		0.001	fibers/cc	PCM			
108	763	25	DEC12D	Asbestos		DEP		9/17/01		Queens	PS 199		30-20 48th Street				Ambient air	120		0.002	fibers/cc	PCM			
109	764	25	DEC12E	Asbestos		DEP		9/17/01		Staten Island	Susan Wagner High School		1200 Manor Road				Ambient air	120		0.003	fibers/cc	PCM			
110																									
111																									
112																									
113																									
114																									
115																									
116																									
117																									
118																									
119																									
120																									
121																									
122																									
123																									
124																									
125																									
126																									
127																									
128																									
129																									
130																									
131																									
132																									
133																									
134																									
135																									
136																									
137																									
138																									
139																									