

Gilsenan, Michael

From: Kelpin, Gerry
Sent: Wednesday, February 26, 2003 2:19 PM
To: Gilsenan, Michael
Subject: FW: Air quality at DOI HQ, 80 Maiden Lane NYC

I forgot to send this up to you as to how proceed with the request.

-----Original Message-----

From: CLIVE MORRICK [mailto:cmorrick@doi.nyc.gov]
Sent: Monday, February 24, 2003 12:19 PM
To: gerryk@dep.nyc.gov; krishr@dep.nyc.gov
Cc: CARL GEFFKEN; LINDA GONZALEZ
Subject: Air quality at DOI HQ, 80 Maiden Lane NYC

DOI needs the air on the 19th floor at 80 Maiden Lane tested for excessive dust and particulate matter, and if BEC has inspectors who test for these contaminants, could an inspection be arranged for this week?

The DOI contact person is Asst. Commissioner Carl Geffken at 212-825-2810. I will be upstate so please contact him directly.

Clive I. Morricks
Inspector General,
Department of Environmental Protection
2 Lafayette Street, Room 1705, New York, NY 10007
212-442-0194
Fax 212-442-0180
cmorrick@doi.nyc.gov

Gilsenan, Michael

From: CLIVE MORRICK [cmorrick@doi.nyc.gov]
Sent: Thursday, February 27, 2003 1:23 PM
To: michaelgi@dep.nyc.gov
Subject: Fwd: Air quality at DOI HQ, 80 Maiden Lane NYC

└─┐
Air quality at DOI
HQ, 80 Maid...

Mike, any chance HAZmat could sample the air down at DOI?

Clive I. Morrick
Inspector General,
Department of Environmental Protection
2 Lafayette Street, Room 1705, New York, NY 10007
212-442-0194
Fax 212-442-0180
cmorrick@doi.nyc.gov

Gilsenan, Michael

From: CLIVE MORRICK [cmorrick@doi.nyc.gov]
Sent: Thursday, February 27, 2003 2:28 PM
To: mgilsenan@dep.nyc.gov
Subject: RE: Air quality at DOI HQ, 80 Maiden Lane NYC

Appreciate it!

>>> "Gilsenan, Michael" <mgilsenan@dep.nyc.gov> 02/27/03 01:43PM >>>
Moustafa is reaching out to Carl today. Mike

-----Original Message-----

From: CLIVE MORRICK [mailto:cmorrick@doi.nyc.gov]
Sent: Thursday, February 27, 2003 1:23 PM
To: michaelgi@dep.nyc.gov
Subject: Fwd: Air quality at DOI HQ, 80 Maiden Lane NYC

Mike, any chance HAZmat could sample the air down at DOI?

Clive I. Morrick
Inspector General,
Department of Environmental Protection
2 Lafayette Street, Room 1705, New York, NY 10007
212-442-0194
Fax 212-442-0180
cmorrick@doi.nyc.gov