

Gilsenan, Michael

From: Theodorellys, Penny
Sent: Friday, February 28, 2003 11:37 AM
To: davestanke@cs.com; [PII]; danielk@bumbleandbumble.com;
 [PII]; wcharron@pryorcashman.com; [PII]
 jspringston@ambientgroup.com; [PII]; cwarnick@cwarchitecture.com;
 steven@12east.com; mark@114liberty.com; [PII]; sabramson@cmdny.com;
 mgordon@bumbleandbumble.com
Cc: Gilsenan, Michael; Radhakrishnan, Krish
Subject: FW: 114 Liberty Addendums

Attached are the addendums as per your request.

			
114 Liberty Air addendm 1.doc	114 Liberty Air addendm 2.doc	114 Liberty Clean addendm 1.do...	114 Liberty Clean addendm 2.do...

**WTC Unoccupied Building Cleaning Program
114 Liberty Street – Project #WTC-LBA
Addendum #1**

Sampling and Analytical Procedures for Lead, PAHs, Dioxin, Fibrous Glass, and Silica

Item 2, Page 3: Add the clarification for sampling the duplex apartment at both prior to and after cleaning activities.

Prior to the cleaning activities, three wipe samples shall be collected for each of these parameters in each apartment, except the duplex apartment where three wipe samples shall be collected on each floor of the apartment.

After cleaning activities, three wipe samples shall be collected for each of these parameters in each apartment, except the duplex apartment where three wipe samples shall be collected on each floor of the apartment.

**WTC Unoccupied Building Cleaning Program
114 Liberty Street – Project #WTC-LBA
Addendum #2**

The Total Cost is to include three weeks of project monitoring, pre-sampling, sampling during cleaning, and one set of clearance sampling and analysis.

**WTC Unoccupied Building Cleaning Program
114 Liberty Street – Project #WTC-LBC
Addendum #1**

Scope of Work Items

Item (11) Page 2: Add the following sentence to the end of the item:

After installation of the isolation barriers, floors shall be covered with a layer of 6-mil polyethylene sheeting.

Item (13) Page 2: Add phrases to sentences two and three so that they read:

Interior and perimeter walls shall be removed, as well as insulation behind those walls, to access the interstitial spaces for cleaning. Only one side of each wall shall be removed, from floor to ceiling, to access the space.

Item (19) Page 4: Add the following sentences to the end of the item:

The polyethylene sheeting covering the floors shall be cleaned and folded inward onto itself. All floor surfaces shall then be fine cleaned using HEPA vacuuming and wet-wiping procedures.

**WTC Unoccupied Building Cleaning Program
114 Liberty Street – Project #WTC-LBC
Addendum #2**

Add to Item 11

All buckled and/or loose flooring shall be removed and disposed. The surfaces below the flooring shall be cleaned. In rooms where the entire flooring is to be removed (2nd and 3rd Floors), covering of floor surfaces with 6-mil polyethylene is not required. In rooms where only partial removal of flooring is to occur, the buckled flooring shall be removed, the area shall be cleaned and a layer of 6-mil polyethylene shall be installed.

Optometrist's Office: The boxed files shall be disposed of by Building Owner.