

REPORT — ADDITIONAL DATA

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

TYPE REPORT		DATE AND TIME ALARM RECEIVED				BOX LOCATION		IGNITION				STRUCTURE		AREA OF ORIGIN		FIRE EXTENSION																										
MONTH	DAY	YEAR	HOUR	MINUTE	BOROUGH	BOX NO.	BUILDING NO.	TERM. STAGE	EDUP. INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	CONSTRUCT	USE	STATUS	BLDG. DAMAGE	CONTS. DMGE.	FLOOR CODE	Rm/Area Code	OCCUPANCY	MANNER OF	OCCUPANCIES																				
6	06	25	-86	0320	1	0084																																				
<table border="1"> <thead> <tr> <th colspan="2">NUMBER (INCL. HYPHEN)</th> <th>SUFFIX</th> <th>PREFIX</th> <th>STREET NAME</th> <th>TYPE</th> <th>SUFFIX</th> <th>IF MOBILE PROPERTY</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																							NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	TYPE	SUFFIX	IF MOBILE PROPERTY												
NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	TYPE	SUFFIX	IF MOBILE PROPERTY																																			
<table border="1"> <thead> <tr> <th>YR.</th> <th>MAKE</th> <th>MODEL</th> <th>79 SERIAL NO.</th> <th>LICENSE</th> <th>STATE</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																							YR.	MAKE	MODEL	79 SERIAL NO.	LICENSE	STATE														
YR.	MAKE	MODEL	79 SERIAL NO.	LICENSE	STATE																																					
<table border="1"> <thead> <tr> <th>UNIT</th> <th>PTS.</th> <th>195</th> <th>201</th> <th>207</th> <th>213</th> <th>219</th> <th>225</th> <th>231</th> <th>236</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																							UNIT	PTS.	195	201	207	213	219	225	231	236										
UNIT	PTS.	195	201	207	213	219	225	231	236																																	

OPERATIONS

Eng. 5 Stretched handline from Eng. 6 pumper & operated on 4th & 6th floors of fire building.

Eng. 33 Stood fast on 13th floor of fire building.

Eng. 18 Stretched handline from Eng. 10 & operated on watchmans shack & outside building materials.

Eng. 28 Assisted Eng. 5 in stretching handline to 4th floor of fire building.

Lad. 6 Stood fast.

Lad. 18 Assisted in stretching handline & made necessary overhaul on 2nd & 5th floors.

Lad. 119 Operated Tower Lad. pipe on burying exterior elevator. Made examination & overhaul of exterior of building.

Lad. 131 Made examination of 12 & 13th floors.

Batt. 2 Supervised Eng. 5, Eng. 33, Eng. 24, Lad. 131 on 5th & 13th floors.

Amb. 1 Stood fast.

Task Ser. Stood Fast.

Injury to Members:

FF Tessaline, Eng. 7 Laceration/Chin
 FF Meyers, Eng. 7 Contusion Neck
 FF Lemic, Lad. 131 Sprain Left Knee

B.C. Henry G. Meyers 1st D.C. Henry G. Meyers 1st
 BN. 0324 DIV. 0185
 TYPE FULL NAME TIME OF ARRIVAL TYPE FULL NAME TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

PAGE

4 of 5

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

TYPE REPORT		DATE AND TIME ALARM RECEIVED				BOX LOCATION		IGNITION				STRUCTURE		AREA OF ORIGIN		FIRE EXTENSION							
MONTH	DAY	YEAR	HOUR	MINUTE	BOROUGH	BOX NO.	BUILDING NO.	TERM. STAGE	EQUIP. INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	CONSTRUCT.	USE	STATUS	BIDS. DAMAGE	CONTS. DMGE.	FLOOR CODE	RM/AREA CODE	OCCUPANCY	MANNER OF	OCCUPANCIES	
6	06	25	86	0320	1	0084	02						1	15	1	1							

NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	TYPE	SUFFIX	IF MOBILE PROPERTY
6				World Trade Center			

YR.	MAKE	MODEL	79 SERIAL NO.	LICENSE	STATE

UNIT	PTS.	195	201	207	213	219	225	231	236														
5	004	12	5	055	12	5	024	12	1	001	20	7	008	20	6	001	00	5	015	00	5	207	22
5	009	22	5	330	00	5	005	10	5	033	02	5	018	12	5	028	02	7	006	00	7	018	10

OPERATIONS

Units had to make long hose stretches for water supply do to hydrants out of service & others within the area of high radiant heat, could not be approached. Wind conditions: 15-20 MPH.

Units operated & extinguished fire in the following manner.

<u>Signal</u>	<u>Time</u>	<u>By Order of</u>
10-75	0320	Eng. 10
10-22	0321	Eng. 10
10-33	0337	Batt. 1

Eng. 10 Transmitted signal 22-84, used multiversal nozzle on fire with booster water. stretched line into Tower Lad. 1. Used inline water pumping & Eng. 4 as water supply. Stood fast on 4th floor.

Eng. 7 Used inline pumping, used multiversal nozzle on fire. stretched line & operated on fire.

Eng. 6 Used inline pumping, stretched line from Eng. 7 & operated on fire. stretched another line & made washdown.

Lad. 10 Forced entry to building, made necessary search, examination overhaul of floors 1 - 15.

Lad. 1 Operated tower ladder pipe on main body of fire. Protected apparatus with booster stream. Made necessary search, examination & overhaul of 5th floor of fire building.

Res. 1 Made search of fire building, survey of standpipe sys.

B.C. <u>Kenneth F. Markgraf</u> 1st	D.C. <u>Henry G. Deyes</u> 1st	PAGE
BN.	DIV.	OF
<u>Kenneth F. Markgraf</u>	<u>Henry G. Deyes</u>	<u>5</u>
0324	0329	
TYPE FULL NAME	TIME OF ARRIVAL	TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

REPORT - ADDITIONAL DATA

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

TYPE REPORT	DATE AND TIME ALARM RECEIVED					BOX LOCATION		IGNITION				STRUCTURE		AREA OF ORIGIN			FIRE EXTENSION						
	MONTH	DAY	YEAR	HOUR	MINUTE	BOROUGH	BOX NO.	BUILDING NO.	TERM. STAGE	EQUIP. INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	CONSTRUCT.	USE	STATUS		BLOG. DAMAGE	CONTS. DMGE.	FLOOR CODE	RM/AREA CODE	OCCUPANCY	MANNER OF
6	06	25	86	03	20	1	0084	03				1	15	1	1								

ADDRESS	NUMBER (INCL. HYPHEN)		STREET NAME	TYPE	IF MOBILE PROPERTY
	SUFFIX	PREFIX			
	210		Washington	St	

YR.	MAKE	MODEL	SERIAL NO.	LICENSE	STATE

UNIT	PTS.	195	201	207	213	219	225	231	236
7	119	20	7	131	10				

OPERATIONS

Eng. 4 Relayed water to Eng. 10. Stretched handline from Eng. 4 to 6 World Trade Center & extinguished fire in lumber outside. Forced door for access to 6 World Trade Center.

Eng. 55 Stretched line into Eng. 7. Made examination of Exp. 2 (210 Washington St.).

Eng. 24 Assisted Eng. 5 in stretching line to 6th floor of fire building.

Lad. 8 Made necessary search & examination of floors 1 - 5 of Exp.#2 (210 Washington St.).

Batt. 4 Supervised operations of Eng. 5, Eng. 6, Eng. 10, Lad. 10, Lad. 18, & Res. 1 in fire building.

Saf. Batt. Observed unit operating procedures.

Car. 1 Standby at foot of Liberty St.

Eng. 15 Landed Car. 1.

Eng. 207 (Fax Water) Supplied Tower Lad. 119.

Eng. 9 (Cat. 1) Stretched 4 1/2" hose to front of fire building. Operated monitor on outside elevator fire. Supplied lines to Eng. 10 & Tower Lad. 1 from manifold.

ECU. 1 Established field headquarters.

Eng. 330 (Cat. 3) Stood fast.

B.C. Robert J. Murphy 1st D.C. 1st

Anthony J. Murphy 03:14 Anthony J. Murphy 03:20

TYPE FULL NAME TIME OF ARRIVAL TYPE FULL NAME TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

NEW YORK CITY FIRE DEPARTMENT

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

TYPE REPORT		DATE AND TIME ALARM RECEIVED				BOX LOCATION		IGNITION				STRUCTURE		AREA OF ORIGIN		FIRE EXTENSION							
MONTH	DAY	YEAR	HOUR	MINUTE	BOROUGH	BOX NO.	BUILDING NO.	TERM STAGE	EQUIP INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	CONSTRUCT.	USE	STATUS	BLOG DAMAGE	CONTS. DMGE.	FLOOR CODE	RM/AREA CODE	OCCUPANCY	MANNER OF	OCCUPANCIES	
6	06	25	86	0320	1	0084	02							1 15 1 1									
NUMBER (INCL. HYPHEN)		SUFFIX		PREFIX DIRECT		STREET NAME				TYPE		SUFFIX DIRECT		IF MOBILE PROPERTY									
6						World Trade Center								ITEM									
YR.		MAKE		51		54		MODEL		79 SERIAL NO.		LICENSE		STATE									
80		141		147		153		159		112		165		171		177		183		188			
5 004 12		5 055 12		5 024 12		1 001 20		7 008 20		6 001 00		5 015 00		5 207 22									
5 009 22		5 330 00		5 005 10		5 033 02		5 018 12		5 028 02		7 006 00		7 018 10									
UNIT		PTS.		195		201		207		213		219		225		231		236					

OPERATIONS

Units had to make long hose stretches for water supply due to hydrants out of service & others within the area of high radiant heat, could not be approached. Wind conditions: 15-20 mph.

Units operated & extinguished fire in the following manner.

Signal	Time	By Order of
10-75	0320	Eng. 10
10-22	0321	Eng. 10
10-33	0337	Batt. 1

Eng. 10 Transmitted signal 22-84, used multiversal nozzle on fire with booster water. Stretched line into tower led. 1. Used inline water pumping & Eng. 4 as water supply. Stood fast on 4th floor.

Eng. 7 Used inline pumping, used multiversal nozzle on fire. Stretched line & operated on fire.

Eng. 6 Used inline pumping, stretched line from Eng. 7 & operated on fire. Stretched another line & made washdown.

Lad. 10 Forced entry to building, made necessary search, examination & overhaul of floors 1 - 15.

Lad. 1 Operated tower ladder pipe on main body of fire. Protected apparatus with booster stream. Made necessary search, examination & overhaul of 5th floor of fire building.

Res. 1 Made search of fire building, survey of structure sys.

B.C. Kenneth J. Murphy 1st BN 0324 D.C. 1st DIV 0324 PAGE 1 OF 5

Kenneth J. Murphy TYPE FULL NAME 0324 TIME OF ARRIVAL Kenneth J. Murphy TYPE FULL NAME 0324 TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

REPORT — ADDITIONAL DATA

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

TYPE REPORT	DATE AND TIME ALARM RECEIVED				BOX LOCATION		IGNITION				STRUCTURE		AREA OF ORIGIN		FIRE EXTENSION																																				
	MONTH	DAY	YEAR	HOUR	MINUTE	BOROUGH	BOX NO.	BUILDING NO.	TERM. STAGE	EQUIP. INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	CONSTRUCT		USE	STATUS	BLDG. DAMAGE	CONTS. DMGE	FLOOR CODE	RM/AREA CODE	OCCUPANCY	MANNER OF	OCCUPANCIES																											
6	06	25	86	03	20	1	0034	03				1	15	1	1																																				
<table border="1"> <thead> <tr> <th rowspan="2">ADDRESS</th> <th colspan="2">NUMBER (INCL. HYPHEN)</th> <th>SUFFIX</th> <th>PREFIX</th> <th>STREET NAME</th> <th>T. TYPE</th> <th>SUFFIX</th> <th>IF MOBILE PROPERTY</th> </tr> <tr> <th>51</th> <th>54</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td></td> <td>210</td> <td></td> <td></td> <td></td> <td>Washington</td> <td>St</td> <td></td> <td></td> </tr> </tbody> </table>																								ADDRESS	NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	T. TYPE	SUFFIX	IF MOBILE PROPERTY	51	54								210				Washington	St				
ADDRESS	NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	T. TYPE	SUFFIX	IF MOBILE PROPERTY																																											
	51	54																																																	
	210				Washington	St																																													
<table border="1"> <thead> <tr> <th>YR.</th> <th>MAKE</th> <th>51</th> <th>54</th> <th>MODEL</th> <th>79</th> <th>SERIAL NO.</th> <th>LICENSE</th> <th>STATE</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																								YR.	MAKE	51	54	MODEL	79	SERIAL NO.	LICENSE	STATE																			
YR.	MAKE	51	54	MODEL	79	SERIAL NO.	LICENSE	STATE																																											
<table border="1"> <thead> <tr> <th>C</th> <th>80</th> <th>141</th> <th>147</th> <th>97</th> <th>153</th> <th>159</th> <th>117</th> <th>165</th> <th>171</th> <th>132</th> <th>177</th> <th>183</th> <th>188</th> </tr> </thead> <tbody> <tr> <td></td> <td>7</td> <td>119</td> <td>20</td> <td>7</td> <td>131</td> <td>10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																								C	80	141	147	97	153	159	117	165	171	132	177	183	188		7	119	20	7	131	10							
C	80	141	147	97	153	159	117	165	171	132	177	183	188																																						
	7	119	20	7	131	10																																													
<table border="1"> <thead> <tr> <th>UNIT</th> <th>PTS.</th> <th>195</th> <th>201</th> <th>207</th> <th>213</th> <th>219</th> <th>225</th> <th>231</th> <th>236</th> </tr> </thead> <tbody> <tr> <td>189</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																								UNIT	PTS.	195	201	207	213	219	225	231	236	189																	
UNIT	PTS.	195	201	207	213	219	225	231	236																																										
189																																																			

OPERATIONS

Eng. 4 Delayed water to Eng. 10. Stretched handline from Eng. 4 to 6 World Trade Center & extinguished fire in lumber outside. Forced door for access to 6 World Trade Center.

Eng. 55 stretched line into Eng. 7. Made examination of Exp. 2 (210 Washington St.).

Eng. 24 assisted Eng. 5 in stretching line to 6th floor of fire building.

Lad. 8 made necessary search & examination of floors 1 - 5 of Exp. #2 (210 Washington St.).

Batt. 4 supervised operations of Eng. 5, Eng. 6, Eng. 10, Lad. 10, Lad. 18, & Res. 1 in fire building.

Saf. Batt. Observed unit operating procedures.

Car. 1 Standby at foot of Liberty St.

Eng. 15 aimed Car. 1.

Eng. 207 (Box Water) supplied tower Lad. 119.

Eng. 9 (Ext. 1) stretched 4 1/2" hose to front of fire building. Operated monitor on outside elevator fire. Supplied lines to Eng. 18 & tower Lad. 1 from manifold.

ACC. 1 Established field headquarters.

Eng. 330 (Ext. 3) stood post.

B.C.	<i>R. P. Murphy</i>	1st	D.C.		1st
		BN.			DIV.
Joseph A. Murphy		08:04	Joseph A. Murphy		08:00
TYPE FULL NAME		TIME OF ARRIVAL	TYPE FULL NAME		TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

OPERATIONS

11

NYC-WTC 000165949

REPORT—ADDITIONAL DATA

STRUCTURAL FIRE, TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY

TYPE REPORT		DATE AND TIME ALARM RECEIVED				BOX LOCATION		IGNITION				STRUCTURE		AREA OF ORIGIN		FIRE EXTENSION						
MONTH	DAY	YEAR	HOUR	MINUTE	BOROUGH	BOX NO.	BUILDING NO.	TERM. STAGE	EQUIP. INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	CONSTRUCT	USE	STATUS	BLDG DAMAGE	CONTS. DMGE	FLOOR CODE	RM/AREA CODE	OCCUPANCY	MANNER OF	OCCUPANCIES
6	06	25	86	0320	1	0084																
ADDRESS		NUMBER (INCL. HYPHEN)		SUFFIX	STREET NAME		TYPE		SUFFIX		IF MOBILE PROPERTY											
YR.		MAKE		51	54	MODEL		79 SERIAL NO.		LICENSE		STATE										
BO		141		147		97 153		159		112 165		171		132 177		183		188				
C O S.																						
UNIT		PTS.		195		201		207		213		219		225		231		236				

OPERATIONS

Injury to Members:

It. Ahearn, Cad. 131 Sprain back

It. Hermann, Eng. 9 Medical leave by P.O. Robinson
 Sprain left shoulder
 Medical leave by P.O. Salerno

Chief Officers at Scene:

D.A.C. Fusco, City Wide Command Chief
 P.O. Reyes, Division 1
 P.O. Turner, Batt. 2
 P.O. Hirschfield, Batt. 4
 P.O. Fowler, Saf. Batt.
 P.O. Robinson, Bur. of Health Ser.

Others at Scene:

Sgt. Diferenzo, Port Auth. Police
 Sgt. Metherington, N.Y.P.D.
 Lieut. Settina, Gen. Capt., Fishman Const. Corp.
 P.O. Foley, Bur. of Fire Invest.

B.C. James E. Markgraf 1st BN. 0324 D.C. James C. Reyes 1st DIV. 0322

TYPE FULL NAME TIME OF ARRIVAL TYPE FULL NAME TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

BF-25 (1/80)

REPORT-TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY.

TYPE REPORT		INCIDENT LOCATION			DATE AND TIME ALARM RECEIVED			INCIDENT DURATION		BOX LOCATION		REPORT		COS. RESP.																			
COMMUNITY BOARD	ADMIN. COMPANY	BLOCK NUMBER	MONTH	DAY	YEAR	HOUR	MINUTE	HOURS	MINUTES	HOW REPORTED	HIGHEST ALARM	BOROUGH	BOX NUMBER	REPORT NUMBER	FILING BATTALION	BADGE NUMBER	ENG. SQ. MARINE	LADDER															
4	01	5 010	0026	07	21	86	2056	01	25	2	0	1	0	0084	0292	01	075	02	3														
AIDED AND CASUALTIES		CIVILIANS			IGNITION			SPECIAL USE																									
EVACUATED		FIRST AID		INJURED		KILLED		UNINFORMED INJURED		EXTINGUISH. CODE		TYPE INCIDENT		TEAM STAGE		EQUIP. INVOLVED		HEAT FORM		MATERIAL TYPE		MATERIAL FORM		FACTOR		SMOKE DETECTORS		1		2		3	
00		00		00		00		00		03																							
NUMBER (INCL. HYPHEN)		SUFFIX		PREFIX		DIRECT		STREET NAME										TYPE		CITY		STATE		ZIP									
7								World Trade Center																									
EQUIPMENT INVOLVED IN IGNITION		YR.		MAKE		107		112		MODEL		SERIAL NO.		POWER																			
ITEM		YR.		MAKE		113		115		MODEL		130		SERIAL NO.		145		LICENSE		166		STATE											
If Mobile Property		ITEM		167		184		199		219		227																					
C O S		5 010 02		7 010 02																													
228		UNIT		PTS.		234		240		246		252		258		264		270		275													

OPERATIONS

Responded to phone alarm report of elevator emergency. Upon arrival found that outside elevator hoist had buckeled in 3rd floor . and possible danger of collapse. Police was on scene ,streets were closed off so pedestrians and vehicles were barred from area. . Heydt Const. Elevator mechanic was on scene, Building Dept. Was called to scene, Chief Inspector Joe Walsh responded from Bldg. Dept. Port Authority police was left on scene. Lt. George Tell .

Engine Co. 10 - Stretched and stood fast.
Ladder Co. 10- Confirmed no one was in bldg. Closed off area.

B.C. Rudolph S. Quatrone 1st
D.C. 20:59 BN.
TYPE FULL NAME TIME OF ARRIVAL TYPE FULL NAME TIME OF ARRIVAL
ADMINISTRATIVE COMPANY

of 25 (130)

REPORT—TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY.

TYPE REPORT		INCIDENT LOCATION			DATE AND TIME ALARM RECEIVED			INCIDENT DURATION		BOX LOCATION		REPORT			COS RESP.																		
COMMUNITY BOARD	ADMIN. COMPANY	BLOCK NUMBER	MONTH	DAY	YEAR	HOUR	MINUTE	HOURS	MINUTES	HOW REPORTED	HIGHEST ALARM	BOROUGH	BOX NUMBER	REPORT NUMBER	FILED BATTALION	BADGE NUMBER	ENG. SQ. MARINE	LADDER															
4	01	5 010	0026	07	21	86	2056	01	25	2	0	1	0	0084	0292	01	075	02	3														
AIDED AND CASUALTIES		CIVILIANS			IGNITION			SPECIAL USE			NAME OF OCCUPANT (Driver)			ROOM, APT. NO.			LEFT IN CHARGE																
EVACUATED		FIRST AID		INJURED		KILLED		UNINFORMED INJURED		EXTINGUISH. CODE		TYPE INCIDENT		TERM. STAGE		EQUIP. INVOLVED		HEAT FORM		MATERIAL TYPE		MATERIAL FORM		FACTOR		SMOKE DETECTORS		1		2		3	
00		00		00		00		00		03																							
NUMBER (INCL. HYPHEN)		SUFFIX		PREFIX		DIRECT		STREET NAME		TYPE		SUFFIX		DIRECT																			
7								World Trade Center																									
EQUIPMENT INVOLVED IN IGNITION		YR.		MAKE		MODEL		SERIAL NO.		POWER																							
ITEM		YR.		MAKE		MODEL		SERIAL NO.		LICENSE		STATE																					
If Mobile Property																																	
ITEM		167		184		199		219		227																							
C O S		5 010 02		7 010 02																													
228		UNIT		PTS. 234		240		246		252		258		264		270		275															

OPERATIONS

Responded to phone alarm report of elevator emergency. Upon arrival Found that outside elevator x hoist had buckeled in 3rd floor . and possible danger of collapse. Police was on scene ,streets were closed off so pedestrians and vehicles were barred from area. . Heydt Const. Elevator mechanic was on scene, Building Dept. Was called tp scene, Chief Inspector Joe Walsh responded from Bldg. Dept. Port Authority police was left on scene. Lt. George Tell .

Engine Co. 10 - Stretched and stood fast.
Ladder Co. 10- Confirmed no one was in bldg. Closed off area.

B.C.	Eudolph S. Quatrone	1st	D.C.		DIV.		OF
TYPE FULL NAME		TIME OF ARRIVAL	TYPE FULL NAME		TIME OF ARRIVAL		
20:59							
ADMINISTRATIVE COMPANY							

BP-25 (1-00)

REPORT—TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY.

TYPE REPORT		INCIDENT LOCATION			DATE AND TIME ALARM RECEIVED			INCIDENT DURATION		BOX LOCATION		REPORT		COS. RESP.					
COMMUNITY BOARD	ADMIN. COMPANY	BLOCK NUMBER	MONTH	DAY	YEAR	HOUR	MINUTE	HOURS	MINUTES	HOW REPORTED	INITIAL ALARM	HIGHEST ALARM	BOROUGH	BOX NUMBER	REPORT NUMBER	FILING BATTALION	BADGE NUMBER	ENG. SQ. MARINE	LADDER
4	01	5 010	0026	04	04	87	1316	01	30	2	1	1	1	0084	0054	01	113	01	1

AIDED AND CASUALTIES				IGNITION				SPECIAL USE						
CIVILIANS				TYPE INCIDENT				SMOKE DETECTORS						
EVACUATED	FIRST AID	INJURED	KILLED	UNINFORMED INJURED	EXTINGUISH. CODE	TERM. STAGE	EQUIP. INVOLVED	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	FACTOR	1	2	3
					08									

NAME OF OCCUPANT (Driver)

ROOM, APT NO

Sgt. Smolen P.A. Police
LEFT IN CHARGE

NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	TYPE	SUFFIX
7				WTC		

Equipment Involved in Ignition	YR.	MAKE	MODEL	SERIAL NO.	POWER

If Mobile Property	ITEM	YR.	MAKE	MODEL	SERIAL NO.	LICENSE	STATE

COS.	UNIT	PTS.	234	240	246	252	258	264	270	275
5	007	02	7	010	02					

OPERATIONS

Units responded to 7 WTC for a scaffold located on the outside of the 24th floor which had to be secured to the building, companies operated as follow;


L-10 responded to 24th floor and broke window out to secured scaffold.

E-7 responded to Vessey and West St. to prevent pedestrians and vehicles from entering area while window was being broken, scaffold secured both companies took up leaving P.A. Police in charge.

B.C. John J. Spillane 1318

D.C.

DIV.



TYPE FULL NAME

TIME OF ARRIVAL

TYPE FULL NAME

TIME OF ARRIVAL

ADMINISTRATIVE COMPANY

FD-203 (7/00)

REPORT—TRANSPORTATION FIRE, NON-STRUCTURAL FIRE OR EMERGENCY.

TYPE REPORT		INCIDENT LOCATION			DATE AND TIME ALARM RECEIVED			INCIDENT DURATION		HOW REPORTED		BOX LOCATION		REPORT		COS. RESP.																																																				
COMMUNITY BOARD	ADMIN. COMPANY	BLOCK NUMBER	MONTH	DAY	YEAR	HOUR	MINUTE	HOURS	MINUTES	INITIAL ALARM	HIGHEST ALARM	BOROUGH	BOX NUMBER	REPORT NUMBER	FILING BATTALION	BADGE NUMBER	ENG. SQ. MACHINE	LADDER																																																		
4	01	5 010	0026	04	04	87	1316	01	30	2	1	1	0084	0054	01	113	01	1																																																		
<table border="1"> <thead> <tr> <th colspan="4">AIDED AND CASUALTIES</th> <th colspan="4">IGNITION</th> <th colspan="2">SPECIAL USE</th> </tr> <tr> <th colspan="4">CIVILIANS</th> <th colspan="4">EQUIP. INVOLVED</th> <th colspan="2"></th> </tr> <tr> <th>EVAQUATED</th> <th>FIRST AID</th> <th>INJURED</th> <th>KILLED</th> <th>UNINFORMED INJURED</th> <th>EXTINGUISH. CODE</th> <th>TYPE INCIDENT</th> <th>TERM. STAGE</th> <th>HEAT FORM</th> <th>MATERIAL TYPE</th> <th>MATERIAL FORM</th> <th>FACTOR</th> <th>SMOKE DETECTORS</th> <th>1</th> <th>2</th> <th>3</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>08</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																	AIDED AND CASUALTIES				IGNITION				SPECIAL USE		CIVILIANS				EQUIP. INVOLVED						EVAQUATED	FIRST AID	INJURED	KILLED	UNINFORMED INJURED	EXTINGUISH. CODE	TYPE INCIDENT	TERM. STAGE	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	FACTOR	SMOKE DETECTORS	1	2	3						08										
AIDED AND CASUALTIES				IGNITION				SPECIAL USE																																																												
CIVILIANS				EQUIP. INVOLVED																																																																
EVAQUATED	FIRST AID	INJURED	KILLED	UNINFORMED INJURED	EXTINGUISH. CODE	TYPE INCIDENT	TERM. STAGE	HEAT FORM	MATERIAL TYPE	MATERIAL FORM	FACTOR	SMOKE DETECTORS	1	2	3																																																					
					08																																																															
<table border="1"> <thead> <tr> <th colspan="2">NUMBER (INCL. HYPHEN)</th> <th>SUFFIX</th> <th>PREFIX</th> <th>STREET NAME</th> <th>TYPE</th> <th>SUFFIX</th> <th>DIRECT</th> </tr> </thead> <tbody> <tr> <td>7</td> <td></td> <td></td> <td></td> <td>WTC</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																	NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	TYPE	SUFFIX	DIRECT	7				WTC																																							
NUMBER (INCL. HYPHEN)		SUFFIX	PREFIX	STREET NAME	TYPE	SUFFIX	DIRECT																																																													
7				WTC																																																																
<table border="1"> <thead> <tr> <th colspan="2">EQUIPMENT INVOLVED IN IGNITION</th> <th>YR.</th> <th>MAKE</th> <th>107</th> <th>112</th> <th>MODEL</th> <th>SERIAL NO.</th> <th>POWER</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																	EQUIPMENT INVOLVED IN IGNITION		YR.	MAKE	107	112	MODEL	SERIAL NO.	POWER																																											
EQUIPMENT INVOLVED IN IGNITION		YR.	MAKE	107	112	MODEL	SERIAL NO.	POWER																																																												
<table border="1"> <thead> <tr> <th colspan="2">ITEM</th> <th>YR.</th> <th>MAKE</th> <th>113</th> <th>115</th> <th>MODEL</th> <th>130</th> <th>SERIAL NO.</th> <th>145</th> <th>LICENSE</th> <th>166</th> <th>STATE</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																	ITEM		YR.	MAKE	113	115	MODEL	130	SERIAL NO.	145	LICENSE	166	STATE																																							
ITEM		YR.	MAKE	113	115	MODEL	130	SERIAL NO.	145	LICENSE	166	STATE																																																								
<table border="1"> <thead> <tr> <th colspan="2">ITEM</th> <th>167</th> <th>184</th> <th>195</th> <th>219</th> <th>227</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>007 02</td> <td>7</td> <td>010 02</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>																	ITEM		167	184	195	219	227	5	007 02	7	010 02																																									
ITEM		167	184	195	219	227																																																														
5	007 02	7	010 02																																																																	

OPERATIONS

Units responded to 7 WTC for a scaffold located on the outside of the 24th floor which had to be secured to the building, companies operated as follow;


L-10 responded to 24th floor and broke window out to secured scaffold.

E-7 responded to Vessey and West St. to prevent pedestrians and vehicles from entering area while window was being broken, scaffold secured both companies took up leaving P.A. Police in charge.

B.C. John J. Spillane 1318

D.C.

DIV.



TYPE FULL NAME

TIME OF ARRIVAL

TYPE FULL NAME

TIME OF ARRIVAL

ADMINISTRATIVE COMPANY