

09 01 93 15 58 FAX 2122190258
09/01/93 TUE 10:42 FAX 212 725 0984

SWANKE HAYDEN CONNELL
SHEN MILSOM & WILKE

003
002



TECHNOLOGY CONSULTANTS IN TELECOMMUNICATIONS,
AUDIOVISUAL & ACOUSTICS

617 Fifth Avenue, New York, NY 10016
(212) 725-6800 Fax (212) 725-0864

September 1, 1998

Juan Mejia
Swanke Hayden Connell Architects
295 Lafayette Street
New York, NY 10012

Ref: Exhibit "A"

Dear Juan:

As requested, this is the equipment deletion distribution for the value engineering package.

I. RF Distribution System

- A. (74) Thirteen (13") monitors were deducted previously by Ace Audiovisual, as the result of a direct request from Ambassador Construction. They were therefore not part of the value engineering package issued by SMW on July 24, 1998.

Deduct 25,382.

II. Press Feeds

- A. The manufacturer's quote for fiber equipment has been down-graded, reducing the number of feeds between the Press Room and the street.

Deduct 116,027.

- B. Audio distribution amplifiers for distribution to multiple box locations are no longer required, and are part of the value engineering package.

Deduct 1,747.

- C. Video cable between the EOC and the Press Room was deducted previously by Ace Audiovisual, as the result of a direct request from Ambassador Construction.

Deduct 5,500.

III. External Video Feeds

- A. The Pesa video matrix switch for switching and distribution to multiple modulators is no longer required, and is part of the value engineering package.

Deduct 92,719.

- B. The manufacturer's quote for head-end equipment has been revised, reducing the number of modulated and re-modulated channels available for general distribution.

Deduct 39,529.

09/01/98 15:56 FAX 2122190258
09/01/98 TUE 10:42 FAX 212 725 0584

SWANKE HAYDEN CONNELL
SHEN MILSOM & WILKE


004

003

There are additional costs associated with this equipment that have been deducted. I have attached a copy of Ace Audiovisual's Recap sheet, included in their response to Bulletin 1, to explain the additional deductions.

If you have any other questions or issues that require discussion, please call me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Peter J. Stern', written in a cursive style.

Peter J Stern

Associate