



FIRE SERVICE INCORPORATED

54151

SUBSIDIARY OF FIRECOM INC.
39-27 FIFTY NINTH STREET
WOODSIDE, NEW YORK 11377
(718) 899-2311

REPORT OF FIELD SERVICE

VOICE TO

SERVICED

World Trade Center
N.Y.C.

ILL AUTHORIZED BY <i>MR. P. T. King</i>	CONTRACT #	FEE SERVICE #	FJ #	FO #	SEE AT JOB SITE
ONE	EXT	DATE SCHEDULED <i>5/11/98</i>	TIME SCHEDULED <i>AM - PM</i>	SERVICEMAN ASSIGNED <i>[Signature]</i>	

MATERIAL RECORD

QUANTITY ISSUED	QUANTITY B/O	F.C.I. NO.	DESCRIPTION	UNIT PRICE	PER	TOTAL AMOUNT

EXCK APPROPRIATE BOX

- G.C. ☐ EMERGENCY CALL
I.S.T. ☐ CONTRACT CALL
FEE CALL ☐ PICK UP
DELIVERY ☐ DEMO OWNER
GEMO ☐ SURVEY

DEPARTED SHOP	TIME IN	TIME OUT	RETURNED SHOP	TOTAL HOURS	START MILEAGE	END MILEAGE	MISC EXPENSE	CAR FARE
<i>2:00</i>	<i>3:30</i>	<i>5:00</i>	<i>6:00</i>					
☐ MAT RECD ☐ PARTIAL ☐ OTHER ☐ LABOR RECD				SERVICE DATE <i>5/11/98</i>	CUSTOMER SIGNATURE <i>[Signature]</i>			
I.S.T. COMPLETE ☐ CALL COMPLETE ☐				WILL RETURN ON	SERVICEMAN SIGNATURE <i>[Signature]</i>			

PROBLEM—AS DESCRIBED

Trouble with Fire Alarm
No Reset.

SERVICE PERFORMED *Found system going in and out of alarm. No go to a combination smoke det on the 3rd FL. M.F.R. which was going in and out as F.S.D. Reset because steam building up in the F.M.R. Therefore, A.C. recommended 4 hrs. Bldg. Tack Head off & kept out until steam cleared ground room.*

WORK REMAINING *Replate on just back smoke det head once steam is clear inside M.F.R.*

AUTHORIZATION FOR FIRE ALARM INTERUPTION
 The undersigned has been advised by Fire Service, Inc. representative that it may be necessary to interrupt the fire protection service by disconnecting the system and/or a component at the performance of their assigned work. The undersigned hereby assumes the responsibility for the notification of the authorities at the time the interruption is initiated and will take all of the precautions deemed necessary during this period of interruption and hold harmless Fire Service, Inc. and its employees regarding interruption of its protection service during their service of the equipment.

Name _____ Date _____

CITY OF NEW YORK

FIRE DEPARTMENT

BUREAU OF FIRE PREVENTION

VIOLATION ORDER

U 168688



VIOLATIONS

To:

7 WTC

Address of Premises

Boro

NY

SILVERSTEIN BLDG

Name of Owner, Lessee, Occupant, etc.

Room No. or Floor

Type of Occupancy

Account No.

Item No.	Item No.	VIOLATION ORDER	
	FP-1-2	Provide / Refill fire pails of sand/water at	Total
	FP-3-4	Provide / Refill (or) recharge approved fire extinguishers at	
	FP-7	Provide properly covered fireproof receptacles for inflammable rubbish at	
	FP-11	Provide "No Smoking" signs at	Total
	FP-12	Remove all accumulations of inflammable rubbish from and maintain all parts of premises free from such accumulations at all times (Comply FORTHWITH)	
	FP-13	Reduce height of stock to not less than 18 inches of ceiling or sprinklers at	
	FP-15	Discontinue storage, sale, or use of volatile flammable liquids.	
	FP-17	Discontinue use of open flame at	
	FP-21	Maintain floors clean of waste oils.	
	FP-25-26	Provide Exit signs/Red lights over exit signs at	Total
	FP-27	Maintain adequate aisle space not less than 36 inches at	
	FP-28	Remove all obstructions to means of egress at	
	FP-30	Remove grease, paint, or other accumulations from hoods or ducts on	
	FP-42	Replace missing or defective hose on standpipe outlet at	
	FP-56	Remove all obstructions to sprinkler control valve at	
	FP-60	Seal sprinkler control valves "open" with approved seals at	
	FP-102	Remove unapproved iron bars, grills, gates, or other obstructing devices on any window giving access to fire escapes or to a required secondary means of egress.	
	SP-12	Arrange (scuttle/bulkhead door) to be readily opened from the inside without the use of a key.	
	SP-15, 16, 17, & 18	Provide that door of (public hall/dumbwaiter/roof bulkhead/rubbish chute/laundry chute hopper/kitchen/incinerator chute hopper/garage/garage vestibule/stairway/store room/rubbish room/incinerator room/boiler room/maintenance room) located at be self closing/placed in good operating condition/maintained closed.	
	SP-19	Maintain adequate light in (public hallway/public stairway) at	
	SP-34	Properly scrape and paint with two coats of paint the (fire escape/exterior screened stairway) on (front/rear/ side) of building.	
	SP-35	Properly replace all defective portions of the (fire escape/exterior screened stairway) at the side of the building. All windows and doors which open upon the course of the (fire escape/exterior screened stairway) are to be repaired and all work showing corrosion is to be scraped and painted with at least two coats of paint.	
	SP-38	Provide that the self-closing (door/window) opening on the course of the (fire escape/exterior screened stairway) on the side of the building on the story, be (placed in good operating condition/maintained closed).	
	SP-39	Provide that the door serving as required means of egress at be readily openable from (the inside/both sides) without the use of a key.	
	SP-42	Store (paint/paint drop cloths) in approved storage (area/room/cabinet) at	
	SP-53	Replace (used/damaged/missing) sprinkler head at	
	SP-64	Discontinue use of temporary wiring being used in place of fixed wiring at	
	SP-80	Properly store (mattresses/furniture/paints/insecticides) in approved storage (compartment/room) at	
	SP-81	Provide temporary protection of unused dumbwaiter shafts by means of nailing doors closed and sealing of unprotected openings on all floors, including cellar, (skylights shall remain) pending compliance with the requirement of the Department of Buildings.	
	FO-5	Provide an affidavit from a licensed fuel oil installer that oil burner is clean and in operating condition.	

MALFUNCTION IN CLASS E SYSTEM

Comply with Sect 27.572 (b) & (c) of the BLDG CODE. Provide A AFFIDAVIT from a competent Fire Alarm MAINTENANCE PERSONNEL THAT THE EQC CLASS E OR MODIFIED CLASS E SYS AS SPECIFIED IN REF STD 17-3A OF THE BLDG CODE IS IN PROPER WORKING ORDER & FREE. DO NOT IS. A AFFIDAVIT shall cause & REMOVE ALL MALFUNCTION.

If this order has not been complied with, in 6 days of the issuance date (or forthwith for those violations designated "comply FORTHWITH"), a summons will be served for violation of Chapter 19 of the Administration Code of the City of New York.

FAX # (212) 576-4502.

THANKS YOU FSS on
 [Signature]
 Fire Commiss

This is to certify that I have made an inspection of said premises and have issued the above order to.

TONY RUBINO

Name of person who received this order

Owner/Agent/Occupant

Inspector

Date



Important: See instructions on reverse side.

For information, inspection or dismissal contact inspection unit:

Unit

E-10

Unit Address

124 LIBERTY ST

Unit Telephone

(212) 570-42



FIRE DEPARTMENT
BUREAU OF FIRE PREVENTION

U168689

VIOLATION ORDER

VIOLATIONS

Total No. of Violations 2

To: 7 WOODWARD ROAD, CROTONA HEIGHTS, N.Y. 10465
Address of Premises
Room No. or Floor: 1st Floor
Type of Occupancy: Office/Store
Name of Owner, Lessee, Occupant, etc.: Steven Stein Pro.
Account No.:
Date: 5/17/98

Item No.	Violation	Remarks
FP-1-2	Provide / Refill (or) recharge approved fire extinguishers at	
FP-3-4	Provide properly covered fireproof receptacles for inflammable rubbish at	
FP-7	Provide	
FP-11	Provide	
FP-12	Remove all accumulations of inflammable rubbish from premises and maintain all parts of premises free from such accumulations at all times (Comply FORTHWITH)	
FP-13	Reduce height of stock to not less than 18 inches of ceiling or sprinklers at	
FP-15	Discontinue storage, sale, or use of volatile flammable liquids.	
FP-17	Discontinue use of open flame or	
FP-21	Maintain floors clean of waste oils.	
FP-25-26	Provide	
FP-27	Maintain adequate aisle space not less than 36 inches at	
FP-28	Remove all obstructions to means of egress at	
FP-30	Remove grease, paint, or other accumulations from hoods or ducts on	
FP-42	Replace missing or defective hose on standpipe outlet at	
FP-56	Remove all obstructions to sprinkler control valve at	
FP-60	Seal sprinkler control valves "open" with approved seals at	
FP-102	Remove unapproved iron bars, grills, gates, or other obstructing devices on any window giving access to fire escapes or to a required secondary means of egress.	
SP-12	Arrange (scuttle/bulkhead door) to be readily opened from the inside without the use of a key.	
SP-15, 16, 17, & 18	Provide that door of (public hall/dumbwaiter/roof bulkhead/rubbish chute/laundry chute hopper/kitchen/incinerator chute hopper/garage/garage vestibule/stairway/store room/rubbish room/incinerator room/boiler room/maintenance room) located at be self closing/placed in good operating condition/maintained closed.	
SP-19	Maintain adequate light in (public hallway/public stairway) at	
SP-34	Properly scrape and paint with two coats of paint the (fire escape/exterior screened stairway) on (front/rear/ side) of building.	
SP-35	Properly replace all defective portions of the (fire escape/exterior screened stairway) at the side of the building. All windows and doors which open upon the course of the (fire escape/exterior screened stairway) are to be repaired and all work showing corrosion is to be scraped and painted with at least two coats of paint.	
SP-38	Provide that the self-closing (door/window) opening on the course of the (fire escape/exterior screened stairway) on the side of the building on the story, be (placed in good operating condition/maintained closed).	
SP-39	Provide that the door serving as required means of egress at be readily openable from (the inside/both sides) without the use of a key.	
SP-42	Store (paint/paint drop cloths) in approved storage (area/room/cabinet) at	
SP-53	Replace (used/damaged/missing) sprinkler head at	
SP-64	Discontinue use of temporary wiring being used in place of fixed wiring at	
SP-80	Properly store (mattresses/furniture/paints/insecticides) in approved storage (compartment/room) at	
SP-81	Provide temporary protection of unused dumbwaiter shafts by means of nailing doors closed and sealing of unprotected openings on all floors, including cellar (skylights shall remain) pending compliance with the requirement of the Department of Buildings.	
FO-5	Provide an affidavit from a licensed fuel oil installer that oil burner is clean and in operating condition.	

SP-100 SP-100 Provide Fire Guard with a Certificate of Fitness for each level (7) Floor on duty, thereof to be on duty to make hourly rounds.
SP-101 SP-101 Maintain Records of Fire guard's hourly inspections and make these records available for F.D. Review.

If this order has not been complied with by the date of the issuance date (or forthwith for those violations designated "comply FORTHWITH"), a summons will be served for violation of Chapter 19 of the Administration Code of the City of New York.
This is to certify that I have made an inspection of said premises and have issued the above order to:
Name of person who received this order: Mr. T. G...
Owner/Agent/Occupant: ...
Inspector: Thomas VagEssen
Date: 5/17/98
Unit: E-10
Unit Address: 124 Liberty St.
Unit Telephone: 212/570-4216



FIRE DEPARTMENT
BUREAU OF FIRE PREVENTION
VIOLATION ORDER

U 158448

VIOLATIONS

Total No. of Violations

To: <u>7 West 10th St. New York City, N.Y. 10011</u>		
<u>Address of Premises</u>	<u>Baro</u>	<u>Name of Owner, Lessee, Occupant, etc.</u>
<u>Room No. or Floor</u>	<u>Type of Occupancy</u>	<u>Account No.</u>

Item No.	Item No.	VIOLATION ORDER
FP-1-2	Provide / Refill	fire pails of sand/water at _____ Total
FP-3-4	Provide / Refill (or) recharge	approved _____ fire extinguishers at _____
FP-7	Provide	properly covered fireproof receptacles for inflammable rubbish at _____
FP-11	Provide	"No Smoking" signs at _____ Total
FP-12	Remove all accumulations of inflammable rubbish from _____	and maintain all parts of premises free from such accumulations at all times (Comply FORTHWITH)
FP-13	Reduce height of stack to not less than 18 inches of ceiling or sprinklers at _____	
FP-15	Discontinue storage, sale, or use of volatile flammable liquids.	
FP-17	Discontinue use of open flame at _____	
FP-21	Maintain floors clean of waste oils.	
FP-25-26	Provide	Exit signs/Red lights over exit signs at _____ Total
FP-27	Maintain adequate aisle space not less than 36 inches at _____	
FP-28	Remove all obstructions to means of egress at _____	
FP-30	Remove grease, paint, or other accumulations from hoods or ducts on _____	
FP-42	Replace missing or defective hose on standpipe outlet at _____	
FP-56	Remove all obstructions to sprinkler control valve at _____	
FP-60	Seal sprinkler control valves "open" with approved seals at _____	
FP-102	Remove unapproved iron bars, grills, gates, or other obstructing devices on any window giving access to fire escapes or to a <u>required</u> secondary means of egress.	
SP-12	Arrange (scuttle/bulkhead door) to be readily opened from the inside without the use of a key.	
SP-15, 16, 17, & 18	Provide that door of (public hall/dumbwaiter/roof bulkhead/rubbish chute/laundry chute hopper/kitchen/incinerator chute hopper/garage/garage vestibule/stairway/store room/rubbish room/incinerator room/boiler room/maintenance room) located at _____ be self closing/placed in good operating condition/maintained closed.	
SP-19	Maintain adequate light in (public hallway/public stairway) at _____	
SP-34	Properly scrape and paint with two coats of paint the (fire escape/exterior screened stairway) on (front/rear/ _____ side) of building.	
SP-35	Properly replace all defective portions of the (fire escape/exterior screened stairway) at the _____ side of the building. All windows and doors which open upon the course of the (fire escape/exterior screened stairway) are to be repaired and all work showing corrosion is to be scraped and painted with at least two coats of paint.	
SP-38	Provide that the self-closing (door/window) opening on the course of the (fire escape/exterior screened stairway) on the _____ side of the building on the _____ story, be (placed in good operating condition/maintained closed).	
SP-39	Provide that the door serving as required means of egress at _____ be readily openable from (the inside/both sides) without the use of a key.	
SP-42	Store (paint/paint drop cloths) in approved storage (area/room/cabinet) at _____	
SP-53	Replace (used/damaged/missing) sprinkler head at _____	
SP-64	Discontinue use of temporary wiring being used in place of fixed wiring at _____	
SP-80	Properly store (mattresses/furniture/paints/insecticides) in approved storage (compartment/room) at _____	
SP-81	Provide temporary protection of unused dumbwaiter shafts by means of nailing doors closed and sealing of unprotected openings on all floors, including cellar, (skylights shall remain) pending compliance with the requirement of the Department of Buildings.	
FO-5	Provide an affidavit from a licensed fuel oil installer that oil burner is clean and in operating condition.	
511	Remove scuttling forthwith in safe manner	
	Seal window opening on 56th floor	

If this order has not been complied with, in 240 days of the issuance date (or forthwith for those violations designated "comply FORTHWITH"), a summons will be served for violation of Chapter 19 of the Administration Code of the City of New York.

This is to certify that I have made an inspection of said premises and have issued the above order to

(Thomas) Kevin Rasmussen	Don A. Pate	6/10/98
Name of person who received this order	Owner/Agent/Occupant	Inspector
		Date


 Important: See instructions on reverse side. For information, inspection or dismissal contact inspection unit.

Unit L10 Unit Address 127 L... Unit Telephone 221 574 220

304822 U

THE NEW YORK CITY DEPARTMENT OF FIRE PREVENTION

REINSPECTION RECORD



DATE OF INSPECTION	ITEMS NO.	C.W.	PROG.	N.C.W.	SUM.	NAME OF INSPECTOR	UNIT

ACTION REPORT INSPECTING UNIT

RECOMMENDATION: ORDER BE ☐ DISMISSED ☐ ENFORCED

REASONS: ITEMS # _____ C.W. ITEMS # _____ N.C.W.

ADDITIONAL INFORMATION _____

INSPECTOR _____ DATE _____ CO. COMMANDER SUPERVISOR _____

DISPOSITION REPORT - BUR. OF FIRE PREVENTION

DATE _____ SUPERVISOR _____



FIRE DEPARTMENT

BUREAU OF FIRE PREVENTION

VIOLATION ORDER

U 168688

VIOLATIONS



Total No. of Violations	1
-------------------------	---

To: 7 W 7 P NY Shore Street 4-26
 Address of Premises Boro Name of Owner, Lessee, Occupant, etc.
Room No. or Floor Type of Occupancy Account No.

Item No.	Item No.	VIOLATION ORDER	
	FP-1-2	Provide / Refill fire pails of sand/water at	Total
	FP-3-4	Provide / Refill (or) recharge approved _____ TYPE fire extinguishers of	
	FP-7	Provide properly covered fireproof receptacles for inflammable rubbish at	
	FP-11	Provide "No Smoking" signs at	Total
	FP-12	Remove all accumulations of inflammable rubbish from and maintain all parts of premises free from such accumulations at all times (Comply FORTHWITH)	
	FP-13	Reduce height of stock to not less than 18 inches of ceiling or sprinklers at	
	FP-15	Discontinue storage, sale, or use of volatile flammable liquids	
	FP-17	Discontinue use of open flame at	
	FP-21	Maintain floors clean of waste oils	
	FP-25-26	Provide Exit signs/Red lights over exit signs at	Total
	FP-27	Maintain adequate aisle space not less than 36 inches at	
	FP-28	Remove all obstructions to means of egress at	
	FP-30	Remove grease, paint, or other accumulations from hoods or ducts on	
	FP-42	Replace missing or defective hose on standpipe outlet at	
	FP-56	Remove all obstructions to sprinkler control valve at	
	FP-60	Seal sprinkler control valves "open" with approved seals at	
	FP-102	Remove unapproved iron bars, grills, gates, or other obstructing devices on any window giving access to fire escapes or to a required secondary means of egress.	
	SP-12	Arrange (scuttle/bulkhead door) to be readily opened from the inside without the use of a key.	
	SP-15, 16, 17, & 18	Provide that door of (public hall/dumbwaiter/roof bulkhead/rubbish chute/laundry chute hopper/kitchen/incinerator chute hopper/garage/garage vestibule/stairway/store room/rubbish room/incinerator room/boiler room/maintenance room) located at _____ be self-closing/placed in good operating condition/maintained closed.	
	SP-19	Maintain adequate light in (public hallway/public stairway) at _____	
	SP-34	Properly scrape and paint with two coats of paint the (fire escape/exterior screened stairway) on (front/rear/ _____ side) of building.	
	SP-35	Properly replace all defective portions of the (fire escape/exterior screened stairway) at the _____ side of the building. All windows and doors which open upon the course of the (fire escape/exterior screened stairway) are to be repaired and all work showing corrosion is to be scraped and painted with at least two coats of paint.	
	SP-38	Provide that the self-closing (door/window) opening on the course of the (fire escape/exterior screened stairway) on the _____ side of the building on the _____ story, be (placed in good operating condition/maintained closed).	
	SP-39	Provide that the door serving as required means of egress at _____ be readily openable from (the inside/both sides) without the use of a key.	
	SP-42	Store (paint/paint drop cloths) in approved storage (area/room/cabinet) at _____	
	SP-53	Replace (used/damaged/missing) sprinkler head at _____	
	SP-64	Discontinue use of temporary wiring being used in place of fixed wiring at _____	
	SP-80	Properly store (mattresses/furniture/paints/insecticides) in approved storage (compartment/room) at _____	
	SP-81	Provide temporary protection of unused dumbwaiter shafts by means of nailing doors closed and sealing of unprotected openings on all floors, including cellar, (skylights shall remain) pending compliance with the requirement of the Department of Buildings.	
	FO-5	Provide an affidavit from a licensed fuel oil installer that oil burner is clean and in operating condition.	
		malfunction of CURB E SYSTEM Comply with Sect 27.572 (b) of the FDNY Code. Please see the A fire department from a conducting fire alarm maintain well. Remember that the F.O. CURB E OR monitoring CURB E SYS AS prescribed in REF STD 17-34 OF THE 34th CODE: IS IN WORKING ORDER + FURTHER DEFECTS. A FIDM will show cause & remedy if malfunction.	

If this order has not been complied with, in _____ days of the issuance date (or forthwith for those violations designated "comply FORTHWITH"), a summons will be served for violation of Chapter 19 of the Administration Code of the City of New York.

TAX# 2015 26-4502

THOMAS J. P. 3350
 Fire Commissioner

This is to certify that I have made an inspection of said premises and have issued the above order to:

TONY RUBINO E.S.D. Inspector Date
 Name of person who received this order Owner/Agent/Occupant Inspector Date

Important: See instructions on reverse side. For information, inspection or dismissal contact inspection unit.
 Unit E.O. Unit Address 124 LIBERTY ST Unit Telephone 2015 70-4210

REINSPECTION RECORD

DATE OF INSPECTION	ITEMS NO.	C.W.	PROG.	N.C.W.	SUM.	NAME OF INSPECTOR	UNIT

ACTION REPORT INSPECTING UNIT

RECOMMENDATION:

ORDER BE

☐ DISMISSED

☐ ENFORCED

REASONS:

ITEMS #

C.W.

ITEMS #

N.C.W.

ADDITIONAL INFORMATION

INSPECTOR

DATE

CO. COMMANDER SUPERVISOR

DISPOSITION REPORT - BUR. OF FIRE PREVENTION

DATE

SUPERVISOR

FIRE PREVENTION INSPECTION CHECKLIST


5	0	1	0
Unit			

0	5	0	5	0	0
Month		Day		Year	

Address:	7 World Trade Center
Type of Building/Occupancy:	Class 1 Commercial
Exterior:	Good
Fire Escapes:	N/A
Hallways, Stairs & Exits:	Good
Roof:	Good
Below Grade Areas:	N/A
Sprinkler, Standpipe, Fire Suppression:	Good through out
Alarm System:	Good
General Housekeeping:	Good
Building Service Equipment: (heating, electric, elevator, etc.)	Good
Other Violations Found?	

Is an A-E or other report required to be forwarded for this building or occupancy?

YES NO (Circle Yes or No)

Inspector	A. DiNicola		LT 2 ^o
Officer	T. McNAMARA		LT
NAME		SIGNATURE	RANK

FIRE PREVENTION INSPECTION CHECKLIST

E	0	1	0
Unit			

0	8	2	4	9	9
Month		Day		Year	

Address:	7 WTC
Type Building/Occupancy:	Comm
Exterior:	Good
Fire Escapes:	N/A
Hallways, Stairs & Exits:	NO V
Roof:	Good
Below Grade Areas:	Good
Sprinkler, Standpipe, Fire Suppression:	Good
Alarm System:	Good
General Housekeeping:	NO V
Building Service Equipment: (heating, electric, elevator, etc.)	Good
Other Violations Found?	

Is an A-8 or other report required to be forwarded for this building or occupancy?

YES NO (Circle Yes or No)

Inspector	T. Doherty	SIGNATURE	RANK
Officer	A. DeLorenzo		
NAME			

A-17 (3/88) H1-880294-R25

INVESTIGATION OF COMPLAINT REPORT

☐ INTERIM REPORT
☒ FINAL REPORT

DIV.	BATT.	CO.	D.O.
1	1	B-10	1

COMPLAINT
NUMBERCOMPLAINT
DATE REC'D

02 / 06 91

TIME

1100

A.M.
P.M.HOW RECEIVED: ☐ VERBAL☐ CARD-LETTER☐ BUR. OF F.P.☐ DISP.☐ OTHER

PREMISES LOCATION

7 WORLD TRADE CENTER

BORO

MANN.

ZIP CODE

XXX	Bldg. Owner
	Bldg. Agent
	Occupant

Name

PORT AUTHORITY

Type of Occupancy/Bldg.

COMMERICAL

Construction

CLASS# 1

Height

47

Area

246X188

Name of Officer (If Corp.)

SILVERSTEIN

Title

FILING AGENT

Mailing Address

Boro

Zip Code

Complainant's Name

UNKNOWN

Telephone

Complainant's Address

Boro

Zip Code

ITEM NO.	FILL IN ITEM NO.	NATURE OF COMPLAINT	ROOM/FLOOR	LOCATION
1		RUBBISH — COMBUSTIBLE		
2	2	CERTIFICATE OF FITNESS REQUIREMENTS		
3		INCINERATOR CLOGGED/DEFECTIVE	27	THRU OUT
4		DEFECTIVE OIL BURNER		
5		REQUIRED SELF CLOSING DOOR — DEFECTS		
6		EXITS — BULKHEAD DOORS LOCKED		
7		BLOCKED — OBSTRUCTED EXITS/HALLS		
8		FIRE ESCAPE OBSTRUCTIONS		
9		DEFECTIVE ELECTRICAL FIXTURES/OUTLETS/WIRING		
10		WATER LEAKS (NEAR ELECTRIC WIRING/FIXTURES)		
11		VACANT BUILDING (BOARD UP)		
12		LIGHTING IN HALLWAY/STAIRS		
13		ILLEGAL OCCUPANCY		
14	14	ILLEGAL USE OF CUTTING TORCH	27	thru out

ACTION TAKEN: ☐ V.O. ISSUED☐ A-8☐ SPECIAL REPORT☐ SUMMONS ISSUED☒ NO CAUSE FOR COMPLAINT

REMARKS:

ALL WORK BEING DONE COMPLIES WITH F.P. DIR. 3-60 WITH PROPER WORK & VALID PERMITS. (POSSIBLE TRADE CONFLICT BETWEEN IRON WORKERS & LOCAL 3 ELECTRICAL UNION)

INVESTIGATED BY
SIGNED

RANK

F.P. 1st

UNIT

B#10

DATE

02 / 06 91

OFFICER ON DUTY

RANK

LT.

UNIT

B#10

GROUP

19

BATTALION CHIEF

BATT.

1

GROUP

DATE

/ /

DEPUTY CHIEF

DIV.

GROUP

DATE

/ /

ENTRIES: LEGIBLY PRINTED, USING BALL POINT PEN OR TYPEWRITER

1

ITEM NO.	COMPLAINT ITEMS THAT MAY BE RECORDED IN BLANK SPACE ON REVERSE SIDE
14	ILLEGAL SMOKING
15	AUTOMATIC FIRE DOORS
16	aisle space
17	STAIRWAY DEFECTS (STEPS, LANDINGS, HANDRAILS)
18	EXIT SIGNS / LIGHTS
19	FIRE ESCAPE MAINTENANCE
20	SCUTTLES — OBSTRUCTED/NOT READILY OPENED
21	HOLES (CEILING, WALL, FLOOR, FIRESTOPPING)
22	AERIAL OR OTHER TYPE WIRES (10' ABOVE ROOF)
23	STORAGE L.P.G.
24	STORAGE COMBUSTIBLE MIXTURES
25	STORAGE VOLATILE INFLAMMABLE OIL
26	STORAGE INFLAMMABLE MIXTURES
27	STORAGE PAINT / PAINT PRODUCTS
28	EMPTY CONTAINERS — FLAMMABLE LIQUIDS
29	PAINT SPRAY RULES
30	KEROSENE SPACE HEATER
31	CHARCOAL GRILLS
32	INCINERATOR ROOMS (HOURS OF OPERATION, ETC.)
33	SPARK ARRESTOR — INCINERATOR CHIMNEY
34	FUEL OIL TANK — LEAK
35	MOTOR VEHICLE REPAIR
36	STANDPIPE — SPRINKLER (LEAKING TANKS, ETC.)
37	CHRISTMAS DECORATIONS
38	FALLEN TREES, WEEDS, RUBBISH IN LOTS
39	FIRE HYDRANTS — WEEDS
40	OUTSIDE FIRES



Silverstein Properties, Inc.
7 World Trade Center
New York, N.Y. 10048
Telephone: 212 619-6569
Fax: 212-732-5190

August 16, 1990

Engine Company 10
Liberty Street
New York, NY 10048

RE: 7 World Trade Center
Class "E" Shutdown

Dear Lieutenant:

Please be advised that the Class "E" system for 7 World Trade Center will be inoperable from Friday, 8/17/90, at 6:00 P.M. until Sunday, 8/19/90, 6:00 P.M. This shutdown is due to the "tying" in of additional floors into the base building system.

As a precautionary measure, firewatch patrol guards will be stationed on each tenant occupied floor for the duration of the shutdown (48 hours).

Should any questions arise, please feel free to contact me at 619-6569.

Respectfully,

A handwritten signature in dark ink, appearing to read "John Catano".

John Catano
Security Manager

JC/as

cc: J. Halpin
M. Bassin
B. Kesner

HI-RISE BUILDING UNIT
DIVISION OF FIRE PREVENTION

Date 4/20/88

To: Company Commander

Unit: HI-RISE UNIT
TEL. 408-1420

From: Lt. Bass

During the course of an examination conducted by this unit at _____

7 World Trade Center, the following violations

were observed:

Con Ed / Cable Vault on 5TH FL.
and Substation on 1ST Floor

For your information and
necessary action. No reply
required.

Respectfully submitted,

Lt. Kenneth T. Bass

03-114-100-0582

Division 1

BUILDING PROFILE SHEET

(1800)

Tony CRAIG


ADDRESS: 7 WTC -
 A.K.A.: _____
 ADMIN DIST: _____ BLOCK NO. _____
 HEIGHT: 47 Stories
 AREA: 246 x 250 - 188
 YEAR CONST: 1986
 OWNER: PORT AUTH / SILVERSTEIN
 MANAGING AGENT: SILVERSTEIN
 PRINCIPAL OCCUPANT: DAEXEL BURNHAM Sole Occ YES/NO
 TOTAL NO. OF OCCUPANTS: _____
 HOURS OF OPERATION: 24hour _____ 0600-2400 _____ 0700-1900 _____
 FIRE SAFETY DIRECTOR: _____
 F.S.D. PHONE NO.: 619-6969 - CONSTRUCTION MGR
 MFG. OF CLASS E ALM SYS: FIRE Comm - COMPUTER - YES/NO
 MFG. OF ELEVATORS: OTIS -
 SPRINKLER SYS: Throughout ✓, Partial - _____ % Above grade areas
 CIDS: _____ TIPS: _____ STAIR PRESSURIZATION: NONE
 ACCESS STAIRS: NONE 9/18/86
 HELICOPTER ACCESS: NONE -
 FIRES (75 OR >): _____
 REMARKS: MGR - ROBERT WASHNICK - 619 -
SAFETY - RICHARD COHEN - 6969


SUB STATION

*CON-ED VAULTS - WEST & NORTH TRANSFORMERS
1-3 FLOORS*

UNIT: _____ OFFICER: _____ DATE: _____

*ELECTRICAL
5+6 BUILDING*





CROSS STREETS

CITY OF NEW YORK
FIRE DEPARTMENT
BUREAU OF FIRE PREVENTION

A-1338-851
730 9415 - 6642/1587

BATTALION 1

VIOLATION ORDER

D 223621

To 7 World Trade Center ADDRESS 110 Wall Street NAME OF OWNER, LEASEE, OCCUPANT, ETC. James Corp
ROOM NO. OR FLOOR 10th floor TYPE OF OCCUPANCY Office ACCOUNT NO. 1000

Sir: An inspection this date of the above premises indicates the existence of the following violations under the enforcement jurisdiction of this Department. You are hereby directed to correct such violations by compliance with the following order:

STANDARD ORDER FORM NO.	ITEM NO.	
SP4	2	Maintain watchman's clock record and keep on file at the premises for at least 30 days so that same can be inspected by Fire Dept.
SP1	1	Provide an affidavit from the alarm company stating system on line and functional.

If this order has not been complied with, in 30 days of the issuance date, A SUMMONS will be served for violation of Chapter 19 of the Administrative Code of the City of New York.

TO 25

TO 24

FOR -NUMBERING

FOR DISMISSAL

Joseph J. Apicella
Fire Commissioner

This is to certify that I have made an inspection of said premises and have issued the above order to:

NAME OF PERSON WHO RECEIVED THIS ORDER James Corp TITLE Deputy Fire Safety Director PHONE # 696529
INSPECTOR Robert R. [Signature] DATE 10-7-96 UNIT 2-10

Unit Address 114 Liberty St Unit Telephone 575-4311

REINSPECTION RECORD

DATE OF INSPECTION	ITEMS NO	C.W.	PROG.	N.C.W.	SUM.	NAME OF INSPECTOR	UNIT
1/21/97		/				1/21/97	6-10

ACTION REPORT INSPECTING UNIT

RECOMMENDATION:

Order to

☒ Dismissed

☐ Enforced

REASONS:

Items #

C.W.

Items #

N.C.W.

ADDITIONAL INFORMATION

INSPECTOR

DATE

CO. COMMANDER • SUPERVISOR

DISPOSITION REPORT -- BUR. OF FIRE PREVENTION

DATE

SUPERVISOR