

05/18/98 16:57
MAY-18-98 MON 04:50 PM

SAFEGUARD SECURITY

FAX NO. 12106618308

P. 01/05

ARMORTEX[®] BULLET RESISTANT PRODUCTS *by***Safeguard Security Services, Inc.**4728 GOLDFIELD, BUILDING # 8 SAN ANTONIO, TX 78218
PHONE: (800) 880-8306 (210) 661-8306 FAX: (210) 661-8308UL Listed Bullet Resistant Fiberglass
Bullet Resistant Transaction Windows
Bullet Resistant Doors
Bullet Resistant Transaction DrawersBullet Resistant Fixed Windows
Bullet Resistant and Detention Glazing
Speaker Devices, Gun Ports, and Dip Trays
Bullet Resistant Package Receivers

TOTAL SHEETS INCLUDING THIS COVER SHEET:

5

PLEASE CONTACT ABOVE PHONE OR FAX IF INCOMPLETE

DATE 5-18-98

FROM: Bill Fagan
PHONE: 800-880-8306 Ext.124
FAX: 210-661-8308TO: Jack Klein
COMPANY: *ambassador const.*
FAX: 212-949-9762
VOICE:

REF:

HERE ARE THE FOLLOWING ITEMS:

- | | | |
|--|---|--|
| ☐ Catalogue Cut | ☐ M.S.D.S. | ☐ Credit Application |
| ☐ Shop Drawing | ☐ Letter | ☐ Test Report |
| ☐ Executed P.O. | ☐ Ballistic Chart | ☐ Proforma Invoice -
Acknowledgement |
| ☐ Specifications | ☒ Quotation | |
| ☐ Installation Instructions | ☐ Door Manufacturing Specification Sheet | |

THESE ARE TRANSMITTED AS CHECKED:

☐ For Approval ☐ For Your Use ☒ As Requested ☐ For Review & Comment
REMARKS:
*Unit prices on your sheets.**Price is delivered to job.**Includes; Glass, Continuous hinge, EMI
Shield, hardware preparation, Bullet
Resistant Door and frame UL-level 3.
per specification.**Does not include: hardware, tax or
installation**Bill Fagan*

P. 02/05

P. 02/22

FAX NO. 12106618308

MAY-18-98 MON 04:50 PM SAFEGUARD SECURITY

MAY 01 '98 09:12 FR AMBASSADOR CONSTR. CO212 949 9762 TO 12106618308

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

April 6, 1997

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data		Door Data			UL Rating Label (Hwy)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	THK.		
23RD.	1A	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht.		17 /	WICARD READER/BULLET RESISTANT LEVEL 3, DOOR & FRAME BY INSULGUARD #544 CUSTOM HT.
	1B	3'-0"	8'-0"					Door, frame and sillcase by Insulguard model # 544 (full size and ICFW) - side lft. (custom) 2' x 8' sidelight 6 1/8" WALL		7 /	WICARD READER/BULLET RESISTANT LEVEL 3
	2A	3'-0"	8'-4"	J2	H2	HM	A	HM	1 3/4"	3	WICARD READER
	2B	3'-0"	8'-4"	J2	H2	HM	A	HM	1 3/4"	3	WICARD READER
	2C	2'-10 1/2"	8'-0"	EE ELEV	EE ELEV	MTL				1	BY ACME
	2D	(2) 2'-10 1/2"	8'-4"	EE ELEV	EE ELEV	MTL					BY ACME
	3	3'-0"	8'-0"	J5	H5	WD	A	WD	2 1/4"	5	WALRICH SEALS W/ DOOR CONTACT
	4A	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht. w/ wood veneer to match network 6 1/2" WALL		18 /	WICARD READER/BULLET RESISTANT LEVEL 3 / EMI SHIELD
	5A	(2) 3'-0"	8'-0"							6 /	WICARD READER/BULLET RESISTANT LEVEL 3
	6A	3'-0"	8'-0"	J6	H6	WD	A	WD	2 1/4"	13A	
	7A	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht. with EMI shielding and wood veneer to match network 6 1/2" WALL		18 /	BULLET RESISTANT LEVEL 3 & EMI SHIELD
	7B	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht. with EMI shielding and wood veneer to match network 6 1/2" WALL		18 /	BULLET RESISTANT LEVEL 3 & EMI SHIELD
	8	3'-0"	8'-0"	J8	H8	WD	A	WD	2 1/4"	13	F UNDERCUT

DELIVERED
USD. \$

1822.

4966.

2800.-

3444.-

2800.-

2800.-

Office of Emergency Management, 5576A,
7 World Trade Center, New York, NY

WTC-180858 Door Schedule Over Schedule 2.18.98
Printed 05/08 2:12 PM

DOOR SCHEDULE
41000 - 1 of 10

P. 03/05

FAX NO. 12106618308

MAY-18-98 MON 04:51 PM SAFEGUARD SECURITY

MAY 01 '98 09:12 FR RMBRASPADOR CONSTR. CO212 949 9762 TO 12106618308

P. 03/22

Office of Emergency Management

7 World Trade Center

New York, New York 10048

SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

April 6, 1998

Floor	Door Tag	Jamb Opening		Frame Data		Door Data			UL Rating Label (hrs)	Hardware	Remarks
		Width	Height	Jamb	Head	Material	Type	Mount	Size	Thk	
	8A	2'-0"	8'-0"	J5	H8		I	WD	2 1/4"	4	WICARD READER
	9	3'-0"	8'-0"	J5	H5	WD	A	WD	2 1/4"	3A	WICARD READER
	10	3'-0"	8'-0"							3A	WICARD READER SOUND PROOF A EMI SHIELD
	11A	3'-0"	8'-0"	J5	H5	YTD	A	WD	2 1/4"	13A	
	11B	3'-0"	8'-0"	J5	H5	YTD	A	WD	2 1/4"	13A	
	12	3'-0"	8'-0"	J8	H8	YTD	A	WD	2 1/4"	73	T UNDERCUT
	12A	(2) 1'-0"	8'-0"	J9	H9		H	WD	2 1/4"	4	
	13	(7) 3'-0"	8'-0"							6	WICARD READER BULLET RESISTANT LEVEL 3
	14	3'-0"	8'-0"	J5	H5	WD	A	WD	2 1/4"	3A	WICARD READER
	15A	3'-0"	8'-0"	J5	H5	WD	A	WD	2 1/4"	3A	WICARD READER
	15B	(3) 2'-3"	8'-0"	DIA-10	J/A-10	YTD	C	WD	2 1/4"	14	
	16	3'-0"	8'-0"								SAFE DOOR W/ DOOR CONTACTS
	17	3'-0"	8'-0"	J5	H5	WD	A	WD	2 1/4"	3A	WICARD READER

Office of Emergency Management, 5576A,
7 World Trade Center, New York, NYW/STANDARD door 3, 2 1/4" W/ DOOR-SC1
Printed 4/28/98 1:00 PMDOOR SC LE
00008 - 2 1/4" 10Door & frame by Ingersoll model # 1003, full lite custom HL
Full Lite STEEL

Sound proof door and frame assembly (NF 50db) with EMI shielding and sound waves to match with work by

6 1/2" x 9 1/2"

6 1/2" x 9 1/2"

6600,-

P. 04/05

FAX NO. 12106618308

MAY-18-98 MON 04:51 PM SAFEGUARD SECURITY

MAY 01 '98 09:12 FR AMBASSADOR CONSTR. CO212 949 9762 TO 12106618308

P. 04/22

Office of Emergency Management

World Trade Center
400 York, New York 10048
ICA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

April 6, 1998

Door Schedule

Door Tag	Jamb Opening		Frame Data		Door Data			UL Rating Label (hrs)	Hardware Set	Remarks
	Width	Height	Jamb	Head	Material	Type	Finish			
18	3'-0"	8'-0"	J3	H3	HM	A	134		5	W/DOOR CONTACT
19	3'-0"	8'-0"	7/A-4	1A/A-4	MTL	D			1	BY ACME
20	3'-0"	8'-0"	J4	H4	HM	E	134		5A	W/DOOR CONTACT
21A	3'-0"	8'-0"	J4	H4	HM	E	134		13	
21B	3'-0"	8'-0"	J4	H4	HM	E	134		13	
21C	3'-0"	8'-0"							7 /	W/CARD READER
22	3'-0"	8'-0"	J4	H4	HM	A	134		5A	
23	4'-0"	8'-0"	J4	H4	HM	A	134		3	W/CARD READER
24	3'-0"	8'-0"	J4	H4	HM	A	134		5A	W/DOOR CONTACT
25	3'-0"	8'-0"	J4	H4	HM	A	134		EA	
26	3'-0"	8'-0"	7/A-4	1A/A-4	MTL	D			1	BY ACME
27	3'-0"	8'-0"	7/A-4	1A/A-4	MTL	D	134		1	BY ACME
28	3'-0"	8'-0"	J4	H4	HM	A	134		5A	

5'3" WALL

3380.

Door & Frame by manufacturer model # ICDS All the custom HL

Office of Emergency Management, 5576A,
7 World Trade Center, New York, NY

W1555600N DocuSign Door Schedule 2 (3 Mins) DOOR-IC1
Printed 4/06/98 2:12 PM

DOOR SCHEDULE
B0006 - 3 of 16

P.05/22

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

B661 v. Pridy

Door Schedule											
Door Tag	Jamb Opening		Frame Data			Door Data			UL Rating Label (1/2)	Hardware Set	Remarks
	Width	Height	Jamb	Head	Material	Type	Material	Size			
28	3'-0"	8'-0"			HXL	A	HXL		1 3/4		
29	3'-0"	8'-0"	J4	H4	HXL	A	HXL		1 3/4		
31	3'-0"	8'-0"	J8	H4	HXL	A	HXL		1 3/4		5" UNDERCUT
32	3'-0"	8'-0"	J4	H4	HXL	A	HXL		1 3/4		1" UNDERCUT
33	3'-0"	8'-0"	J4	H4	HXL	A	HXL		1 3/4		
34	3'-0"	8'-0"	2/A-1	1A/1A-4	MTL	D	MTL		1 3/4		BY ACME
35	4'-0"	8'-0"	J1	H4	HXL	E	HXL		1 3/4		W/ DOOR CONTACT
36	3'-0"	8'-0"	J4	H4	HXL	A	HXL		1 3/4		
37	3'-0"	8'-0"	2/A-4	1A/1A-4	MTL	D	HXL		1 3/4		
38	(2) 3'-0"	8'-0"	7/B-4	1A/1A-4	MTL	F	MTL				
40A	3'-4"	8'-0"						6 7/8" WIDE			W/ DOOR CONTACT / BULLET RESISTANT LEVEL 3 W/ READER INTERFACE
40B	3'-4"	8'-0"						6 7/8" WIDE			W/ DOOR CONTACT / BULLET RESISTANT LEVEL 3
43C	3'-4"	8'-0"	J8	H8		A	(VND)		2 1/8		

Office of
7 World
Finance Management, 5570A,
Center, New York, NY

MR. ROBERT M. DODD, JR. Dr. 2 18 58. DOOR-3C1
Printed 4 2 58

DOOR. WLE
0000 0000 10

74201

\$35,372