

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data			UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Sill	Thk.		
23RD	1A	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht.			17	WI CARD READER/ BULLET RESISTANT LEVEL 3 DOOR & FRAME BY INSULGARD #544 CUSTOM HT. (FAIL SAFE LOCK) *
	1B	3'-0"	8'-0"					Door, frame and sidelite by Insulguard model #'s ICDS full lite and ICFW/1-3 side lite (custom)			7	WI CARD READER/ BULLET RESISTANT LEVEL 3 (FAILSAFE LOCK) *
	2A	3'-8"	8'-4"	J2	H2	HM	A	HM		1 3/4	3	WICARD READER
	2B	3'-8"	8'-4"	J2	H2	HM	A	HM		1 3/4"	3	WICARD READER
	2C	2'-10"	8'-0"	EE ELEV	EE ELEV	MTL					1	BY ACME
	2D	(2) 2'-10 1/2"	8'-0"	EE ELEV	EE ELEV	MTL						BY ACME
	3	3'-0"	8'-0"	J5	H5	WD	A	WD		2 1/4	5	W/LIGHT SEALS W/ DOOR CONTACT
	4	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht. wit wood veneer to match millwork			18	WICARD READER/ BULLET RESISTANT LEVEL 3 / EMI SHIELD
	5	(2) 3'-0"	8'-0"					Door & Frame by Insulguard model # ICDS full lite custom ht.			8 *	WICARD READER/ BULLET RESISTANT LEVEL 3
	6	3'-0"	8'-0"	J6	H6	WD	A	WD		2 1/4	13A	
	7A	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht. with EMI shielding and wood veneer to match millwork			18	BULLET RESISTANT LEVEL 3 & EMI SHIELD
	7B	3'-0"	8'-0"					Door & frame by Insulguard model # 544 custom ht. with EMI shielding and wood veneer to match millwork			18	BULLET RESISTANT LEVEL 3 & EMI SHIELD
	8	3'-0"	8'-0"	J6	H6	WD	A	WD		2 1/4	11	1" UNDERCUT

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data			UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Sill	Thk.		

18		3'-0"	8'-0"	J3	H3	HM	A	HM		1 3/4		W/DOOR CONTACT
19		3'-0"	8'-0"	7/A-4	1/A-4	MTL	D	MTL			1	BY ACME
20		3'-0"	8'-0"	J4	H4	HM	E	HM		1 3/4	5A	W/DOOR CONTACT
21A		3'-0"	8'-0"	J4	H4	HM	E	HM		1 3/4	13	
21B		3'-0"	8'-0"	J4	H4	HM	E	HM		1 3/4	13	
21C		3'-0"	8'-0"	Door & frame by insguard model # ICDS full lite custom ht.								
22		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	5A	
23		4'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	3	W/CARD READER
24		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	5A	W/DOOR CONTACT
25		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	5A	
26		3'-0"	8'-0"	7/A-4	1/A-4	MTL	D	HM		1 3/4	1	BY ACME
27		3'-0"	8'-0"	7/A-4	1/A-4	MTL	D	HM		1 3/4	1	BY ACME
28		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	13	

18" W/CARD READER (FAIL SAFE LOCK)

3/4HR.

Office of Emergency Management

7 World Trade Center

New York, New York 10048

SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data			UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Slit	Thk.		
	29	3'-0"	8'-0"			HM	A	HM		1 3/4		
	30	3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	13	
	31	3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	10	1" UNDECUT
	32	3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	10	1" UNDERCUT
	33	3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	13	
	34	3'-0"	8'-0"	7/A-4	1/A-4	MTL	D	MTL		1 3/4	1	BY ACME
	35	4'-0"	8'-0"	J1	H1	HM	E	HM		1 3/4	3	W / DOOR CONTACT
	36	3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4	1	
	37	3'-0"	8'-0"	7/A-4	1/A-4	MTL	D	HM		1 3/4	1	
	38	(2) 3'-0"	8'-0"	7/A-4	1/A-4	MTL	F	MTL			9	
	40A	3'-0"	8'-0"	Door & frame by insulguard model # ICDS full lite custom ht.								
	40B	3'-0"	8'-0"	Door & frame by insulguard model # ICDS full lite custom ht.								
	40C	3'-0"	8'-0"	J9	H9		A	WD		2 1/4	14	

W / DOOR CONTACT / BULLET RESISTANT LEVEL 3 W READER INTERFACE (FAIL SAFE LOCK)

W/CARD READER / BULLET RESISTANT LEVEL 3 (FAIL SAFE LOCK)

Office of Emergency Management, 5576A,
7 World Trade Center, New York, NYWLS576/OEM DocuSpecial Door Schedule 2 19 98.xls DOOR-SC1
Printed 5/19/98 4:05 PMDOOR SCHEDULE
NR0000 A - 5 P

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data			UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Sill	Thk.		

41A	(2) 2'-6"	8'-0"	J10	H10	WD	C	WD	2 1/4	4			
41B	(2) 2'-6"	8'-0"	J10	H10	WD	C	WD	2 1/4	4			
41C	(2) 2'-6"	8'-0"	J10	H10	WD	C	WD	2 1/4	4			
41D	(2) 2'-6"	8'-0"	J10	H10	WD	C	WD	2 1/4	4			
41E	(2) 2'-6"	8'-0"	J10	H10	WD	C	WD	2 1/4	4			
42A	3'-0"	8'-0"	J10	H10	HM	A	HM	1 3/4	12			
42B	(2) 2'-6"	8'-0"	J10	H10		C	WD	2 1/4	4			
42C	(2) 2'-6"	8'-0"	J10	H10		C	WD	2 1/4	4			
43	(2) 3'-0"	8'-0"	J2	H2	HM	C	HM	1 3/4	16	1 1/2 HR.		MECHANICAL ROOM / W DOOR CONTACT'S W/ ASTRIGAL & SOUND SEAL
44	3'-0"	8'-0"	J1	H1	HM	E	HM/GL	1 3/4	12			
44A	3'-0"	8'-0"	J1	H1	HM	A	HM	1 3/4	3			WICARD READER
45	3'-0"	8'-0"	J4	H4	HM	E	HM/G;	1 3/4	12			
46	3'-0"	8'-0"	J1	H1	HM	E	HM/GL	1 3/4	12			

Office of Emergency Management, 5576A,
7 World Trade Center, New York, NY

W:\5576\OEM Docs\Spec\ Door Schedule 2 19 98.xls DOOR-SC1
Printed 5/18/98 4:03 PM

DOOR SCHEDULE
ORNNN E L C

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data				UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Sill	Thk.			
47		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4		5B	1" UNDERCUT
48A		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4		10	
48B		3'-0"	8'-0"	J4	H4	HM	E	HM		1 3/4		3	W/CARD READER (FAIL SAFE LOCK) *
49		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4		5B	
50		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4		5B	
51		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4		1	
52		3'-0"	8'-0"	J2	H2	HM	A	HM		1 3/4		3	W/CARD READER
53A		3'-0"	8'-0"	J2	H2	HM	E	HM/GL		1 3/4		12	
53B		3'-0"	8'-0"	J2	H2	HM	E	HM/GL		1 3/4		12	
54A		(2) 3'-0"	8'-0"	J4	H4	HM	C	HM		1 3/4		8	W/CARD READER (FAIL SAFE LOCK) *
54B		(2) 3'-0"	8'-0"	J4	H4	HM	C	HM		1 3/4		8	W/CARD READER (FAIL SAFE LOCK) *
55		3'-0"	8'-0"	J1	H1	HM	A	HM		1 3/4		5B	W/ DOOR CONTACT
56		3'-0"	8'-0"	J4	H4	HM	A	HM		1 3/4		13	1" UNDERCUT

Office of Emergency Management, 5576A,
7 World Trade Center, New York, NY

W:\5576\OEM Doc\Spec\ Door Schedule 2 19 98.xls DOOR-SC1
Printed 4/1/98 4:05 PM

DOOR SCHEDULE

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data				UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Sill	Thk.			
	57	EXIST.	EXIST.									15	W/ DOOR CONTACT
	58	EXIST.	EXIST.									15	W/ DOOR CONTACT
	59A	EXIST.	EXIST.									15	
	59B	EXIST.	EXIST.									15	
	60	EXIST.	EXIST.									15	
	61	EXIST.	EXIST.									15	W/DOOR CONTACT
	62	EXIST.	EXIST.									15	W/ DOOR CONTACT
	63	EXIST.	EXIST.									15	W/ DOOR CONTACT
	64	EXIST.	EXIST.									15	W/ DOOR CONTACT
	65A	EXIST.	EXIST.									15	
	65B	EXIST.	EXIST.									15	
	66A	EXIST.	EXIST.									15	
	66B	EXIST.	EXIST.									15	

Office of Emergency Management

7 World Trade Center
New York, New York 10048
SHCA Project No. 5576A

SWANKE HAYDEN CONNELL ARCHITECTS

* Revision #1, May 15, 1998 Addendum #1

Door Schedule

Floor	Door Tag	Jamb Opening		Frame Data			Door Data				UL Rating Label (Hrs)	Hardware Set	Remarks
		Width	Height	Jamb	Head	Material	Type	Material	Sill	Thk.			
	67	EXIST.	EXIST.									15	W/ DOOR CONTACT
	68	EXIST.	EXIST.									15	W/ DOOR CONTACT
	69	EXIST.	EXIST.									15	W/ DOOR CONTACT
	70	EXIST.	EXIST.									15	W/ DOOR CONTACT
	71	EXIST.	EXIST.									15	W/ DOOR CONTACT
	72A	EXIST.	EXIST.									15	
	72B	EXIST.	EXIST.									15	
	73	EXIST.	EXIST.									15	W/ DOOR CONTACT
	74	EXIST.	EXIST.									15	W/ DOOR CONTACT
	75	EXIST.	EXIST.									15	W/ DOOR CONTACT
	76	EXIST.	EXIST.									15	W/DOOR CONTACT
	77	EXIST.	EXIST.									15	
	78	EXIST.	EXIST.									15	W/DOOR CONTACT

Office of Emergency Management 7 World Trade Center New York, New York 10048 SHCA Project No. 5576A										SWANKE HAYDEN CONNELL ARCHITECTS * Revision #1, May 15, 1998 Addendum #1									
Door Schedule																			
Floor	Door Tag	Jamb Opening		Frame Data			Door Data			UL Rating Label (Hrs)	Hardware Set	Remarks							
		Width	Height	Jamb	Head	Material	Type	Material	Sill				Thk.						

7TH	1	(2) 3'-0"	8'-0"	J-11/D-0	H-11/D-0	HM	C	HM	H-11/D-0	13/4"	1 1/2HR. *	18	W/ DOOR CONTACT W/ ASTRIGAL AND SOUND SEAL
	2	(2) 3'-0"	8'-0"	J-11/D-0	H-11/D-0	HM	C	HM	H-11/D-0	13/4"	1 1/2HR. *	18	W/ DOOR CONTACT W/ ASTRIGAL AND SOUND SEALS
48TH	1	3'-0"	6'-0"	6/D-12	3/D-12	ALUM	A	ALUM		13/4"		5	W/ DOOR CONTACT W/ SADDLE AND WEATHER SEALS