NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	GS1	GS2	GSI	GS2	GS3	GS4	GS1	GS2	GS3	GS4	GS1	GS2	GS3	GS4	GS7	GS8
Lab Sample ID :	1	2	1	2	3	4	1	2	3	4	1	2	3	4	1	2
Sample Date :	1/25/02	1/25/02	1/28/02	1/28/02	1/28/02	1/28/02	1/29/02	1/29/02	1/29/02	1/29/02	1/30/02	1/30/02	1/30/02	1/30/02	1/30/02	1/30/02
Start Time:	13:30	13:31	7:15	7:16	12:45	12:46	17:30	17:34	13:00	13:30	7:30	7:31	12:30	12:31	13:00	13:15
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:			6	3	6	3	3	5	3	5						
Name of Personnel:	Michael Lua	Peter Grimaldi	Ceasar Rodriguez	Mario Davis	Ceasar Rodriguez	Mario Davis	Ceasar Rodriguez	Mario Davis	Ceasar Rodriguez	Mario Davis	Ceasar Rodriguez	Mario Davis	Ceasar Rodriguez	Mario Davis	Mario Davis	Ceasar Rodriguez
ASBESTOS (fibers/cc)	0.006	<0.005	0.009	0.007	0.005	0.015	0.007	0.005	0.003	<0.003	<0.003	0.003	<0.003	0.004	0.044	<0.030
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification.
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

TRC
Customer-Focused Solutions

CITY_21MC100_012557172

NYC-WTC_000174315

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	GSI	GS2	GS11	GS12	GS3	GS1	GS2	GS1	GS2	OSHA0401	OSHA0402	OSHA0405	OSHA0406	OSHA0407	OSHA0408	OSHA0501
Lab Sample ID :	1	2	1	2	1	1	2	1	2	1	2	1	2	3	4	1
Sample Date :	1/31/02	1/31/02	2/1/02	2/1/02	2/2/02	2/4/02	2/4/02	2/5/02	2/5/02	2/6/02	2/6/02	2/7/02	2/7/02	2/7/02	2/7/02	2/8/02
Start Time:	16:00	15:15	11:30	11:40	13:30	7:30	7:35	7:15	7:20	7:50	7:53	7:10	7:13	13:40	13:41	7:10
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Mario Davis	Ceasar Rodriguez	Anthony Lidsey	Mike Luna	Ceasar Rodriguez	Peter Grumaldi	Wilfredo Ramrez	Joshua Figuera	Daniel Reilly	Joshua Figuera	Daniel Reilly	Peter Grimaldi	Joshua Figueroa	Peter Grimaldi	Joshua Figueroa	Marlon Hendy
ASBESTOS (fibers/cc)	0.033	<0.030	0.033	0.044	<0.004	0.008	0.007	<0.004	0.009	0.003	<0.002	<0.004	<0.004	0.007	(2)	0.012
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
***NQCS** = No quality control sample taken*
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557173

TRC
Customer-Focused Solutions

NYC-WTC_000174316

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0502	OSHA0505	OSHA0506	OSHA0507	OSHA0508	OSHA0509	OSHA0570	OSHA0511	OSHA0512	OSHA0513	OSHA0514	OSHA0517	OSHA0518	OSHA0519	OSHA0520	OSHA0603
Lab Sample ID :	2	1	2	3	4	1	2	1	2	3	4	1	2	3	4	1
Sample Date :	2/8/02	2/9/02	2/9/02	2/9/02	2/9/02	2/11/02	2/11/02	2/11/02	2/11/02	2/11/02	2/11/02	2/12/02	2/12/02	2/12/02	2/12/02	2/13/02
Start Time:	14:10	9:00	9:01	15:00	15:01	15:30	15:31	7:30	7:35	14:30	14:34	8:00	14:00	8:05	14:03	8:10
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Mike Luna	Cesar Rodriguez	Peter Grimaldi	Ramon Antonio	Daniel Reilly	Pedro Paulino	Anthony Lindsey	Pedro Paulino	Anthony Lindsey	Pedro Paulino	Anthony Lindsey	Miguel Rynoso	Miguel Rynoso	Kyle Jones	Kyle Jones	Mike Green
ASBESTOS (fibers/cc)	<0.004	<0.004	0.004	<0.004	<0.004	<0.030	<0.030	0.010	0.008	0.005	<0.004	0.041	0.013	0.017	0.005	0.016
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	<10	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_01255717

TRC
Customer-Focused Solutions

NYC-WTC_000174317

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0604	OSHA0605	OSHA0606	OSHA0609	OSHA0610	OSHA0609	OSHA0610	OSHA0615	OSHA0616	OSHA0617	OSHA0618	OSHA0620	OSHA0621	OSHA0624	OSHA0411	OSHA0625
Lab Sample ID :	2	3	4	1	2	3	4	1	2	3	4	1	2	1	2	3
Sample Date :	2/13/02	2/13/02	2/13/02	2/14/02	2/14/02	2/14/02	2/14/02	2/15/02	2/15/02	2/15/02	2/15/02	2/16/02	2/16/02	2/18/02	2/18/02	2/18/02
Start Time:	8:15	14:15	14:16	7:30	7:35	14:00	14:03	7:15	7:18	15:15	15:16	8:45	8:46	7:30	7:35	13:00
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Manolo Ailes	Mike Green	Manolo Ailes	Jose Adorndo	Ruben Reyes	Jose Adorndo	Ruben Reyes	Mike Green	Manolo Alies	Mike Green	Manolo Alies	Joshua Figueroa	Ceasar Rodrigues	Ruben Reyes	Manolo Alies	Ruben Reyes
ASBESTOS (fibers/cc)	0.035 (2)	0.034	<0.006	(1)	0.005	0.012	<0.004	0.034 (2)	0.040 (2)	0.069 (2)	0.047 (2)	<0.002	<0.002	0.007	<0.004	0.009
TEM Quality Control																
ASBESTOS (structures/mm^2)	<10	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	<10	<10	<10	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

TRC
Customer-Focused Solutions

CITY_21MC100_012557175

NYC-WTC_000174318

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0412	OSHA0626	OSHA0413	OSHA0201	OSHA0202	OSHA0203	OSHA0519	OSHA0627	OSHA0628	OSHA0629	OSHA0630	OSHA0631	OSHA0632	OSHA0633	OSHA0634	OSHA0635
Lab Sample ID :	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3
Sample Date :	2/18/02	2/19/02	2/19/02	2/19/02	2/19/02	2/20/02	2/20/02	2/20/02	2/20/02	2/21/02	2/21/02	2/21/02	2/21/02	2/22/02	2/22/02	2/22/02
Start Time:	13:02	6:30	6:31	13:00	13:01	6:10	6:11	12:15	12"16	6:20	6:21	13:30	13:30	6:30	6:31	13:30
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Manolo Alies	Joshua Figueroa	Mario Davis	Joshua Figueroa	Mario Davis	Manolo Alies	Migel Reyroso	Manolo Alies	Migel Reyroso	Manuel Gonzalez	Jose Adorino	Manuel Gonzalez	Jose Adorino	Ceasar Rodriguez	Ruben Reyes	Ceasar Rodriguez
ASBESTOS (fibers/cc)	0.007	<0.004	<0.004	<0.004	0.057	0.016	0.018	<0.004	<0.004	<0.004	(1)	0.011	0.027	<0.004	<0.004	0.022
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557176

TRC
Customer-Focused Solutions

NYC-WTC_000174319

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0634	OSHA0637	OSHA0638	OSHA0639	OSHA0414	OSHA0415	OSHA0642	OSHA0301	OSHA0520	OSHA0302	OSHA0520	OSHA0302	OSHA0306	OSHA0307	OSHA0308	OSHA0309
Lab Sample ID :	4	1	2	3	1	2	3	4	1	2	3	4	1	2	3	4
Sample Date :	2/22/02	2/23/02	2/23/02	2/23/02	2/25/02	2/25/02	2/25/02	2/25/02	2/26/02	2/26/02	2/26/02	2/26/02	2/28/02	2/28/02	2/28/02	2/28/02
Start Time:	13:31	6:30	6:31	12:30	6:30	6:31	13:30	13:31	7:00	7:00	13:00	13:01	6:30	6:31	12:30	12:31
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:		Loading dock,	Loading Dock,													
Name of Personnel:	Ruben Reyes	Ceasar Rodriguez	Fabien Pereya	Ceasar Rodriguez	Kyle Johnson	Anthony Lindsey	Kyle Johnson	Anthony Lindsey	Ceasar Rodriguez	Manolo Alies	Ceasar Rodriguez	Manolo Alies	Jose Adorino	Ceasar Rodriguez	Jose Adorino	Ceasar Rodriguez
ASBESTOS (fibers/cc)	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	0.012	0.005	<0.004	<0.004	<0.004	<0.004	<0.004	0.006	<0.004	0.005
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557177

TRC
Customer-Focused Solutions

NYC-WTC_000174320

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0310	OSHA0311	OSHA0312	OSHA0313	OSHA0307	OSHA0308	OSHA0311	OSHA0312	OSHA0313	OSHA0314	OSHA0317	OSHA0318	OSHA0319	OSHA0320	OSHA0323	OSHA0324
Lab Sample ID :	1	2	3	4	1	2	1	2	3	4	1	2	3	4	1	2
Sample Date :	3/1/02	3/1/02	3/1/02	3/1/02	3/2/02	3/2/02	3/4/02	3/4/02	3/4/02	3/4/02	3/5/02	3/5/02	3/5/02	3/5/02	3/6/02	3/6/02
Start Time:	6:15	6:16	12:15	12:16	7:15	7:16	6:31	6:32	12:30	12:31	6:15	6:16	12:30	12:31	6:14	6:15
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Jose Ramon	Wilfredo Ramirez	Jose Ramon	Wilfredo Ramirez	Wilson Bueno	Manolo Alies	Wilson Bueno	Miguel Reynos	Wilson Bueno	Miguel Reynos	Sugeli Sulon	Wilfredo Ramirez	Sugeli Sulon	Wilfredo Ramirez	Wilson Bueno	Jose Adorino
ASBESTOS (fibers/cc)	<0.004	<0.004	<0.004	<0.004	0.033	(1)	(1)	0.039 (2)	(1)	0.036 (2)	<0.004	<0.004	0.007	0.008	<0.004	<0.004
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557178

TRC
Customer-Focused Solutions

NYC-WTC_000174321

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0325	OSHA0326	OSHA0329	OSHA0330	OSHA0331	OSHA0332	OSHA0335	OSHA0336	OSHA0337	OSHA0338	OSHA0341	OSHA0342	OSHA0345	OSHA0346	OSHA0347	OSHA0348
Lab Sample ID :	3	4	1	2	3	4	1	2	3	4	1	2	1	2	3	4
Sample Date :	3/6/02	3/6/02	3/7/02	3/7/02	3/7/02	3/7/02	3/8/02	3/8/02	3/8/02	3/8/02	3/9/02	3/9/02	3/11/02	3/11/02	3/11/02	3/11/02
Start Time:	12:30	12:31	6:14	6:16	12:30	12:33	6:17	6:18	12:32	12:33	7:10	7:12	6:30	6:40	13:00	13:01
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Wilson Bueno	Jose Adorino	Luis Bueno	Franciso Valena	Luis Bueno	Franciso Valena	Mike Green	Wilson Bueno	Mike Green	Wilson Bueno	Mike Green	Wilson Bueno	Ramon Mante	Luis Bueno	Ramon Mante	Luis Bueno
ASBESTOS (fibers/cc)	<0.004	0.021	0.025	0.029	0.007	0.013	0.136	0.007	0.075	<0.004	<0.003	0.005	<0.004	<0.004	<0.004	<0.004
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557179

TRC
Customer-Focused Solutions

NYC-WTC_000174322

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0353	OSHA0354	OSHA0355	OSHA0356	OSHA0354	OSHA0355	OSHA0356	OSHA0357	OSHA0365	OSHA0366	OSHA0367	OSHA0368	OSHA0201	OSHA0202	OSHA0203	OSHA0204
Lab Sample ID :	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Sample Date :	3/12/02	3/12/02	3/12/02	3/12/02	3/13/02	3/13/02	3/13/02	3/13/02	3/14/02	3/14/02	3/14/02	3/14/02	3/15/02	3/15/02	3/15/02	3/15/02
Start Time:	6:11	6:12	12:30	12:31	6:15	6:16	12:27	12:28	6:10	6:11	13:00	13:01	6:30	6:31	12:30	12:32
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Miguel Reynoso	Manuel Gonzalez	Miguel Reynoso	Manuel Gonzalez	Ruban Reyes	Ceasar Rodriguez	Ruban Reyes	Ceasar Rodriguez	Ceasar Rodriguez	Fabien Pereyna	Ceasar Rodriguez	Fabien Pereyna	Mike Green	Daniel Reilly	Mike Green	Daniel Reilly
ASBESTOS (fibers/cc)	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	0.010 (2)	0.013 (2)	0.006	(1)	0.011	0.005	0.013	<0.004
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy *criteria for school children*
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557180

TRC
Customer-Focused Solutions

NYC-WTC_000174323

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0207	OSHA0208	OSHA0211	OSHA0212	OSHA0213	OSHA0214	OSHA0215	OSHA0216	OSHA0219	OSHA0220	OSHA0221	OSHA0222	OSHA0223	OSHA0224	OSHA0227	OSHA0228
Lab Sample ID :	1	2	1	2	3	4	5	6	1	2	3	4	5	6	1	2
Sample Date :	3/16/02	3/16/02	3/18/02	3/18/02	3/18/02	3/18/02	3/18/02	3/18/02	3/19/02	3/19/02	3/19/02	3/19/02	3/19/02	3/19/02	3/20/02	3/20/02
Start Time:	8:10	8:11	6:15	6:16	6:17	12:30	12:31	12:32	6:10	6:11	6:12	12:30	12:31	12:32	6:14	6:15
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Miguel Reynoso	Wilfredo Ramirez	Mike Green	Ruben Reyes	Luis Manar	Mike Green	Ruben Reyes	Luis Manar	Manolo Alies	David Arce	Alberto Garey	Manolo Alies	David Arce	Alberto Garey	Wilfredo Ramirez	Ramon Rodriguez
ASBESTOS (fibers/cc)	0.008	<0.003	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 = AHERA re-occupancy criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557181

TRC
Customer-Focused Solutions

NYC-WTC_000174324

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0229	OSHA0230	OSHA0231	OSHA0232	OSHA0235	OSHA0236	OSHA0237	OSHA0238	OSHA0239	OSHA0240	OSHA0243	OSHA0244	OSHA0245	OSHA0246	OSHA0247	OSHA0248
Lab Sample ID :	3	4	5	6	1	2	3	4	5	6	1	2	3	4	5	6
Sample Date :	3/20/02	3/20/02	3/20/02	3/20/02	3/20/02	3/20/02	3/20/02	3/20/02	3/20/02	3/20/02	3/22/02	3/22/02	3/22/02	3/22/02	3/22/02	3/22/02
Start Time:	6:16	12:30	12:31	12:32	6:11	6:12	6:12	12:29	12:30	12:31	6:09	6:09	6:11	12:30	12:31	12:32
Sample Type :	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air	Air
Floor:																
Name of Personnel:	Manolo Alies	Wilfredo Ramirez	Ramon Rodriguez	Manolo Alies	Carlos Ventura	Ramon Rodriguez	Miguel Reynoso	Carlos Ventura	Ramon Rodriguez	Miguel Reynoso	Alberto Garay	Ramon Rodriguez	Manolo Alies	Alberto Garay	Ramon Rodriguez	Manolo Alies
ASBESTOS (fibers/cc)	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
TEM Quality Control																
ASBESTOS (structures/mm^2)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm^2 *= AHERA re-occupancy* criteria for school children
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557182

TRC
Customer-Focused Solutions

NYC-WTC_000174325

NYC 9/11 Public Portal Document

Table 2
Air Samples - Carpet
OSHA PEL
New York City Law Department
100 Church Street
New York

Sample ID :	OSHA0251	OSHA0252	OSHA0253	OSHA0254	OSHA0255	OSHA0256
Lab Sample ID :	1	2	3	4	5	6
Sample Date :	3/23/02	3/23/02	3/23/02	3/23/02	3/23/02	3/23/02
Start Time:	6:09	6:09	6:11	12:30	12:31	12:32
Sample Type :	Air	Air	Air	Air	Air	Air
Floor:						
Name of Personnel:	Alberto Garay	Ramon Rodriguez	Manolo Alies	Alberto Garay	Ramon Rodriguez	Manolo Alies
ASBESTOS (fibers/cc)	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
TEM Quality Control						
ASBESTOS (structures/mm²)	NQCS	NQCS	NQCS	NQCS	NQCS	NQCS

< Indicates less than the limit of quantification
70 structures/mm² = AHERA re-occupancy *criteria for school children*
NQCS = No quality control sample taken
(1) Analyst was unable to quantify fiber concentration because of overloading of particulate matter on the filter.
(2) Moderate to heavy particulate matter is present on the filter which may obscure some fibers causing results with a low bias.

CITY_21MC100_012557183

TRC
Customer-Focused Solutions

NYC-WTC_000174326