

Ongoing Air Samples
New York City Law Department
100 Church Street
New York

TABLE OF CONTENTS

Compound	Table Number
Asbestos	1
Total Particulate	2
Metals	3

CITY_21MC100_014591786

TRC
Customer-Focused Solutions

Table 1
 Ongoing Air Monitoring
 New York City Law Department
 100 Church Street
 New York

Sample ID :	ASBAIR0201	ASBAIR0301	ASBAIR0001	ASBAIRFB01
Lab Sample ID :	1	2	3	4
Sample Date :	9/3/2002	9/3/2002	9/3/2002	9/3/2002
Start Time:	12:52	12:47	13:08	
Sample Type :	Air	Air	Air	Air
Floor:	2	3	Roof	
Location:	Room 2-102	Room 3-114		Field Blank
CONSTITUENTS				
ASBESTOS (structures/mm ²)	<14.3	<14.3	<14.3	--

< Indicates less than the limit of quantification.

70 structures/mm² = AHERA re-occupancy criteria for school children

Table 2
Ongoing Air Monitoring
New York City Law Department
100 Church Street
New York

Sample ID : Lab Sample ID : Sample Date : Start Time: Sample Type : Floor: Location:	OSHA Permissible Exposure Limit (PEL) mg/m ³	TDM0201 1 9/3/2002 10:55 Air 2 Room 2-102	TDM0301 2 9/3/2002 11:03 Air 3 Room 3-114	TDM0001 3 9/3/2002 10:05 Air Roof	TDMFB01 4 9/3/2002 Air Field Blank
CONSTITUENTS Total Particulate Matter (mg/m ³)		<0.002	<0.002	<0.002	N/A


< Indicates less than the limit of quantification.
NA = Not analyzed

Table 3
Ongoing Air Monitoring
New York City Law Department
100 Church Street
New York


Sample ID : Lab Sample ID : Sample Date : Start Time: Sample Type : Floor : Location:	OSHA Permissible Exposure Limit (PEL) mg/m ³	TDM0201 1 9/3/2002 10:55 Air 2 Room 2-102	TDM0301 2 9/3/2002 11:03 Air 3 Room 3-114	TDM0001 3 9/3/2002 10:05 Air Roof	TDMFB01 4 9/3/2002 Air Field Blank
CONSTITUENTS					
TOTAL METALS (mg/m³)					
Aluminum	5	<0.00521 U	0.00681	0.0311	0.0662 U
Antimony		<0.00104 U	<0.00104 U	<0.00104 U	<0.001 U
Arsenic		<0.000417 U	<0.000417 U	<0.000417 U	<0.0004 U
Barium		<0.00521 U	<0.00521 U	<0.00521 U	<0.005 U
Beryllium		<0.000208 U	<0.000208 U	<0.000208 U	<0.0002 U
Cadmium		<0.000208 U	<0.000208 U	<0.000208 U	<0.0002 U
Calcium	5	<0.0521 U	<0.0521 U	0.0645 B	0.149 B
Chromium	1	0.000589 B	0.000909 B	0.000815 B	0.000662 B
Cobalt		<0.000521 U	<0.000521 U	<0.000521 U	<0.0005 U
Copper		<0.00104 U	<0.00104 U	<0.00104 U	<0.001 U
Iron		<0.00521 U	<0.00521 U	<0.00521 U	<0.005 U
Lead		<0.000521 U	<0.000521 U	<0.000521 U	<0.0005 U
Magnesium		<0.0521 U	<0.0521 U	<0.0521 U	<0.05 U
Manganese		<0.000781 U	<0.000781 U	<0.000781 U	<0.00075 U
Nickel		<0.00104 U	<0.00104 U	<0.00104 U	<0.001 U
Potassium		<0.0521 U	<0.0521 U	<0.0521 U	<0.05 U
Selenium		<0.00104 U	<0.00104 U	<0.00104 U	<0.001 U
Silver		<0.000521 U	<0.000521 U	<0.000521 U	<0.0005 U
Sodium		<0.0521 U	<0.0521 U	<0.0521 U	<0.05 U
Thallium		<0.000521 U	<0.000521 U	<0.000521 U	<0.0005 U
Vanadium		<0.000521 U	<0.000521 U	<0.000521 U	<0.0005 U
Zinc		<0.00104 U	<0.00104 U	<0.00104 U	<0.001 U

U = Analyzed for but Not Detected
B = Compound found in method blank

100 Church St.




100 Church St



CITY_21MC100_014591791

100 Church St.



100 Church St.

