

TRC**ASBESTOS AIR MONITORING DATA AND CHAIN OF CUSTODY FORM**

Client New York City Law Department		Project Manager Nitin Dave		Laboratory/Location EMSL	Turnaround Time ☐ Immediate ☐ 3 Hours ☐ 6 Hours ☒ 12 Hours ☐ 24 Hours ☐ Other _____
Project Name & Location 100 Church St. <i>PH-1</i>		Project Monitor/Air Sampling Technician Zibby Dolinski			
Project Number 35052-0000-00017	Date 02/28/03	Rotometer Number TRC # 11	☒ PCM (0.8) micron MCE Cassette Filter Manufacturer: <i>MCE</i> Lot: <i>1055161199</i>	☐ TEM Cassette Filter Manufacturer: _____ Lot: _____	Type: ☐ Background ☐ Post-Abatement ☐ Environmental ☐ Pre-Abatement ☐ OSHA ☒ Ambient ☐ Abatement ☐ Other _____

AIR SAMPLE INFORMATION

Sample I.D. Number	Sample Location	Time (24 Hr. Clock)			Flow Rate (L/Min.)			Total Air Volume (liters)	# Fibers/Fields Minus Blank	Fiber/Structure Conc.
		Start	End	Total (Minutes)	Start	End	Avg.			
ZD022803ASBAIR2001	20 th Floor- <i>EXIT TO NORTH CORRIDOR</i>	07,13	11,16	243	6,31	6,31	6,31	1533,33		
ZD022803ASBAIR2002	20 th Floor- <i>EXIT TO SOUTH CORRIDOR</i>	07,15	11,17	242	6,31	6,31	6,31	1527,02		
ZD022803ASBAIR2003	20 th Floor- <i>EXIT TO NORTH CORRIDOR</i>	11,19	15,20	241	6,31	6,31	6,31	1520,71		
ZD022803ASBAIR2004	20 th Floor- <i>EXIT TO SOUTH CORRIDOR</i>	11,24	15,26	242	6,31	6,31	6,31	1527,02		
ZD022803ASBAIRFB05	Blank	—	—	—	—	—	—	—		

CHAIN OF CUSTODY

Relinquished By:	Date	Time	Received By	Date	Time	Lab ELAP No.	Date	Time	Microscope Make/Serial No.
Zibby Dolinski	02/28/03	16:00	<i>Don Quijote</i>	2/28/03			2/28/03		
						Analyzed By <i>Emily M. Heston</i>			
						QC By			
						Lab Batch No.			

Transmit Results To Nitin Dave	Fax No. (212) 221-7840	Pager No. (917) 549-3382	Comments:	Analysis Methodology PCM - AHERA