

Feb 19 02 04:31p

PSC Analytical Services

6109219667

p.10



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0

• AIHA ACCREDITATION NO. 100439

• NC DENR 599

• NY DOH/NELAC 189C3

• PA DEP 06-353

• NJ DEP 77020

• CT DPH PH-0239

Analytical Results
for

ATC Associates

WorkOrder: R02020569

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
1st floor - Main Lobby						
Client ID: VOC I ATC-0213-STUY	Lab ID: -01A	Date Sampled: 2/13/02		Matrix: Charcoal		Air Vol.(L): 96
1,1,1-Trichloroethane	<20	<0.21	<0.038	20	Total Hydrocarbon Sc	02/16/2002 JMM
1,2-Dichloroethane	<20	<0.21	<0.051	20	Total Hydrocarbon Sc	02/16/2002 JMM
A Hydrocarbons, Total	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	02/16/2002 JMM
Acetone	<20	<0.21	<0.088	20	Total Hydrocarbon Sc	02/16/2002 JMM
B Hydrocarbons, Total	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	02/16/2002 JMM
Benzene	<20	<0.21	<0.065	20	Total Hydrocarbon Sc	02/16/2002 JMM
Chlorobenzene	<20	<0.21	<0.045	20	Total Hydrocarbon Sc	02/16/2002 JMM
Chloroform	<20	<0.21	<0.043	20	Total Hydrocarbon Sc	02/16/2002 JMM
Ethylbenzene	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	02/16/2002 JMM
Hexane	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	02/16/2002 JMM
Isopropylbenzene	<20	<0.21	<0.042	20	Total Hydrocarbon Sc	02/16/2002 JMM
Methylene Chloride	<20	<0.21	<0.060	20	Total Hydrocarbon Sc	02/16/2002 JMM
Pentane	<20	<0.21	<0.071	20	Total Hydrocarbon Sc	02/16/2002 JMM
Styrene	<20	<0.21	<0.049	20	Total Hydrocarbon Sc	02/16/2002 JMM
Tetrachloroethene	<20	<0.21	<0.031	20	Total Hydrocarbon Sc	02/16/2002 JMM
Toluene	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	02/16/2002 JMM
Trichloroethene	<20	<0.21	<0.039	20	Total Hydrocarbon Sc	02/16/2002 JMM
Xylenes, Total	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	02/16/2002 JMM

CONFIDENTIAL,

CITY_21MC100_003429216

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Feb 19 02 04:31p

PSC Analytical Services

6109219667

p.11



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP 77020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02020569

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
<i>2nd floor bridge ent. hallway</i> Client ID: VOC 2 ATC-0213-STUY Lab ID: -02A Date Sampled: 2/13/02 Matrix: Charcoal Air Vol.(L): 96							
1,1,1-Trichloroethane	<20	<0.21	<0.038	20	Total Hydrocarbon Sc	02/16/2002	JMM
1,2-Dichloroethane	<20	<0.21	<0.051	20	Total Hydrocarbon Sc	02/16/2002	JMM
A Hydrocarbons, Total	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	02/16/2002	JMM
Acetone	<20	<0.21	<0.088	20	Total Hydrocarbon Sc	02/16/2002	JMM
B Hydrocarbons, Total	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	02/16/2002	JMM
Benzene	<20	<0.21	<0.065	20	Total Hydrocarbon Sc	02/16/2002	JMM
Chlorobenzene	<20	<0.21	<0.045	20	Total Hydrocarbon Sc	02/16/2002	JMM
Chloroform	<20	<0.21	<0.043	20	Total Hydrocarbon Sc	02/16/2002	JMM
Ethylbenzene	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	02/16/2002	JMM
Hexane	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	02/16/2002	JMM
Isopropylbenzene	<20	<0.21	<0.042	20	Total Hydrocarbon Sc	02/16/2002	JMM
Methylene Chloride	<20	<0.21	<0.060	20	Total Hydrocarbon Sc	02/16/2002	JMM
Pentane	<20	<0.21	<0.071	20	Total Hydrocarbon Sc	02/16/2002	JMM
Styrene	<20	<0.21	<0.049	20	Total Hydrocarbon Sc	02/16/2002	JMM
Tetrachloroethene	<20	<0.21	<0.031	20	Total Hydrocarbon Sc	02/16/2002	JMM
Toluene	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	02/16/2002	JMM
Trichloroethene	<20	<0.21	<0.039	20	Total Hydrocarbon Sc	02/16/2002	JMM
Xylenes, Total	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	02/16/2002	JMM

CONFIDENTIAL,

CITY_21MC100_003429217

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Feb 19 02 04:31p

PSC Analytical Services

6109219667

p.12



INDUSTRIAL HYGIENE

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH/NELAC 10903
• PA DEP 06-353
• NJ DEP 77020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02020569

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOC 3 ATC-0213-STUY <i>Roof</i> Lab ID: -03A Date Sampled: 2/13/02 Matrix: Charcoal Air Vol.(L): 96						
1,1,1-Trichloroethane	<20	<0.21	<0.038	20	Total Hydrocarbon Sc	02/16/2002 JMM
1,2-Dichloroethane	<20	<0.21	<0.051	20	Total Hydrocarbon Sc	02/16/2002 JMM
A Hydrocarbons, Total	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	02/16/2002 JMM
Acetone	<20	<0.21	<0.088	20	Total Hydrocarbon Sc	02/16/2002 JMM
B Hydrocarbons, Total	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	02/16/2002 JMM
Benzene	<20	<0.21	<0.065	20	Total Hydrocarbon Sc	02/16/2002 JMM
Chlorobenzene	<20	<0.21	<0.045	20	Total Hydrocarbon Sc	02/16/2002 JMM
Chloroform	<20	<0.21	<0.043	20	Total Hydrocarbon Sc	02/16/2002 JMM
Ethylbenzene	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	02/16/2002 JMM
Hexane	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	02/16/2002 JMM
Isopropylbenzene	<20	<0.21	<0.042	20	Total Hydrocarbon Sc	02/16/2002 JMM
Methylene Chloride	<20	<0.21	<0.060	20	Total Hydrocarbon Sc	02/16/2002 JMM
Pentane	<20	<0.21	<0.071	20	Total Hydrocarbon Sc	02/16/2002 JMM
Styrene	<20	<0.21	<0.049	20	Total Hydrocarbon Sc	02/16/2002 JMM
Tetrachloroethene	<20	<0.21	<0.031	20	Total Hydrocarbon Sc	02/16/2002 JMM
Toluene	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	02/16/2002 JMM
Trichloroethene	<20	<0.21	<0.039	20	Total Hydrocarbon Sc	02/16/2002 JMM
Xylenes, Total	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	02/16/2002 JMM

Page 3 of 4

CONFIDENTIAL,

CITY_21MC100_003429218

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Feb 19 02 04:32p

PSC Analytical Services

6109219667

p.13



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH NELAC 10903
• PA DEP 06-353
• NJ DEP 77020
• CT DPH PH-0236

Analytical Results
for

ATC Associates

WorkOrder: R02020569

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOC 4 ATC-0213-STUY <i>Blank</i> Lab ID: -04A Date Sampled: 2/13/02 Matrix: Charcoal Air Vol.(L): NA						
1,1,1-Trichloroethane	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
1,2-Dichloroethane	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
A Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Acetone	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
B Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Benzene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Chlorobenzene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Chloroform	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Ethylbenzene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Hexane	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Isopropylbenzene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Methylene Chloride	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Pentane	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Styrene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Tetrachloroethene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Toluene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Trichloroethene	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM
Xylenes, Total	<20	--	--	20	Total Hydrocarbon Sc	02/16/2002 JMM

(a) Analysis indicates possible breakthrough; back section result is greater than % of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.

CONFIDENTIAL,

CITY_21MC100_003429219

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008