

Mar 25 02 12:23p

PSC Analytical Services

6109219667

p. 7



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02030688

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC1 ATC-0313-STY <i>1st floor Lobby</i> Lab ID: -01A Date Sampled: 3/13/02 Matrix: Charcoal Air Vol.(L): 96							
1,1,1-Trichloroethane	<20	<0.21	<0.038	20	Total Hydrocarbon Sc	03/15/2002	JMM
1,2-Dichloroethane	22	0.23	0.057	20	Total Hydrocarbon Sc	03/15/2002	JMM
A Hydrocarbons, Total	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	03/15/2002	JMM
Acetone	<20	<0.21	<0.088	20	Total Hydrocarbon Sc	03/15/2002	JMM
B Hydrocarbons, Total	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	03/15/2002	JMM
Benzene	<20	<0.21	<0.065	20	Total Hydrocarbon Sc	03/15/2002	JMM
Chlorobenzene	<20	<0.21	<0.045	20	Total Hydrocarbon Sc	03/15/2002	JMM
Chloroform	<20	<0.21	<0.043	20	Total Hydrocarbon Sc	03/15/2002	JMM
Ethylbenzene	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	03/15/2002	JMM
Hexane	99	1.0	0.29	20	Total Hydrocarbon Sc	03/15/2002	JMM
Isopropylbenzene	<20	<0.21	<0.042	20	Total Hydrocarbon Sc	03/15/2002	JMM
Methylene Chloride	<20	<0.21	<0.060	20	Total Hydrocarbon Sc	03/15/2002	JMM
Pentane	<20	<0.21	<0.071	20	Total Hydrocarbon Sc	03/15/2002	JMM
Styrene	<20	<0.21	<0.049	20	Total Hydrocarbon Sc	03/15/2002	JMM
Tetrachloroethene	<20	<0.21	<0.031	20	Total Hydrocarbon Sc	03/15/2002	JMM
Toluene	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	03/15/2002	JMM
Trichloroethene	<20	<0.21	<0.039	20	Total Hydrocarbon Sc	03/15/2002	JMM
Xylenes, Total	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	03/15/2002	JMM

Page 1 of 7

CONFIDENTIAL,

CITY_21MC100_003429248

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Mar 25 02 12:23p

PSC Analytical Services

6109219667

p. 8



ANALYTICAL SERVICES

INDUSTRIAL HYGIENE

• EPA NVLAP 101262-0
 • AIHA ACCREDITATION NO. 100439
 • NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH/NELAC 10903
 • PA DEP 06-353
 • NJ DEP PA020
 • CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02030688

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOC2 ATC-0313-STY	Lab ID: -02A	Date Sampled: 3/13/02		Matrix: Charcoal		Air Vol.(L): 96
1,1,1-Trichloroethane	<20	<0.21	<0.038	20	Total Hydrocarbon Sc	03/15/2002 JMM
1,2-Dichloroethane	<20	<0.21	<0.051	20	Total Hydrocarbon Sc	03/15/2002 JMM
A Hydrocarbons, Total	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	03/15/2002 JMM
Acetone	120	1.2	0.50	20	Total Hydrocarbon Sc	03/15/2002 JMM
B Hydrocarbons, Total	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	03/15/2002 JMM
Benzene	<20	<0.21	<0.065	20	Total Hydrocarbon Sc	03/15/2002 JMM
Chlorobenzene	<20	<0.21	<0.045	20	Total Hydrocarbon Sc	03/15/2002 JMM
Chloroform	<20	<0.21	<0.043	20	Total Hydrocarbon Sc	03/15/2002 JMM
Ethylbenzene	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	03/15/2002 JMM
Hexane	83	0.86	0.25	20	Total Hydrocarbon Sc	03/15/2002 JMM
Isopropylbenzene	<20	<0.21	<0.042	20	Total Hydrocarbon Sc	03/15/2002 JMM
Methylene Chloride	<20	<0.21	<0.060	20	Total Hydrocarbon Sc	03/15/2002 JMM
Pentane	<20	<0.21	<0.071	20	Total Hydrocarbon Sc	03/15/2002 JMM
Styrene	<20	<0.21	<0.049	20	Total Hydrocarbon Sc	03/15/2002 JMM
Tetrachloroethene	<20	<0.21	<0.031	20	Total Hydrocarbon Sc	03/15/2002 JMM
Toluene	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	03/15/2002 JMM
Trichloroethene	<20	<0.21	<0.039	20	Total Hydrocarbon Sc	03/15/2002 JMM
Xylenes, Total	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	03/15/2002 JMM

Page 2 of 7

CONFIDENTIAL,

CITY_21MC100_003429249

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Mar 25 02 12:24p

PSC Analytical Services

6109219667

p.9



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/ELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02030688

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC3 ATC-0313-STY <i>Roof</i> Lab ID: -03A Date Sampled: 3/13/02 Matrix: Charcoal Air Vol.(L): 96							
1,1,1-Trichloroethane	<20	<0.21	<0.038	20	Total Hydrocarbon Sc	03/15/2002	JMM
1,2-Dichloroethane	22	0.23	0.057	20	Total Hydrocarbon Sc	03/15/2002	JMM
A Hydrocarbons, Total	<20	<0.21	<0.059	20	Total Hydrocarbon Sc	03/15/2002	JMM
Acetone	190	2.0	0.83	20	Total Hydrocarbon Sc	03/15/2002	JMM
B Hydrocarbons, Total	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	03/15/2002	JMM
Benzene	<20	<0.21	<0.065	20	Total Hydrocarbon Sc	03/15/2002	JMM
Chlorobenzene	<20	<0.21	<0.045	20	Total Hydrocarbon Sc	03/15/2002	JMM
Chloroform	<20	<0.21	<0.043	20	Total Hydrocarbon Sc	03/15/2002	JMM
Ethylbenzene	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	03/15/2002	JMM
Hexane	120	1.2	0.34	20	Total Hydrocarbon Sc	03/15/2002	JMM
Isopropylbenzene	<20	<0.21	<0.042	20	Total Hydrocarbon Sc	03/15/2002	JMM
Methylene Chloride	<20	<0.21	<0.060	20	Total Hydrocarbon Sc	03/15/2002	JMM
Pentane	<20	<0.21	<0.071	20	Total Hydrocarbon Sc	03/15/2002	JMM
Styrene	<20	<0.21	<0.049	20	Total Hydrocarbon Sc	03/15/2002	JMM
Tetrachloroethene	<20	<0.21	<0.031	20	Total Hydrocarbon Sc	03/15/2002	JMM
Toluene	<20	<0.21	<0.055	20	Total Hydrocarbon Sc	03/15/2002	JMM
Trichloroethene	<20	<0.21	<0.039	20	Total Hydrocarbon Sc	03/15/2002	JMM
Xylenes, Total	<20	<0.21	<0.048	20	Total Hydrocarbon Sc	03/15/2002	JMM

Page 3 of 7

CONFIDENTIAL,

CITY_21MC100_003429250

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Mar 25 02 12:24p

PSC Analytical Services

6109219667

p. 10



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/ELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02030688

Client Reference: 19125-0246

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m ³)	(ppm)				

Client ID: VOC4 ATC-0313-STY <i>Blank</i>	Lab ID: -04A	Date Sampled: 3/13/02	Matrix: Charcoal	Air Vol.(L): NA
1,1,1-Trichloroethane	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
1,2-Dichloroethane	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
A Hydrocarbons, Total	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Acetone	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
B Hydrocarbons, Total	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Benzene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Chlorobenzene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Chloroform	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Ethylbenzene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Hexane	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Isopropylbenzene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Methylene Chloride	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Pentane	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Styrene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Tetrachloroethene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Toluene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Trichloroethene	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM
Xylenes, Total	<20	--	20	Total Hydrocarbon Sc 03/15/2002 JMM

Client ID: Hg1 ATC-0313-STY	Lab ID: -05A	Date Sampled: 3/13/02	Matrix: HTBE	Air Vol.(L): 96
Mercury <i>1.000302</i>	0.0290	0.000302 --	0.01 N6009M	03/18/2002 JDC
Client ID: Hg2 ATC-0313-STY	Lab ID: -06A	Date Sampled: 3/13/02	Matrix: HTBE	Air Vol.(L): 96
Mercury <i>3.000312</i>	0.0300	0.000312 --	0.01 N6009M	03/18/2002 JDC
Client ID: Hg3 ATC-0313-STY	Lab ID: -07A	Date Sampled: 3/13/02	Matrix: HTBE	Air Vol.(L): 96
Mercury <i>1.000312</i>	0.0300	0.000312 --	0.01 N6009M	03/18/2002 JDC
Client ID: Hg4 ATC-0313-STY	Lab ID: -08A	Date Sampled: 3/13/02	Matrix: HTBE	Air Vol.(L): NA
Mercury	0.0290	-- --	0.01 N6009M	03/18/2002 JDC

Page 4 of 7

CONFIDENTIAL,

CITY_21MC100_003429251

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008