NYC 9/11 Public Portal Document

ATC ASSOCIATES INC.

104 East 25th St., 10th Fl
New York, New York 10010
www.atc-enviro.com
212 353 8280
Fax 212 353 8306

August 27, 2002

Mr. Bernard P. Orlan
New York City Board of Education
Director, Environmental Health & Safety Unit
28-11 Queens Plaza North
Long Island City, NY 11101

Re: Limited settled dust bulk sampling for fiberglass at P.S. 001M
8 Henry Street
New York, New York 10038

Dear Mr. Orlan:

At your request, ATC Associates, Inc. representative Mr. Herant Antonyant visited P.S. 001M located at 8 Henry Street, New York, NY 10038 on August 24, 2002. The purpose of the site visit was to perform a settled dust bulk sampling to be analyzed for fiberglass fiber content on areas indicated to ATC by the New York City Board of Education (NYC-BOE). These areas are the following:

- 1st Floor Lobby
- Cafeteria
- 1st Floor, 2nd Floor, 3rd Floor, 4th Floor, 5th Floor Hallway
- 1st Floor Playarea
- 2nd Floor Auditorium
- Room 213, 402

The purpose of the dust bulk sampling is to determine if settled dust in the school contains fiberglass fibers.

As per your request, a total of eleven (11) settled dust bulk samples were collected from the aforementioned areas and were analyzed utilizing Polarized Light Microscopy (PLM).

Analytical results indicated that none of the eleven (11) collected settled dust bulk samples contain fiberglass fibers.

The settled dust bulk sampling performed was limited to testing for fiberglass in locations indicated by the NYC-BOE.

CONFIDENTIAL, CITY_21MC100_003430104

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

NYC-WTC_000175099

NYC 9/11 Public Portal Document

Attached please find the following:

- Settled dust bulk sample chain of custody form and laboratory results
- Laboratory and personnel certificates

If you have any questions or require additional information regarding this limited settled dust bulk sampling, please do not hesitate to contact me at (212) 353-8280 extension #211.

Sincerely,
ATC Associates, Inc.

Arnel Javal
Senior Project Manager