



104 East 25th St 10th Fl
New York New York 10010
www.atc.enviro.com
212 353 8280
Fax 212 353 8306

August 30 2002

Mr Bernard P Orlan
Director Environmental Health and Safety
New York City Department of Education
28 11 Queens Plaza North
Long Island City NY 11101

**Re Air Sampling for Mercury Vapor
Dr Sun Yat Sen School (I S 131M)
ATC Project No 15 19125 0346**

Dear Mr Orlan

ATC Associates Inc (ATC) is pleased to provide this report of the results of air sampling for mercury vapor conducted on August 22 2002 at the referenced school The New York City Department of Education (DOE) requested this sampling prior to the resumption of classes to verify that acceptable indoor air quality is being maintained

Scope of Work

ATC collected three (3) samples for mercury vapor using Carulite® (Hydrar) tubes connected to battery powered sampling pumps calibrated to collect 0.2 liters of air per minute. Samples were collected for ten (10) hours. Two (2) samples were collected outdoors and one (1) was collected indoors. The samples were sent to PSC Analytical Services Inc. an American Industrial Hygiene Association accredited laboratory in Reading PA. One blank tube was also submitted. Analysis was performed by means of a mercury analyzer according to NIOSH Method 6009. A copy of the analytical laboratory report is attached.

Tenzin Namgyal and Wagdi Abdelshahid Industrial Hygienists from ATC's New York City office collected the samples consistent with accepted industrial hygiene sampling practices. The results represent the conditions on the day the samples were collected.

The sampling locations were the 1st floor Main Lobby 2^d Floor Hallway by Room 210 and 3^d Floor Hallway by Room 327.

Results

Mercury was detected in these samples at levels that were indistinguishable from those detected in the blanks.

The established regulatory value for mercury (0.1 mg/m³) is intended for industrial workplace exposures and is not generally applicable to office/school settings. There are no standards for mercury in indoor air in non industrial situations. The EPA has no standard or guideline for mercury vapor in ambient air.

CONFIDENTIAL,

CITY_21MC100_003431116

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Mr. Bernard P. Orlan
Air Sampling for Mercury Vapor
IS 131M


August 30, 2002

Page 2

ATC Project No. 15 19125 0346


ATC appreciates the opportunity to provide this indoor air quality service to the DOE. Please call (212) 353 8280 extension 370 or 212 if you have any questions.

Sincerely,
ATC Associates, Inc.



Tenzin Namgyal
Industrial Hygienist

Reviewed By



James R. Cohn CIH CSP
Regional Manager
Industrial Hygiene Division

Attachment

CONFIDENTIAL,

CITY_21MC100_003431117

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008