



104 East 25th St , 10th Floor
 New York, New York 10010
 www atc-enviro com
 212 353 8280
 Fax 212 353 8306

November 25, 2002

Mr Bernard P. Orlan
 Director, Environmental Health & Safety
 New York City Department of Education
 28-11 Queens Plaza North
 Long Island City, NY 11101-4008

**Re: Wipe Samples for Dioxins
 P. S. 1 (Manhattan)
 ATC Project No. 15-19125-0340**

Dear Mr. Orlan.

ATC Associates Inc (ATC) is pleased to provide this report of the results of the wipe-samples for polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) collected on August 27, 2002, at the referenced location The New York City Department of Education (DOE) requested these samples to evaluate possible contamination in the school building.

Scope of Work

The samples were collected using gauze pads and hexane as a solvent. The solvent was provided and samples were analyzed by Pace Analytical Services, Inc (Pace) of Minneapolis, MN, a laboratory experienced in dioxin analysis. The analysis was performed by modified EPA Method 8290 using combined capillary column gas chromatography/high resolution mass spectrometry

Wagdi Abdelshahid, Industrial Hygienist of ATC's New York City office, collected the samples consistent with generally accepted industrial hygiene practices There were inherent limitations created by constraints of time, operational and work practice variability, variations in contaminant concentrations, and sampling and analytical accuracy The results of the sampling represent conditions found on the date the samples were collected

Results

ATC submitted three wipe samples for PCDDs/PCDFs to Pace for analysis. Samples were taken from representative floor areas throughout the building The sample area for each sample was one square meter (1 m²). The areas sampled were.

- Main Lobby,
- Hallway by Room 215;
- Hallway by Room 403.

CONFIDENTIAL,

CITY_21MC100_003431262

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Mr. Bernard P. Orlan
Wipe Samples for Dioxins
P. S. 1 (Manhattan)

November 25, 2002

Page 2

ATC Project No. 15-19125-0340

Each sample was analyzed for sixteen (16) PCDD/PCDF isomers. The results for each isomer were then converted to 2, 3, 7, 8 tetrachloro-dibenzo-p-dioxin (2, 3, 7, 8-TCDD) equivalents by multiplying by an established equivalency factor. This provides a single value (in nanograms) for the analytical results for each sample. A copy of the laboratory analysis report is attached. The results are shown in the following table.

DIOXIN WIPE SAMPLE RESULTS
2, 3, 7, 8 TCDD EQUIVALENTS - Nanograms per square meter (ng/m²)
August 27, 2002

LOCATION /SAMPLE ID	DIOXIN CONCENTRATION
Main Lobby / DX1	0.000083
Hallway by Room 215 /DX2	0.00018
Hallway by Room 403 / DX3	0.000045

The New York State Department of Health (NYSDOH) established guidelines for dioxin for the re-occupancy of the Binghamton State Office Building following a PCB fire. The NYSDOH guideline for dioxin on surfaces is 25 nanograms per square meter (25 ng/m²).

The concentrations on indoor surfaces ranged from 0.000045 to 0.00018 nanograms per square meter (ng/m²). The levels found in all of these samples are below the NYSDOH guideline of 25 ng/m².

It is not possible to determine when the 2, 3, 7, 8 - TCDD equivalents detected in these samples was deposited. Dioxin samples were not collected from these locations prior to these samples; therefore a background sample is not available for comparison purposes.

It is our pleasure to provide these indoor environmental services to the NYC Department of Education. If you have any questions about this report, please call (212) 353-8280, extension 212.

Sincerely,
ATC Associates, Inc.



James R. Cohn, CIH, CSP
Regional Manager
Industrial Hygiene Division

Attachment

CONFIDENTIAL,

CITY_21MC100_003431263

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008