

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001


Ref Number: LI0116352

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
231	1220.00	None Detected		0	0.0635	0.0050	<15.75	<0.0050
251	1400.00	None Detected		0	0.0635	0.0043	<15.75	<0.0043
261	1450.00	None Detected		0	0.0635	0.0042	<15.75	<0.0042
265	1250.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049
266	1250.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049
267	1250.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049

Earl Tracey

Analyst


 Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NPLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

Accredited for NPLAP PLM/TEM #101048 10, NY FLAP 11469, CA FLAP 2339, CT PH 0249

CITY_21MC100_012545252

EMSL Analytical, Inc.208 Storehinge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	#STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non-Asbestos			(S/mm ²)	(S/cc)
268	1220.00	None Detected		0	0.0635	0.0050	<15.75	<0.0050
269	1210.00	None Detected		0	0.0635	0.0050	<15.75	<0.0050
270	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
271	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
272	1310.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
273	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047

Earl Tracey

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.


2

Accredited for: NVLAP PLM/TEM #101048-10, NY ELAP 11464, CA ELAP 2439, CT PH 0749

CITY_21MC100_012545253

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - $< 5\mu$	$\geq 5\mu$ Non-Asbestos			(S/mm ²)	(S/cc)
274	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
275	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
276	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
277	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
278	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045
279	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046

Earl Tracey

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NYS or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

3

Approved for NYS AP P1M/CEM #107048-10, NY ELAP #11469, CALL AP 2019, CE PH 0249

CITY_21MC100_012545254

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001


Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non-Asbestos			(S/mm ²)	(S/cc)
280	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
281	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
282	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
283	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
284	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
285	1270.00	None Detected		0	0.0635	0.0048	<15.75	<0.0048

Earl Tracey

Analyst


 Approved
 Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

4

Accredited for NVLAP PLM/TL: M #101048-10, NY ELAP 11469, CA ELAP 2339, CT PH-0249

CITY_21MC100_012545255

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
286	1270.00	None Detected		0	0.0635	0.0048	<15.75	<0.0048
287	1270.00	None Detected		0	0.0635	0.0048	<15.75	<0.0048
288	1240.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049
289	1260.00	None Detected		0	0.0635	0.0048	<15.75	<0.0048
290	1250.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049
291	1250.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049

Earl Tracey

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, copied, or placed, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

5

Accredited for NVLAP P11-W/TEM #101048-10, NY ELAP 11469, CA ELAP 2339, CT P11-0249

CITY_21MC100_012545256

EMSL Analytical, Inc.

208 Stonehinge Lane
Carle Place, NY 11514
Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
292	1250.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049
293	1800.00	None Detected		0	0.0508	0.0042	<19.69	<0.0042
294	1240.00	None Detected		0	0.0635	0.0049	<15.75	<0.0049
295	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
296	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
297	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047

Earl Tracey

Analyst


Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/area, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

6

Accredited for NVLAP PLM/ILM # 101048-10, NY ELAP 11459, CA ELAP 2339, CT ELAP 0249

CITY_21MC100_012545257

EMSL Analytical, Inc.

208 Stonehenge Lane
Carle Place, NY 11514
Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			≥ 0.5μ - < 5μ	≥ 5μ Non-Asbestos			(S/mm ²)	(S/cc)
298	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
299	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
300	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
301	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
302	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
303	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047

Earl Tracey

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVE AP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

7

Accredited for NVE AP PLM-TEM #101048-10, NY ELAP 11469, CA ELAP 2339, CT PH-0249

CITY_21MC100_012545258

EMSL Analytical, Inc.208 Stonehinge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			≥ 0.5μ - < 5μ	Non- Asbestos ≥ 5μ			(S/mm ²)	(S/cc)
304	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
305	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
306	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
307	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
308	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
309	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047

Earl Tracey

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NPLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

8

Accredited for NPLAP PML TFM #101048 10, NY EILAP 114E9, CA EILAP 2050, CT PHL0249

CITY_21MC100_012545259

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001


Ref Number: LI0116352

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			≥ 0.5μ - < 5μ	Non- Asbestos ≥ 5μ			(S/mm ²)	(S/cc)
310	1310.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
311	1310.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
312	1310.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
313	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
314	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
315	0.00	None Detected		0	0.0635		<15.75	

Earl Tracey

Analyst


 Approved
Signatory

Disclaimer: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory analytical accuracy and precision) is available upon request.

9

Accredited for NVLAP PLM/TEM #101048-10, NY ELAP 11469, CA ELAP 2339, CT ELAP 10249

CITY_21MC100_012545260

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Saturday, October 27, 2001

Ref Number: LI0116352

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - $< 5\mu$	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
316	0.00	None Detected		0	0.0635		<15.75	
317	0.00	None Detected		0	0.0635		<15.75	

Earl Tracey

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVE AP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

10

Approved for NVLAP PLM/TEM #101048-10, NY E1 AP 11469, CA E1 AP 2339, CT PH-0249

CITY_21MC100_012545261